


Zbornik radova Proceedings

7. Međunarodna konferencija o
obnovljivim izvorima električne energije
Beograd, 17–18. oktobar 2019

7th International Conference on
Renewable Electrical Power Sources
Belgrade, October 17–18, 2019



CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

502.171:620.9(082)(0.034.2)

**MEĐUNARODNA konferencija o obnovljivim izvorima električne energije
(7 ; 2019 ; Beograd)**

Zbornik radova [Elektronski izvor] / 7. Međunarodna konferencija o obnovljivim izvorima električne energije, Beograd, 17-18. oktobar 2019 ; [urednik Zoran Stević]
= Proceedings / 7th International Conference on Renewable Electrical Power Sources, Belgrade, October 17-18, 2019 ; [editor Zoran Stević]. - Beograd : Savez mašinskih i elektrotehničkih inženjera i tehničara Srbije - SMEITS, 2019 (Beograd : Graphic studio).
- 1 elektronski optički disk (CD-ROM) ; 12 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 150.
- Abstrakti. - Bibliografija uz svaki rad.

ISBN 978-86-81505-97-7

а) Енергетски извори -- Одрживи развој -- Зборници

COBISS.SR-ID 280174860

ZBORNIK RADOVA

Proceedings

pisanih za 7. Međunarodnu konferenciju o
obnovljivim izvorima električne energije

7th International Conference on Renewable
Electrical Power Sources



2019

ZBORNIK RADOVA
pisanih za 7. Međunarodnu konferenciju o
obnovljivim izvorima
električne energije

Dom inženjera i tehničara
„Nikola Tesla“, Beograd
17. i 18. oktobar 2019.

Izdavač
Savez mašinskih i
elektrotehničkih inženjera
i tehničara Srbije (SMEITS)
Društvo za obnovljive izvore
električne energije
Kneza Miloša 7a/II,
11000 Beograd

Predsednik Društva za
obnovljive izvore
električne energije
pri SMEITS-u
Dr Zoran Nikolić, dipl. inž.

Urednik
Prof. dr Zoran Stević

Za izdavača
Vladan Galebović

Štampa
Graphic studio, Beograd

Tiraž
150 primeraka

PROCEEDINGS
7th International Conference
on Renewable Electrical
Power Sources

Dom inženjera i tehničara
„Nikola Tesla“, Belgrade
17 and 18 October 2019

Publisher
Union of Mechanical and
Electrotechnical Engineers and Technicians of
Serbia (SMEITS)
Society for Renewable Electrical
Power Sources
Kneza Miloša str. 7a/II,
11000 Beograd

President to the Society
for Renewable Electrical
Power Sources
within the SMEITS
Zoran Nikolić, Ph. D.

Editor
Prof Zoran Stević, Ph. D.

For Publisher
Vladan Galebović

Printing
Graphic studio, Beograd

Circulation
150 primeraka

ISBN

978-86-81505-97-7

Organizator
Organizer

Savez mašinskih i elektrotehničkih
inženjera i tehničara Srbije (SMEITS),
Društvo za obnovljive izvore
električne energije

Union of Mechanical and Electrotechnical
Engineers and Technicians of Serbia (SMEITS),
Society for Renewable Electrical
Power Sources

Kneza Miloša 7a/II, 11000 Beograd
Tel. +381 (0) 11 3230-041, +381 (0) 11 3031-696, tel./faks +381 (0) 11 3231-372
office@smeits.rs • www.smeits.rs

Održavanje 6. MKOIEE finansijski je pomoglo
Ministarstvo prosvete, nauke i tehnološkog
razvoja Republike Srbije



Medijski partneri
Media partners



Međunarodni programski odbor
International Programme Committee

Prof. dr Sladana Alagić	Srbija
Prof. dr Viorel Badescu	Rumunija
Prof. dr Pellumb Berberi	Albanija
Prof. dr Miroslav Bjekić	Srbija
Prof. dr Oleksandr Bondarenko	Ukrajina
Prof. dr Alla Denysova	Bugarska
Dr Željko Despotović	Srbija
Dr Stevan Dimitrijević	Srbija
Akademik prof. dr Zoran Đurić	Srbija
Prof. dr Aleksandar Gajić	Srbija
Dr Aleksandar Ivančić	Španija
Prof. dr Miroslav Jevtić	Srbija
Prof. dr Branko Kovačević	Srbija
Rastislav Kragić	Srbija
Prof. dr Vladimir Krstić	Kanada
Prof. dr Nikolay Lopatkin	Rusija
Dr Stefan Mandić-Rajčević	Italija
Prof. dr Nikolay Mihailov	Bugarska
Prof. dr Nebojša Mitrović	Srbija
Prof. dr Milica Naumović	Srbija
Prof. dr Stefka Nedeltcheva	Bugarska
Mr Dušan Nikolić	Australija
Dr Zoran Nikolić	Srbija
Prof. dr Elena Ponomaryova	Ukrajina
Dr Mila Pucar	Srbija
Prof. dr Nikola Rajaković	Srbija
Prof. dr Birgit Scheppat	Nemačka
Prof. dr Valerij Sytnikov	Ukrajina
Prof. dr Velimir Stefanović	Srbija
Prof. dr Zoran Stević	Srbija (predsednik)
Prof. dr Zoran Stojiljković	Srbija
Prof. dr Volodymyr Sydorets	Ukrajina
Prof. dr Nada Šrbac	Srbija
Prof. dr Dragan Tasić	Srbija
Prof. dr Michael Todorov	Bugarska
Dr Nataša Tomić	Srbija
Dr Milica Vlahović	Srbija
Dr Zhongying Wang	Kina
Dr Wanxing Wang	Kina

Dr Xuejun Wang Kina
Prof. dr Hengzhao Yang SAD
Dr Ruiying Zhang Kina

**Organizacioni odbor
Organizing Committee**

Mila Pucar
Rastislav Kragić
Zoran Nikolić (*predsednik*)
Ilija Radovanović
Žarko Ševaljević
Jelena Salević
Vladan Galebović

PROGRAM

ČETVRTAK • THURSDAY, October 17, 2019.

09.00–10.00 h	Prijavljivanje učesnika	Registration
10.00–10.30 h	Otvaranje Konferencije	Opening ceremony
10.30–11.30 h	Plenarna predavanja	Plenary session
11.30–12.30 h	Izlaganje radova I tematske grupe	First session
12.30–13.00 h	Koktel	Coctail
13.00–15.00 h	Izlaganje radova II tematske grupe	Second session
15.00–15.15 h	Pauza	Break
15.15–18.00 h	Izlaganje radova III tematske grupe	Third session

PETAK • FRIDAY, October 18, 2019

9.00–10.30 h	Izlaganje radova IV tematske grupe	Fourth session
11.00–11.30 h	„Električni bicikl“	Electric Bicycle
11.30–12.00 h	„Električna strela“	„Electric Arrow“
12.00–17.00 h	Tribina: Električna vozila – juče, danas i sutra	Panel: Eelctrical vehicles – yesterday, today and tomorrow

FOREWORD

According to the International Energy Agency, increased energy consumption caused the global rise in CO₂ emissions up to incredible 33.1 Gt. This is the fastest rate since 2013. Energetic facilities contribute with almost two thirds of this growth. Forecasts are that CO₂ emissions will not slow down enough by middle of the century and that 2 °C temperature rise will occur in next thirty years. It is also expected that by 2050 the Earth will be warmer by 2.4 °C than in pre-industrial period. We must act immediately to prevent climate changes with stronger storms, floods, droughts, sea level rise and supply disruptions.

We need political actions: actions that promote renewable energy sources, new technologies and systems for decarbonization and better energy efficiency. We witness transition from fossil fuels to "green technologies, but not fast enough to comply with Paris Agreement: to limit global warming significantly below 2 °C.

By 2030 production of about 50 million electric vehicles is expected which asks for 50 batteries production 50 times larger than today. The best solution for batteries charging and increased electrical energy consumption are all kinds of renewable electrical energy sources.

Main goal of the 7th International Conference on Renewable Electrical Power Sources is to analyse comparative advantages and disadvantages of contemporary solutions among renewable sources in the world and in Serbia, and to provide fruitful exchange of opinions and ideas on development and implementations of these ideas.

The 7th Conference is accredited by the Institute for Education Promotion of Republic of Serbia

This international conference is for the seventh time organized by the Society for Renewable Electrical Power Sources within the Union of Mechanical and Electrotechnical Engineers and Technicians of Serbia (SMEITS), since 2010.

*Belgrade,
October 2019*

PREDGOVOR

Sve veća potrošnja energije dovela je do globalnog porasta emisije ugljen-dioksida (CO_2) na rekordnih 33,1 Gt, prema podacima Međunarodne agencije za energetiku. Ovo je bio najbrži rast od 2013. godine. Emisija gasova iz postrojenja za proizvodnje električne energije čini gotovo dve trećine ovog rasta. Smatra se da se emisija CO_2 neće dovoljno usporiti do sredine veka tako da će se povećanje prosečne temperature za 2°C dogoditi već sredinom ovog veka. Prognoze ukazuju da će krajem ovog veka zemljina kugla biti za $2,4^{\circ}\text{C}$ toplija nego u predindustrijskom periodu. Zbog toga je potrebno što pre da se deluje kako bi sprečili da klimatske promene donose sve jače oluje, sve češće poplave i suše, sve viši nivoi mora i poremećaje u snabdevanju hranom.

Potrebne su nam političke akcije: akcije koje unapređuju obnovljive izvore energije, nove tehnologije i sisteme dekarbonizacije, kao i postupci za povećanje energetske efikasnosti. Svedoci smo da se vrši prelaz sa fosilnih goriva na „zelene tehnologije“ ali ne dovoljno brzo da bi se ispunili ciljevi Pariskog sporazuma kojim bi se postiglo da se globalno zagrevanje ograniči na vrednost „znatno ispod 2°C “. Smatra se da će do 2030. godine biti pravljeno oko pedeset miliona električnih vozila godišnje a za to će biti potrebna 50 puta povećana proizvodnja akumulatorskih baterija. Smatra se i da je za dopunjavanje akumulatorskih baterija kao i za povećanu potrošnju električne energije najbolje rešenje razvoj svih vrsta obnovljivih izvora električne energije.

Osnovni cilj 7. Međunarodne konferencije o obnovljivim izvorima električne energije jeste da se analiziraju uporedne prednosti i nedostaci savremenih rešenja u oblasti obnovljivih izvora električne energije u svetu i kod nas, i da se obezbedi plodotvorna razmena kompetentnih mišljenja i ideja vezanih za razvoj i primenu ovih izvora.

Tribinu „Električna vozila - juče, danas i sutra“, koja se održava u okviru programa 7. Konferencije, akreditovao je Zavod za unapređivanje obrazovanja i vaspitanja Republike Srbije.

Ovaj međunarodni skup po sedmi put organizuje Društvo za obnovljive izvore električne energije Saveza mašinskih i elektrotehničkih inženjera i tehničara Srbije (SMEITS).

U Beogradu,
oktobra 2019.

SADRŽAJ

Plenarna predavanja

1.	KVANTITATIVNA I KVALITATIVNA ANALIZA ELEMENATA OD BETONA U VETROPARKU Aleksandar SAVIĆ, Zoran STEVIĆ, Sanja MARTINOVIC, Milica VLAHOVIĆ, Tatjana VOLKOV HUSOVIĆ	15
2.	ISPITIVANJE EROZIONE OTPORNOSTI KERAMIKE ZA PRIMENU U ELEKTROTEHNICI Milica VLAHOVIĆ, Sanja MARTINOVIC, Zoran STEVIĆ, Aleksandar SAVIĆ, Tatjana VOLKOV HUSOVIĆ	25
3.	INSTRUKCIJE U ZAKONSKIM REGULATIVAMA ZA POTENCIJALNO TOKSIČNE METALE U ZEMLJIŠTU KAO (NE)OBNOVLJIVOM PRIRODNOM RESURSU Slađana Č. ALAGIĆ	31
4.	NEKI ASPEKTI KORIŠĆENJA NOVIH ELEKTRONSKIH PLATFORMI U REALIZACIJI SISTEMA ZA PRIMENU OBNOVLJIVIH IZVORA ELEKTRIČNE ENERGIJE Predrag STOLIĆ, Danijela MILOŠEVIĆ, Zoran STEVIĆ	37

1. Životna sredina, održivost i politika

5.	IZAZOVI U IZGRADNJI NOVIH VETROLEKTRANA U SRBIJI - TEHNIČKA REŠENJA I PROCEDURE Gojko DOTLIĆ, Nikola GAŽO	43
6.	BIOMONITORING MANGANA U REGIONU BORA (ISTOČNA SRBIJA) NA BAZI SADRŽAJA U UZORCIMA LIŠĆA, KORENJA I ZEMLJIŠTA DIVLJE KUPINE Slađana Č. ALAGIĆ, Snežana B. TOŠIĆ, Maja M. NUJKIĆ, Snežana M. MILIĆ, Aleksandra D. PAPLUDIS, Zoran M. STEVIĆ	55
7.	TRŽIŠTE ELEKTRIČNE ENERGIJE IZ OBNOVLJIVIH IZVORA Stevan JOKIĆ	61
8.	ISTRAŽIVANJE EFEKATA I OGRANIČENJA IZGRADNJE OBNOVLJIVIH IZVORA ELEKTRIČNE ENERGIJE NA BAZI DOMAĆEG ZNANJA Zdravko BIJELIĆ, Mitar BIJELIĆ, Biljana MILANOVIĆ	71
9.	POTROŠNJA ENERGIJE I POTREBE ZA OBRAZOVARANJEM KADROVA Z. KARASTOJKOVIĆ, N. BAJIĆ, M. SREĆKOVIĆ, Z. JANUŠEVIĆ	77
10.	IZABRANI PROBLEMI DANAŠNICE U OBLASTI KOHERENTNE OPTIKE, FOTOFIZIKE I INTERAKCIJE SA ELIONSKIM ZRAČENJEM Milesa Srećković, Zoran KARASTOJKOVIĆ, Nenad IVANOVIĆ, Stanko OSTOJIĆ, Slađana PANTELJIĆ, Suzana POLIĆ	83

2. Energetski izvori i skladištenje energije

11.	MERENJE FREKVENCije TROFAZNOG GENERATORA PRIMENOM PIC MIKROKONTROLERA Viša TASIĆ, Radoš JEREMIJIĆ, Marijana PAVLOV-KAGADEJEV, Vladimir DESPOTOVIĆ, Ivana STOJKOVIĆ	101
12.	IZRADA KOMPOZITnih LAMINATnih MATERIJALA NA BAZI EPOKSIDNE SMOLE OJAČANE SILICIJUMOM IZ LJUSKE PIRINČA SA TERMOPLASTIČnim POLIURETANSKIM SLOJEM Nataša Z. TOMIĆ, Marija M. VUKSANOVIC, Bojana BALANČ, Miloš PETROVIĆ, Radmila JANČIĆ-HEINEMANN, Aleksandar D. MARINKOVIĆ, Vesna RADOJEVIĆ	107

13. UTICAJ MODIFIKACIJE ČESTICA Al_2O_3 NA TOPLOTNA I MEHANIČKA SVOJSTVA KOMPOZITA NA BAZI AKRILATA Vanja Z. MALIŠIĆ, Nataša Z. TOMIĆ, Marija M. VUKSANOVIC Bojana BALANČ, Zoran STEVIĆ, Radmila JANČIĆ-HEINEMANN, Aleksandar D. MARINKOVIĆ, Slaviša PUTIĆ	113
14. SEZONSKE VARIJACIJE KONCENTRACIJA I KORELACIJA PM_{10} I SO_2 U NEKIM URBANO-INDUSTRIJSKIM OBLASTIMA U REPUBLICI SRBIJI Aleksandra IVANOVIC, Aca BOŽILOV, Viša TASIĆ	119
15. SOLARNA ENERGIJA: SVETSKI TREND U POGLEDU FOTONAPONSKIH SISTEMA Sanja PETROVIĆ, Zoran STEVIĆ, Ivana JOVANOVIC, Dragan MILANOVIĆ	129
16. ISPITIVANJE KOROZIONIH I MEHANIČKIH OSOBINA ALUMINIJUMA I NJEGOVIH LEGURA DOBIJENIH RECIKLAŽOM Silvana DIMITRIJEVIĆ, Aleksandra IVANOVIC, Stevan DIMITRIJEVIĆ, Srba MLADENOVIĆ, Uroš STAMENKOVIĆ	133
17. MOGUĆNOST ISPLATIVOOG DOBIJANJA ELEKTRIČNE ENERGIJE IZ MALIH REGIONALNIH DEPONIJA Stevan DIMITRIJEVIĆ, Aleksandra IVANOVIC, Silvana DIMITRIJEVIĆ	141
18. OGLEDNI PV SISTEM NAPAJANJA U LABORATORIJI ZA ELEKTRIČNE PRETVARAČE ETF U BEOGRADU Milovan MAJSTOROVIC, Miloš MILEŠEVIC, Miša STEVIĆ, Žarko ŠEVALJEVIĆ, Zoran STEVIĆ	147
19. PRIRODNI I ENERGETSKI POTENCIJALI SOLARNE ENERGIJE NA TERITORIJI OPŠTINE VRANJE Vladimir ĆURIĆ, Uroš DURLEVIĆ	151
20. PROCENA IZVODLJIVOSTI PROJEKATA U OBLASTI MALIH HIDROELEKTRANA U SRBIJI Njegoš DRAGOVIĆ, Snežana UROŠEVIĆ, Milovan VUKOVIĆ	157

3. Energetska efikasnost

21. PRIMENA INFRACRVENE TERMOGRAFIJE U RECIKLAŽI KRUNICA BUŠEĆIH GARNITURA Dragan MILENKOVIĆ, Silvana DIMITRIJEVIĆ, Stevan DIMITRIJEVIĆ, Zoran STEVIĆ	165
22. HARDVER I SOFTVER ENERGETSKI EFIKASNE RAČUNAROM VOĐENE PEĆI ZA SINTEROVANJE Zoran STEVIĆ, Miloš MILEŠEVIC, Miša STEVIĆ, Stevan DIMITRIJEVIĆ, Silvana DIMITRIJEVIĆ, Žarko ŠEVALJEVIĆ, Sande LEKOVSKI	169
23. POREĐENJE ENERGETSKE EFIKASNOSTI RAZLIČITIH MLINOVA SA KUGLAMA Ivana JOVANOVIC, Sanja PETROVIĆ, Zoran STEVIĆ, Dragan MILANOVIĆ, Daniel KRŽANOVIĆ	173
24. USPOREDBA TROŠKOVA RAZLIČITIH MODELA TEHNOLOŠKE PODRŠKE POVEĆANOJ PENETRACIJI OBNOVLJIVIH IZVORA ENERGIJE NA SLUČAJU REPUBLIKE HRVATSKE U PROGRAMSKOM ALATU PLEXOS Iva KLARIĆ, Ivan RAJŠL, Željko TOMŠIĆ	177
25. IMPLEMENTACIJA SOLARNIH SISTEMA U POSTROJENJIMA PREHRAMBENE INDUSTRIJE – STUDIJA SLUČAJA Kragujevac Dragan CVETKOVIĆ, Aleksandar NESOVIĆ, Aleksandar ALEKSIĆ	185

26. MOGUĆNOSTI ISKORIŠTENJA DEPONIJSKOG GASA ZA PROIZVODNJU ELEKTRIČNE ENERGIJE SA DEPONIJA U OPŠTINAMA CENTRALNE SRBIJE Čedo LALOVIĆ	193
27. EKSPLOATACIJA GEOTERMALNE ENERGIJE – PRIMENA MODELIRANJA Miljan VLAHOVIĆ, Milica VLAHOVIĆ	205
28. FOTONAPONSKI SISTEMI INTEGRISANI U OMOTAČ ZGRADE - STUDIJA SLUČAJA IMPLEMENTACIJE NA FAKULTETU INŽENJERSKIH NAUKA U GRADU KRAGUJEVCU Natalija ALEKSIĆ, Danijela NIKOLIĆ, Vanja ŠUŠTERŠIĆ, Jasmina SKERLIĆ, Mladen JOSIJEVIĆ	213
29. ELEKTRIČNE PERFORMANSE SISTEMA FOTONAPONSKIH MATERIJALA INTEGRISANIH U ZGRADE Jasna RADULOVIĆ, Danijela NIKOLIĆ, Jasmina SKERLIĆ, Mina VASKOVIĆ JOVANOVIĆ	221

4. Aplikacije i usluge

30. MEĐUSOBNI UTICAJ RAZVOJA SKLADIŠTA ELEKTRIČNE ENERGIJE I RAZVOJA ELEKTRIČNIH VOZILA Zoran NIKOLIĆ, Dušan Nikolić	227
31. SENZOR UGLA POSMATRANJA POMOĆU AEROSTATSKIH SUSPENZIJA NA NOSĀCIMA NJEGOVIH OSA Elena PONOMARYOVA, Sergey PONOMARYOV, Yuliya SLUPSKA	235
32. POVEĆAVANJE TAČNOSTI INKLINOMETRIJSKOG SISTEMA ZA ORIJENTACIJU Anna LUKASHUK, Elena PONOMARYOVA	243
33. ANALIZA KOMPONENTATA DRUGOG REDA FAZNO-FREKVENTNOG ODZIVA ZAVISNIH OD FREKVENCije ZA REGULACIONI SISTEM VETROGENERATORA Hanna UKHINA, Ivan AFANASYEV, Valerii SYTNIKOV	249
34. DETEKCIJA RADA PV SISTEMA U URBANIM SREDINAMA BAZIRANA NA ARHITEKTURI FOG COMPUTING Ilija RADOVANOVIC, Ivan POPOVIĆ	253
35. DISTINKCIJE O OBNOVLJIVIM IZVORIMA ENERGIJE I ZAŠTITI KULTURNOG NASLEĐA Sanja PETRONIĆ, Suzana POLIĆ, Magdalena DRAGOVIĆ, Milesa SREĆKOVIĆ, Andelka MILOSAVLJEVIĆ	257
36. METODOLOŠKI PROBLEMI PRIMENE OBNOVLJIVIH IZVORA ENERGIJE U ZAŠTITI KULTURNOG NASLEĐA Suzana POLIĆ, Sanja PETRONIĆ	265
37. MODELOVANJE TOPLITNE MOĆI MISCANTHUS × GIGANTEUS GREEF ET DEU UZGAJENOG U SRBIJI PREMA HEMIJSKOM SASTAVU Slobodan CVETKOVIĆ, Radmila PIVIĆ, Aleksandra STANOJKOVIĆ-SEBIĆ, Jelena MAKSIMOVIĆ, Olga CVETKOVIĆ, Željko DŽELETOVIĆ, Zoran DINIĆ	271
ELEKTRIČNI POGONI TRANSPORTNIH SREDSTAVA OD TESLE DO DANAS ELECTRIC DRIVES OF THE TRANSPORT MENS FROM TESLA TO TODAY Zoran NIKOLIĆ	277

IMPLEMENTACIJA SOLARNIH SISTEMA U POSTROJENJIMA PREHRAMBENE INDUSTRIJE – STUDIJA SLUČAJA Kragujevac

IMPLEMENTATION OF SOLAR SYSTEMS IN FOOD INDUSTRIES - CASE STUDY Kragujevac

Dragan CVETKOVIĆ*, Aleksandar NEŠOVIĆ, Aleksandar ALEKSIĆ

University of Kragujevac, Faculty of Engineering,
Department for Energy and Process Engineering, Kragujevac, Serbia

Upravljanje energijom u industriji hrane je neprekidan proces, koji obuhvata praćenje energetskog učinka preduzeća i neprestano pronalaženje načina da se isti održi i poboljša. Na konkretnom preduzeću lociranom u Kragujevcu, sprovedena je studija slučaja u kojoj je razmatrano postavljanje ravnih solarnih kolektora (RSK) i fotonaponskih panela (FNP) na ravan krov postrojenja, sa ciljem povećanja energo-eko efikasnosti (EEE). Kompletno istraživanje je sprovedeno numerički, pomoći EnergyPlus softvera. Rezultati pokazuju da se FNP godišnje može zadovoljiti 3,65% potreba preduzeća za električnom energijom, uz period otplate od 22,6 godina, dok se primenom RSK potrošnja prirodog gasa na godišnjem nivou redukuje za 14,64%, uz dosta kraći period povraćaja uloženih sredstava (12,05 godina).

Ključne reči: EEE; prehrambena industrija; FNP; RSK; EnergyPlus; simulacija, period otplate

Energy management in the food industry is a continuous process, which includes monitoring the energy performance of the company and continually finding ways to sustain and improve it. At a concrete company located in Kragujevac, the installation of flat plate solar collectors (FPSC) and photovoltaic panels (PVP) on flat roofs of the plant was discussed with the aim of increasing the energy-eco efficiency (EEE). Complete research was conducted numerically, using the EnergyPlus software. The results show that PVP annually can meet 3.65% of the electricity needs of the company, with a payback period of 22.6 years, while using the FPSC consumption of natural gas annually reduces by 14.64%, with a much shorter return on investment (12.05 years).

Key words: EEE; food industry; PVP; FPSC; EnergyPlus; simulation, payback period

1 Introduction

According to the Energy Information Administration (EIA), final energy consumption is the highest in the industrial sector (32%). The food industry contributes 1.6% to this sector [1].

Although the food industry (as a percentage) is not a major consumer of final energy, the potential for energy savings in this branch of the food industry is high [2]. Therefore, in the literature, various measures can be found to achieve this:

- Purchasing new and replacement of old equipment [3-6];
- Optimization of production processes and lines [3-6];
- Adequate maintenance and management of production processes and lines [3-6];
- Training of employees [7];
- Recovery of waste heat where the technological and sanitary conditions allow it [8-14];
- Use of renewable energy sources (solar, geothermal and biomass energy) [15-18].

In order to increase energy-eco efficiency in the food industry, in the case of a plant located in Kragujevac, a numerical survey was conducted using EnergyPlus software to consider the possibility of using solar energy through FPSC and PVP.

* Corresponding author: dragan_cw8202@yahoo.com

2 Description of the plant

The subject of research is the company within the food industry (Figure 1). The plant is located in Kragujevac and WeatherFile [19] for this city was used within the EnergyPlus software. The green arrow determines the direction of the north, and it can be concluded that the building is oriented towards NE-SW.




Figure 1 – Subject of research

The specific consumption of natural gas, electricity and water, depending on the volume of production, is shown in Table 1.

Table 1 – Specific energy consumption depending on production volume

Year	Specific consumption		
	Natural gas [Sm³/t]	Electricity [kWh/t]	Water [m³/t]
2015	14.76	124.48	1.16
2016	13.80	112.60	0.70
2017	14.71	119.07	0.81
2018	14.31	117.46	0.54

Table 1 shows that energy consumption does not follow the production volume. Specific energy consumption in the food industry (in general) depends on the range of products, the technological process of production, the age and maintenance of equipment, the amount of generated waste, as well as the skills and level of employee training. On the other hand, the specific energy consumption impacts have weather conditions because they depend on the required amount of heat and cooling energy during the year.

3 Thermotechnical systems

3.1 PVP

Within the EnergyPlus software, three different PV modules are implemented: Simple, Equivalent One-Diode and Sandia. In this paper, a Simple Module was used which calculates the amount of generated (produced) PVP electricity from the following form [20]:

$$P_{PVP} = A_{PVP} \cdot f_{ACTIVE} \cdot I_{TOTAL} \cdot \eta_{CELL} \cdot \eta_{INVERTER} \quad (1)$$

Where are: P_{PVP} - electricity produced from PVP [kWh/month], A_{PVP} - area occupied by PVP [m^2], f_{ACTIVE} - fraction of surface area with active PV cells [-], I_{TOTAL} - total solar radiation incident on PVP array [$kWh/m^2/month$], η_{CELL} - module conversion efficiency [-], $\eta_{INVERTER}$ - DC to AC conversion efficiency [-].

Taking into account the orientation of the building (Figure 1), the optimal angle of inclination of solar systems (for the city of Kragujevac this angle is 37.5° [21]) and recommendations related to the installation of solar systems (Figure 2), a flat roof can be covered with 90 polycrystalline PVP (Figure 3) measuring 1.64×0.99 m [22], which means that the total area for collecting solar energy is 146.12 m^2 . Solar cells cover 89.21% of solar panels (the number of solar cells per panel is 60, the dimension is 0.156×0.156 m). The efficiency of solar cells is 18.48%, and the inverter is 75% [20].




Figure 2 – Recommendations for installation PVP [23]
(A=3 m; B=1.2 m; C=4.5 m)




Figure 3 – Flat roof covered with PVP

3.2 FPSC

A simplified thermal calculation of the FPSC in the EnergyPlus software is based on the application of the following form [20]:

$$P_{FPSC} = A_{FPSC} \cdot I_{TOTAL} \cdot \eta_{FPSC} \quad (2)$$

Where are: P_{FPSC} - heat energy produced from FPSC [kWh/month], A_{FPSC} - area occupied by FPSC [m^2], I_{TOTAL} - total solar radiation incident on FPSC array [$\text{kWh/m}^2/\text{month}$], η_{FPSC} - FPSC efficiency [-].

Taking into account the constraints that applied to PVP (orientation, inclination, recommendations for installation), in this case, the total area for collecting solar energy is 142.62 m^2 (adopted 56 FPSC dimensions 2.356×1.081 m [24]). For the efficiency of FPSC, the value was 0.44 [21]. Recommendations for mounting the FPSC date sun in Figure 4, and the roof covered with FPSC is shown in Figure 5.




Figure 4 – Recommendations for installation FPSC [23]
(A=3 m; B=1.2 m; C=6.5 m)




Figure 5 – Flat roof covered with FPSC

The amount of natural gas that is required for a gas boiler (GB) to produce the same amount of heat as FPSC can be determined as follows:

$$\dot{m}_G = \frac{P_{FPSC}}{\eta_G \cdot H_{DG}} \quad (3)$$

Where are: \dot{m}_G - mass flow of natural gas [Sm^3/month], H_{DG} - lower thermal power of natural gas [kWh/Sm^3], η_{GB} - overall efficiency of the system with GB [-].

For thermal power of natural gas, the value of 9.261 kWh / Sm^3 [25] was adopted. Taking into account GB efficiency, pipe network efficiency and efficiency of the control system, the total efficiency of the system with GB is 0.77 [26].

4 Research results

Power generation from PVP (Figure 6) varies over the course of the year and depends on weather conditions (time of day, season, amount of precipitation, cloudiness). From the picture it can be seen that the largest electricity generation in the summer period: June (2,747 kWh), July (2,775 kWh), August (3,097 kWh), September (2,996 kWh), and during the winter months the smallest: November (1,117 kWh) December (891 kWh), January (1,092 kWh), February (1,371 kWh). In this case PVP system can produce 24,811.93 kWh/a, which means that one PVP produces 275.69 kWh/a.




Figure 6 – Production electricity from PVP

Based on a four-year data collection, the average annual needs of the power plant are 679,180.5 kWh (Figure 7). By installing a PVP system, in analogy to Figure 6, the highest savings are achieved during the summer, and at least during the winter. Annually, this one system can achieve savings of 3.65%.

Figure 8 shows that during the year, 86,179.5 kWh of heat can be produced from the FPSC for the needs of the plant (one FPSL produces 1,538.92 kWh/a). The consumption of natural gas can be reduced from 82,561.75 to 70,475.93 Sm^3 at the annual level by the indicated solar system. In other words, natural gas consumption is reduced by 14.64% (Figure 9).

The investment costs of PVP installation are € 29,160 (1.2 €/W). Taking into account the average electricity price for the analyzed period (Table 1) amounting to 0.052 €/kWh (payment invoices) and the amount of electricity produced (24,811.93 kWh/a), the payback period was estimated at 22.6 years (Figure 10).

For the installation of FPSC, a cash investment of € 39,900 (2.85 €/W) is required. If the price of natural gas during the period was 0.274 €/ Sm^3 , and the estimate of its consumption savings of 12,085.82 Sm^3/a , this investment would be payable after 12.05 years (Figure 10).




Figure 7 – Electricity consumption before and after placement of PVP




Figure 8 – Thermal energy production from FPSC




Figure 9 – Natural gas consumption before and after installation of FPSC




Figure 10 –Economic indicators for the installation of PVP and FPSC

5 Conclusion

The food industry is very sensitive in terms of final energy consumption. Therefore, various measures are being taken to increase EEE in food production plants. In this way, money savings are achieved, while at the same time the environment is protected. Using renewable energy sources, all negative consequences can be reduced considerably. The disadvantages of using renewable energy sources in order to achieve the EEE are reflected in the fact that initial investments can sometimes be quite high, which affects the payback period of the invested funds.

This article discusses the possibility of implementing the active solar systems in order to reduce the final energy consumption which can result in cost savings and saves the environment. The installation of PVP and FPSC on a flat roof of an industrial plant in the territory of Kragujevac was considered. The results showed that using PVP annual electricity consumption is reduced by 3.65%. Natural gas consumption is reduced by 14.64% using FPSC.

Economic analysis shows that the payback period is shorter (12.05 year) when FPSC is set.

6 Acknowledgments

This investigation is a part of the project TR 33015 of the Technological Development of the Republic of Serbia. We would like to thank the Ministry of Education, Science and Technological Development of the Republic of Serbia for their financial support during this investigation.

7 References

- [1] Energy Information Administration, https://www.eia.gov/energyexplained/index.php?page=us_energy_industry (accessed: June 2019).
- [2] **L. Waters**, Energy Consumption in the UK July 2017, Department for Business, Energy & Industrial Strategy, London, UK, 2017.
- [3] **L. Wang**, *Energy Efficiency and Management in Food Processing Facilities*, CRC Press – Taylor & Francis Group, Boca Raton, 2008.
- [4] **L. Wang**, Energy efficiency technologies for sustainable food processing. *Energy Efficiency*, 7 (2014), 5, pp. 791–810.
- [5] **P. Therkelsen, E. Masanet, E. Worrell**, Energy efficiency opportunities in the U.S. commercial baking industry, *Journal of Food Engineering*, 130 (2014), pp. 14–22.
- [6] **Z. K. Morvay, D. D. Gvozdenac**, *Applied industrial energy and environmental management*, Wiley, Chichester, West Sussex, UK, 2008.
- [7] **D. Gordić**, *Energo-eko menadžment u industriji nameštaja*, Fakultet inženjerskih nauka, Sestre Janjić 6, Kragujevac, SRB, 2011.

- [8] **H. Jouhara, N. Khordehgah, S. Almahmoud, B. Delpech, A Chauhan, S. A. Tassou**, Waste heat recovery technologies and applications, *Thermal Science and Engineering Progress*, 6 (2018), pp. 268–289.
- [9] **I. Johnson, W. T. Choate, A. Davidson**, *Waste Heat Recovery. Technology and Opportunities in U.S. Industry*, BCS, Washington, D.C., USA, 2008.
- [10] **S. Bruckner, S. Liu, M. Laia, M. Radspieler, L. F. Cabeza, L. Eberhard**, Industrial waste heat recovery technologies: an economic analysis of heat transformation technologies, *Applied Energy*, 151 (2015), 1, pp. 157–167.
- [11] **A. Simeone, Y. Luo, E. Woolley, S. Rahimifard, C. Boér**, A decision support system for waste heat recovery in manufacturing, *CIRP Annals*, 65 (2016), pp. 21–24.
- [12] **R. Law, A. Harvey, D. Reay**, Opportunities for low-grade heat recovery in the UK food processing industry, *Applied Thermal Engineering*, 53 (2013), 2, pp. 188–196.
- [13] **G. S. Seck, G. Guerassimoff, N. Maïzi**, Heat recovery using heat pumps in non-energy intensive industry: Are Energy Saving Certificates a solution for the food and drink industry in France?, *Applied Energy*, 156 (2015), 1, pp. 374–389.
- [14] **L. Miró, J. Gasia, L. F. Cabeza**, Thermal energy storage (TES) for industrial waste heat (IWH) recovery: A review, *Applied Energy*, 179 (2016), 1, pp. 284–301.
- [15] **N. Yildirim, S. Genc**, Thermodynamic analysis of a milk pasteurization process assisted by geothermal energy, *Energy*, 90 (2015), Part 1, pp. 987–996.
- [16] **S. N. Dodić, S. D. Popov, J. M. Dodić, J. A. Ranković, Z. Z. Zavargo**, Biomass energy in Vojvodina: Market conditions, environment and food security, *Renewable and Sustainable Energy Reviews*, 14 (2010), 2, pp. 862–867.
- [17] **S. Mekhilef, R. Saidur, A. Safaria**, A review on solar energy use in industries, *Renewable and Sustainable Energy Reviews*, 15 (2011), 4, pp. 1777–1790.
- [18] **H. Schnitzer, C. Brunner, G. Gwehenberger**, Minimizing greenhouse gas emissions through the application of solar thermal energy in industrial processes, *Journal of Cleaner Production*, 15 (2007), 13–14, pp. 1271–1286.
- [19] Energy Plus, Energy Simulation Software (Weather File).
- [20] Energy Plus, Energy Simulation Software (Engineering Reference).
- [21] **J. Skerlić, M. Bojić**, Optimization of solar collector performance by using EnergyPlus and Hooke-Jeeves algorithm, Proceedings of the 41st International congress on heating, refrigerating and air – conditioning, Association of Mechanical and Electrical Engineers and Technicians of Serbia SMEITS, Belgrade, Serbia, 2010.
- [22] STC energy, <http://www.solarni.rs/slike/270wp.jpg> (accessed: June 2019).
- [23] BOSH, installation and maintenance manual, <http://bosch-rs.boschtt-documents.com/download/pdf/file/6720808645.pdf> (accessed: June 2019).
- [24] Grejanje.com, magazine for energy efficiency, <http://grejanje.com/strana.php?pID=361&terms=solarna%20energija-solarni%20kolektor-solar-solarni%20sistemi> (accessed: June 2019).
- [25] GAS RUMA, <http://www.gasruma.rs/index.php/prirodni-gas-m/specifnosti-prirodnog-gasa-m> (accessed: June 2019).
- [26] Rulebook on Energy Efficiency of Buildings in Serbia, http://www.ingkomora.org.rs/strucniispiti/download/ee/PRAVILNIK_O_EEZ_za%20obuku.pdf (accessed: June 2019).