

# 1. International Conference on Quality of Life



## June 09<sup>th</sup>-10<sup>th</sup> - 2016, Kragujevac Faculty of Engineering, University of Kragujevac

## 1. International Conference on Quality of Life **Conference manual**

### ISBN: 978 - 86 - 6335 - 033 - 5

ife

Editors:	<b>Dr Slavko Arsovski,</b> full professor Faculty of Engineering, Kragujevac <b>Dr Danijela Tadić</b> , full professor Faculty of Engineering, Kragujevac <b>Dr Miladin Stefanović</b> , full professor Faculty of Engineering, Kragujevac
Technical Editor:	<b>Dr Aleksandar Aleksić</b> Faculty of Engineering, Kragujevac
Publisher:	FACULTY OF ENGINEERING 34000 KRAGUJEVAC Sestre Janjić 6 CENTER FOR QUALITY 34000 KRAGUJEVAC Sestre Janjić 6
For publishers:	Prof. dr Miroslav Živković Prof. dr Slavko Arsovski
No. of copies:	200
Printing:	Faculty of Engineering, Kragujevac

Copyright © Faculty of Engineering, University of Kragujevac, 2016. Copyright © Center for Quality, Kragujevac, 2016.

Publication of Conference manual and organization of 1. International Conference on Quality of Life is supported by: Department of Education, Science and Technological Development of Republic of Serbia

> Izdavanje Zbornika radova, organizovanje i održavanje 1. International Conference on Quality of Life podržalo je: *Ministarstvo prosvete, nauke i tehnološkog razvoja Republike Srbije*

Publication of Conference manual and organization of 1. International Conference on Quality of Life is supported by *The city of Kragujevac* 

### 1<sup>st</sup> International Conference on Quality of Life Programme Committee

- 1. Prof. dr Slavko Arsovski, Faculty of engineering, University of Kragujevac, Kragujevac, president
- 2. Prof. dr Tadeusz Sikora, The Department of Quality Management, Cracow University of Economics, Kraków, Poland
- 3. Prof. dr Ezendu Ariwa, London Metropolitan Business School, London Metropolitan University, London, UK
- 4. Prof. dr Tadeja Jere Lazanski, University of Primorska, Koper, Slovenia
- 5. Prof. dr Mirko Soković, Faculty Of Mechanical Engineering, University of Ljubljana, Ljubljana, Slovenia
- 6. Prof. dr Milan Perović, Faculty Of Mechanical Engineering, University of Montenegro, Podgorica, Montenegro
- 7. Prof. dr Zdravko Krivokapić, Faculty Of Mechanical Engineering, University of Montenegro, Podgorica, Montenegro
- 8. Prof. dr Goran Putnik, University of Minho, Braga, Portugal
- 9. Assoc. Prof. dr Martí Casadesús, Universitat de Girona, Girona, Spain
- 10. Assoc. Prof. dr Iñaki Heras, Universidad del País Vasco, San Sebastian, Spain
- 11. Prof. dr Stanislav Karapetrović, University of Alberta, Edmonton, Canada
- 12. Prof. dr Miroslav Badida, Technical University of Košice, Faculty of Mechanical Engineering, Department of Environmental, Studies and Information Engineering, Košice, Slovakia
- 13. Prof. dr Danijela Tadić, Faculty of engineering, University of Kragujevac, Kragujevac, Serbia
- 14. Prof. dr Jovan Filipović, Faculty of organizational sciences, Belgrade, Serbia
- 15. Prof. dr Zora Arsovski, Faculty of economics, University of Kragujevac, Kragujevac, Serbia
- 16. Assoc. Prof. dr Gordana Nikolić, University of Rijeka, Rijeka, Croatia
- 17. Prof. dr Miladin Stefanović, Faculty of engineering, University of Kragujevac, Kragujevac, Serbia
- 18. Dr Prasun Das, SQC & OR Division of the Indian Statistical Institute (ISI), Kolkata, India
- 19. Prof. dr. Ayşegül Akdogan Eker, Yıldız Technical, University Mechanical Faculty, Beşiktaş/İstanbul-Turkey
- 20. Prof. dr Bülent Eker, Namık Kemal University, Tekirdağ-Turkey
- 21. Prof. dr Georgeta Rață, U.S.A.M.V.B. Timișoara, România
- 22. Paul M. Andre, AQE Group, Chicago, Illinois, USA
- 23. Prof. dr Nenad Injac, Quality Austria, Wien, Austria
- 24. Prof. dr Krešimir Buntak, University North, Koprivnica, Croatia
- 25. Prof. dr Petroman Ioan, Faculty of Agricultural Management, U.S.A.M.V.B. Timişoara, România



Dear friends,

By providing international platform, 1. International Conference on Zuality of Life 2016 will gather experts from industry and academia in order to exchange ideas and present results of ongoing research in a range of topics.

This Conference has a motto "From quality to happiness".

We invite you to participate in this important event.

Sincerely yours. President of Organization Committee

Prof. dr Slavko Arsovski





## **CONTENT:**

ife

uality

1.	Slavko Arsovski TRANSITION OF CONTEMPRORARY PARADIGM
	FROM QUALITY TO QUALITY OF LIFE1
2.	Tadeja Jere Jakulin SYSTEMS THINKING FOR CO-CREATIVE SOCIETY
3.	Nenad Injac, Miladin Stefanovic VIENNA THE CITY WITH SEVEN STRAIGHT TITLES OF
	THE CITY WITH THE HIGHEST LEVEL OF QUALITY
	OF LIFE IN THE WORLD – REVIEW17
4.	Danijela Tadić, Aleksandar Aleksić, Marija Zahar Đorđević, Milena Miladinović THE STATISTICAL APPROACH IN DETERMINING INFLUENCE
	OF ECONOMIC FACTORS ON THE LEVEL OF QUALITY OF LIFE
5.	Svetomir Simonović
5.	ON NANOPATRICLE BASED DEVICES FOR DISEASES
	TREATMENT AND DIAGNOSTIC
6.	Aleksandar Đorđević, Danijela Tadić, Aleksandar Aleksić, Miladin Stefanović, Snežana Nestić NEW MODEL FOR SUBJECTIVE HAPINESSES DETERMINATION
	BASED ON THE FUZZY SETS TEHORY AND STATISTIC
7.	Oliver Momčilović, Gordana Nikolić, Tijana Cvetić SYSTEM MODEL OF HAPPINESS
8.	Suzana Borić, Slavko Arsovski, Danijela Tadić, Aleksandar Đorđević A NEW STATISTICAL APPROACH IN DETERMINING
	THE LEVEL OF HAPPINESS WITH RESPECT
	TO ECONOMIC FACTORS
9.	Danijela Tadić, Hrvoje Puškarić, Suzana Borić, Snežana Nestić A NEW FUZZY MODEL FOR DETERMINING HAPPINESS LEVEL AT THE INDIVIDUAL LEVEL
10.	Daniela Stanojlovic, Tea Spasojevic-Santic AN ANALYTICAL REVIEW OF
11.	STATISTICAL METHODS IN MEASUREMENT OF HAPPINESS
	OF ENTERPRISES
12.	Boris Agarski, Djordje Vukelic, Milana Ilic Micunovic, Katica Simunovic, Igor Budak
	OPTIMAL PRODUCT SELECTION BASED ON
	PRODUCT'S QUALITY AND ENVIRONMENTAL PROPERTIES

13.	Natalija Bogdanović, Aleksa Đurić CONCEPTS WITHIN A DISCOURSE OF
	SOCIAL SUSTAINABILITY OF THE CITY
14.	Danijela Tadić, Miladin Stefanović, Aleksandar Đorđević, Aleksandar Aleksić
	DETERMINING THE FUNCTIONS OF DEPENDENCE
	BETWEEN QUALITY OF LIFE AND GDP101
15.	Slavko Arsovski, Goran Putnik, Slaviša Moljević, Dušan Đurović SUSTAINABLE QUALITY OF LIFE: IS IT POSSIBLE
	IN TRANSITION ECONOMICS?107
16.	Tea Spasojevic-Santic, Daniela Stanojlovic EARTHSHIP – A NEW HABITAT ON EARTH FOR QUALITY LIFE123
17.	Alev AKDOĞAN KAYMAZ, Alper BAYRAKAL, Onur İSKEFLİ, Sinem ÜLGEN SAKA, Efrahim SARGIN THE EFFECTS OF OWNING A GERIATRIC PET ON
	LIFE QUALITY OF OWNERS: PRELIMINARY REPORT127
18.	Srdjan Vukadinovich DESIGNING OF NETWORK FOR THE DISMANTLING CENTERS
	OF THE END-OF-LIFE VEHICLES BY FUZZY ABC METHOD133
19.	Snežana Vrekić, Milosav Đorđević INDEX OF QUALITY OF LIFE AND INDEX OF GLOBAL AGING137
20.	Jasna Petrić COMMUNITY EVALUATION MEASURED BY
	THE NEIGHBOURHOOD SATISFACTION SCALE (NSS)143
21.	Igor Klopotan, Krešimir Buntak, Ivana Drožđek PARAMETERS INFLUENCING EMPLOYEE LOYALTY149
22.	Cornelia Petroman, Simona Albu, Gelu Movileanu, Ioan Petroman, Filip Baba, Diana Marin STUDY ON THE SWINE CARCASSES AND THE MEAT QUALITY
	EXPLOITED IN INTENSIVE SYSTEMS IN ROMANIA161
23.	Dragan D. Milanović, Petar Kefer, Mirjana Misita, Marija Milanović INTEGRATED MANAGEMENT MODEL FOR COMPANIES
	WITH MULTIPLE LOCATIONS165
24.	Katarina Stojanović QUALITY OF TRANSFORMED SETTLEMENTS
	IN THE CONTEXT OF FINANCIALIZATION171
25.	Merce Bernardo, José Mª Castán Farrero, Martí Casadesús THE IMPACT OF MANAGEMENT SYSTEMS INTEGRATION
	THROUGH THE VALUE CHAIN179
26.	Bernard Binczycki, Wiesław Łukasiński DETERMINANTS OF QUALITY OF WORK CONDITIONS

life

iality

0]



27.	Aleksandra Gajović, Srećko Ćurčić THE USE OF FOREST FRUITS AS ONE OF THE FACTORS
	OF THE QUALITY OF HUMAN LIFE
28.	Aysel İçöz, Bülent Eker SELECTION OF FOOD PACKAGING MATERIAL, MIGRATION AND
	ITS EFFECTS ON FOOD QUALITY
29.	Ivana Bulut, Zoran Nešić, Miroslav Radojičić, Jasmina Vesić Vasović APPLICATION OF SOCIAL NETWORKS IN IMPROVEMENT
	OF BUSINESS QUALITY
30.	Tijana Cvetic, Slavko Arsovski, Miladin Stefanovic, Aleksandar Djordjevic IMPACT OF STANDARDIZED MANAGEMENT SYSTEMS
	ON QUALITY OF WORKING LIFE
31.	Piotr Kafel ANTI-BRIBERY MANAGEMENT SYSTEM AS A TOOL TO
	INCREASE QUALITY OF LIVE
32.	Zora Arsovski, Pawel Lula, Aleksandar Đorđević IMPACT OF ICT ON QUALITY OF LIFE
33.	Milan J. Perović, Milan Vukčević, Srdjan Martić QUALITY OF LIFE AS A UNIVERSAL VALUE
34.	Milosav Đorđević, Snežana Vrekić IMPACT OF MECHANICAL ENGINEERING ON QUALITY OF LIFE237
35.	Shirshendu Roy, Sujoy Samaddar TECHNOLOGICAL ADVANCEMENT AND QUALITY OF LIFE:
	AN INDIAN SCENARIO
36.	Cem Aldağ, Bülent Eker MANAGING OCCUPATIONAL HEALTH AND SAFETY
	IN AGRICULTURAL MACHINERY INDUSTRY IN TURKEY249
37.	Gordana Bogdanović, Dragan Čukanović, Aleksandar Radaković, Ljiljana Veljović
	IMPACT OF MODERN MATERIALS DEVELOPMENT
	ON QUALITY OF LIFE
38.	Mücella Cihan, Bülent Eker MAGNETIC FIELD EFFECTS ON QUALITY OF HUMAN LIFE261
39.	Zorica Djordjević, Saša Jovanović, Olivera Gavrilović, Dobrivoje Ćatić, Slobodan Savić BIOCOMPOSITES – ECOLOGICALLY ACCEPTABLE MATERIALS
40.	Bülent Eker, Aysel Içöz, PACKAGING MATERIALS AND EFFECTS ON QUALITY OF LIFE
41.	Nebojša Lukić, Novak Nikolić, Danilo Andrić THE USE OF SOLAR COLLECTORS FOR HEATING
	A RESIDENTIAL BUILDING IN KRAGUJEVAC (SERBIA)

	Quality of Life
42.	Zoran Nešić, Ivana Bulut, Miroslav Radojičić DEVELOPMENT OF A DATA MINING SYSTEM FOR
	ANALYZING DATA IN MARKETING ACTIVITIES)
43.	Jasna Glišović, Radivoje Pešić, Jovanka Lukić,Danijela Miloradović AIRBORNE WEAR PARTICLES FROM AUTOMOTIVE
	BRAKE SYSTEMS: ENVIRONMENTAL AND HEALTH ISSUES289
44.	Saša Jovanović, Nebojša Jovičić, Goran Bošković, Slobodan Savić Zorica Đorđević
	SELECTION OF THE OPTIMAL SYSTEM FOR MUNICIPAL
	SOLID WASTE MANAGEMENT BY INTEGRATED APPLICATION
	OF LCA AND MCDM METHODS297
45.	Radomir Janjić, Milan Bukvić, Blaža Stojanović, Snežana Mališić IMPACT OF NOISE AND VIBRATIONS IN THE PEOPLE
	IN THE CAR WITH UPGRADES
46.	Radomir Janjić, Blaža Stojanović, Milan Bukvić, Snežana Mališić IMPACT ON PEOPLE IN MICROCLIMATE BODY
	OF MOTOR VEHICLES
47.	Miroslav Vulić, Milan Pavlović, Aleksandar Tomović, Svetlana Stojanović, Aleksandar Đurić DETOXIFICATION OF ELV FLUIDS IN THE FUNCTION
	OF QUALITY OF LIFE
48.	Hrvoje Puskaric, Danijela Tadic, Marija Zahar Djordjevic DETOXIFICATION OF ELV FLUIDS IN THE FUNCTION
	OF QUALITY OF LIFE
49.	Dragan Lazarević, Bogdan Nedić, Milan Mišić, Živče Šarkoćević INSPECTION TECHNOLOGIES AND DEVICES IN
	INDUSTRIAL APLICATION
50.	Zoran Marjanović, Miomir Raos IMPACT OF EMISSION OF MOTOR VEHICLES
	ON AIR POLLUTION AND QUALITY OF LIFE
51.	Jovan Milivojevic, Svetlana Stojanovic, Aleksandra Kokic Arsic QUALITY OF LIFE BETWEEN CENTURIES
52.	Predrag Pravdic, Rada Kucinar INTEGRATION OF ENVIRONMENTAL ASPECTS INTO BSC
53.	Predrag Pravdic, Rada Kucinar INTRODUCTION OF EMS IN TQM CONCEPT
54.	Pawel Novicki SELECTED STANDARDIZED MANAGEMENT
	SYSTEMS VS QUALITY OF LIFE

life

0

Saša Jovanović<sup>1)</sup> Nebojša Jovičić<sup>1)</sup> Goran Bošković<sup>1)</sup> Slobodan Savić<sup>1)</sup> Zorica Đorđević<sup>1)</sup>

1) Faculty of Engineering, University of Kragujevac, Serbia {dviks, njovicic, goran.boskovic, ssavic, zoricadj}@kg.ac.rs

#### SELECTION OF THE OPTIMAL SYSTEM FOR MUNICIPAL SOLID WASTE MANAGEMENT BY INTEGRATED APPLICATION OF LCA AND MCDM METHODS

Abstract: Defining the optimal and sustainable system for municipal solid waste management at the local level is a very complex task that involves encountering challenges and overcoming а number of contradictories. The greatest efforts are directed towards designing a cost-effective system that will minimize negative impact on the environment and enhance energy efficiency. This paper presents a procedure for selection of the optimal local system for municipal solid waste management though integrated application of LCA and MCDM methods for the city of Kragujevac (the Republic of Serbia). Six different strategies for municipal solid waste management have been made and modelled using the software packet *IWM2. For each strategy, a comparative analysis of the* values for eight different parameters has been made. Based on the relevant indicators for each of the strategies and applying the Simple Additive Weighting (SAW) Method and multicriteria decision-making, the optimal management system has been chosen. In order to further verify the choice, an additional analysis of the sensibility of the results to the change of the criteria coefficients has been made. The applied procedure can be successfully used for defining the optimal system for municipal solid waste management for various *municipalities*.

*Keywords:* Municipal Solid Waste, Waste Management System, LCA Method, MCDM Method

#### **1. INTRODUCTION**

One of the biggest challenges of modern society *is* disposal of solid waste. Inadequate waste management is a huge environmental problem of the modern world. On the other hand, enormous amount of waste remains unused, which is a huge economic and energy loss.

Modelling and estimate of ecological, energy and economic (EEE) performance of the municipal solid waste management system is a research area of interest for many scientific workers and engineers.

The first generation of engineering model systems for solid waste management based on linear programming appeared in the late 1960s [1]. These models utilized the costeffectiveness principle [2]. In the years following 1980, authors of numerous studies started to take into account both direct and indirect economic and ecological benefits while

analysing solid waste management processes. During 1990s, optimization analysis developed. It involved both short and long term waste management decisions, including various social economic and ecological objectives and limitations, like minimal sustainability standards. The studies carried out in this period comprise the second generation of optimization analysis of municipal waste management [3].

ife

Development of the Life Cycle Assessment (LCA) method had a great impact on selection and use of suitable waste management techniques. A lot of studies used the LCA method as a comparison tool for different options in waste management [4]. Integrated solid waste management involves waste disposal in an ecologically, technically and economically sustainable way [5].

Multicriteria Decision Making Method (MCDM) has been increasingly used in the field of environmental engineering and environmental protection in the municipal waste management sector [6]. Decision support tools are most commonly used for municipal waste management [7]. Integrated use of multicriteria decision making methods and the LCA method has been analysed in various scientific papers [8,9]. The life cycle assessment method (LCA) can be described as a decision-making tool [10] or as a multicriteria decision making method [11]. The SAW method (Simple Additive Weighting) is one of the simplest multicriteria evaluation methods used in assessment of the total impact of the life cycle on the environment [12].

The primary benefit of using multicriteria analysis lies in adding weighting factors to certain parameters obtained by the LCA analysis. Once the parameters have been classified and the results characterized and normalized, the overall impact of the life cycle can be summed. The possibility to add variable weighting impact factors represents the main advantage gained by synthesis of these two methods. In general, the multicriteria and LCA methods can be directed towards adding weighting factors to impact categories in LCIA (Life Cycle Impact Assessment) or towards direct application to the LCIA results.

The primary objective of this paper is to choose an optimal waste management system for the city of Kragujevac through an integrated application of the LCA and MCDM methods. Based on the input data on the quantity of generated waste and its composition, the values of eight chosen parameters will be defined and then the optimal strategy for waste management will be chosen using the MCDM method. The analysis of the sensitivity of the obtained results will be performed by varying weighting coefficients of the chosen parameters.

The software package IWM2 [5], used in this paper, belongs to programming tools suitable for the LCA method.

#### 2. INPUT DATA – AMOUNT AND COMPOSITION OF MUNICIPAL SOLID WASTE

Quantity and composition of the municipal waste are the main input data for the analysis of the proposed options for future solid waste management system in the area of the city of Kragujevac. Experimental results on the quantity and composition of the generated municipal waste in Kragujevac were obtained as part of cooperation between the Faculty of Engineering in Kragujevac and the Faculty of Technical Sciences in Novi Sad [13].

The landfill in Kragujevac is equipped to weigh the collected municipal waste on a daily basis. The weighbridge is connected to the computer that has special software to register the weighed waste mass. The diagram in Figure 1 shows quantities of the collected municipal waste at the Landfill in Jovanovac (the city landfill) per months for the period January 2009 – December 2013.

The diagram in Figure 1 shows five distinct local minimums of the disposed municipal waste, which, as a rule, occur in wintertime. This particularly refers to the two coldest months in the year – January and February. In contrast, local maximums of the collected waste are registered in spring and autumn.

Morphological composition of the municipal waste was also analysed for the fiveyear period (2009-2013), and the results are shown in Figure 2. Waste samples of approximately 500 kg were analysed. They were taken from different parts of the municipality, classified into the following zones:

- the city zone individual residential area,
- the city zone collective residential area and commercial zone
- the village zone.




Figure 1. Collected municipal waste per months for the city of Kragujevac, in tons




Figure 2. Morphological composition of the generated municipal waste for the city of Kragujevac, in percentages

Based on the Figure 2, it can be concluded that organic waste accounts for the greatest part of the municipal waste collected in the territory of the city of Kragujevac. Composition of the collected waste should directly impact the ranking of the suggested strategies.

#### **3. RESULTS AND DISCUSSION**

As part of this paper, six strategies of solid municipal waste management in the territory of the city of Kragujevac were created. They were all modelled using the software package IWM2.

			- music ii				1	•	
		Landfill gas							
Strategy	Recycling		Biological treatment		Incineration		Disposal		collection system
	(%)	(t)	(%)	(t)	(%)	(t)	(%)	(t)	
1KG	0	0	0	0	0	0	100	56.158	Absent
2KG	9,9	5.544	0	0	0	0	90,1	50.614	Present
3KG	21,66	12.162	0	0	0	0	78,34	43.996	Present
4KG	29,23	16.413	16,35	9.180	7,57	4.251	63,2	35.494	Present
5KG	29,28	16.441	16,35	9.180	31,79	17.850	38,94	21.867	Present
6KG	27,39	15.381	15,39	8.640	55,61	31.228	17,00	9.550	Present

Table 1 - Waste treatment methods and waste quantities

Table 1 shows waste treatment methods and waste quantities for all the six strategies. In Table 1, the sum of all the percentage amounts for certain waste treatment types exceeds 100% for the strategies 4KG, 5KG and 6KG due to the fact that the waste residues that have already been treated are sometimes redirected to other treatment options, usually incineration or disposal. This way certain amounts of waste are registered twice during the treatment process.

1 e

For each of the chosen strategies, comparative analysis of the values of following eight parameters was performed:

- CH<sub>4</sub> emission,
- CO<sub>2</sub> emission,
- GWP factor,
- N<sub>2</sub>O emission,
- Small particle emissions,
- -Fuel consumption for the system operation,
- Overall costs for the system operation,

Volume of the remaining disposed solid waste.

It should be pointed out that the 1KG strategy almost entirely corresponds to the existing system of the municipal waste management in the territory of the city of Kragujevac. Hence, the proposed measures might have positive or negative impact on the existing waste management system.

The proposed multicriteria decision making SAW method was used to rank the six proposed strategies. It was not easy to choose the best waste management strategy and do the ranking based on the values of eight parameters. Therefore, the SAW method was applied as a multicriteria decision making method. First, the basic matrix table (Table 2) was defined. The proposed strategies represent the alternatives,  $(A_i, i=1,...,6)$ , while the analysed parameters  $(C_j, j=1,...,8)$  comprise the criteria.

Table 2 - Tabular re	presentation of the ma	trix for 6 strategies an	nd 8 criteria

			Criteria								
		C <sub>1</sub> (CH <sub>4</sub> )	C <sub>2</sub> (CO <sub>2</sub> )	C₃ (GWP)	$C_4$ (N <sub>2</sub> O)	С5 (РМ)	C <sub>6</sub> (FC)	C <sub>7</sub> (TOC)	C <sub>8</sub> (VW)		
	$A_l(1KG)$	X <sub>11</sub>	X <sub>12</sub>	X <sub>13</sub>	X14	X15	X16	X17	X <sub>18</sub>		
s (	$A_2(2KG)$	X21	X22	X23	X24	X25	X26	X27	X <sub>28</sub>		
Alternatives (strategies)	$A_3(3KG)$	X <sub>31</sub>	X <sub>32</sub>	X33	X34	X35	X36	X37	X38		
ltern strato	$A_4(4KG)$	$X_{41}$	X42	X43	X44	X45	X46	X47	X48		
A G	$A_5(5KG)$	X <sub>51</sub>	X <sub>52</sub>	X53	X54	X55	X56	X57	X58		
	A <sub>6</sub> (6KG)	$X_{61}$	$X_{62}$	X <sub>63</sub>	X64	X65	X66	X67	X68		
	max/min	min	min	min	min	min	min	min	min		
	$W_{j}$	$W_1$	$W_2$	<i>W</i> <sub>3</sub>	$W_4$	$W_5$	$W_6$	<i>W</i> <sub>7</sub>	$W_8$		

The SAW method [12] is one the best known, relatively simple and most widely used procedures, which gives results similar to the ones obtained using more complex multicriteria decision making methods.

Table 3 gives the values of the parameter  $X_{ij}$  for each of the six proposed strategies. Once the maximum and minimum values have been chosen in each column (for each  $j^{ih}$  criterion), normalized values are calculated (Table 4).

The further procedure of assessment and ranking through application of the SAW method requires determination of weighted normalized values per all the criteria (Eq. 1):

$$W_j' = \frac{W_j}{\sum_{j=1}^8 W_j}.$$
 (1)

Thus calculated values are used to rank alternatives by comparing the results obtained using the following expression:

$$A^{*} = \left\{ A_{i} \middle| \max_{i} \sum_{j=1}^{8} W_{j}' r_{ij} \right\}.$$
 (2)

300 S., Jovanović, N., Jovičić, G., Bošković, S., Savić, Z., Đorđević

At this point, five variations of the weighting criteria coefficients were performed, and consequently five ranking of the proposed strategies were obtained. Values of eight criteria were varied and they are shown in Table 5. Based on the proposed weighting coefficients  $W_{j}$ , using the expression (1), the following normalized weights  $W'_{j}$  for five variants are calculated and also showed in Table 5. The strategies are ranked by comparing the sums of products of the normalized weighting coefficients  $W'_{j}$ (expression 2). The ranking was performed for each of the five variants of the weights added to certain criteria (Table 6). Taking into account the data presented in Table 6, Figure 3 shows diagrams of sum characteristics of the strategies obtained using the SAW method. It is obvious that the 4KG strategy, in all five variants of weighting coefficients distribution, has the best sum characteristics, therefore this strategy is the optimal solution. On the other hand, the 1KG waste management strategy has the worst sum characteristics in all the cases. It should be pointed out that the ranking of the six strategies remains the same for all the variations.

Table 3 - Parametric values  $(x_{ij})$  for different strategies

	$CH_4$	CO <sub>2</sub>	GWP	N <sub>2</sub> O	PM	FC	TOC	VW
1KG	3660886419	9702095390	86580721178	35	0	24479	7549600	62330
2KG	322379185	8195270649	14951191400	-45297	-160	-349143	6708008	53579
3KG	275549875	7204401627	13006978099	51707	-109	-399987	7760535	41147
4KG	195373325	4645014256	8677579260	-226693	-71	-366249	7190784	32058
5KG	89847396	17931207137	19751628200	-214110	581	-488276	6934515	12968
6KG	-8941934	28161489424	27918594552	-177788	1026	-697531	9902157	-2557

Table 4 - Normalized parametric values (r<sub>ii</sub>) for different strategies (SAW)

	$CH_4$	$CO_2$	GWP	$N_2O$	PM	FC	TOC	VW			
1KG	0	0,784956	0	0,185603	0,865093	0	0,736521	0			
2KG	0,909718	0,849031	0,919469	0,348434	1	0,517475	1	0,134865			
3KG	0,922478	0,891166	0,944426	0	0,956998	0,587895	0,670483	0,326460			
4KG	0,944326	1	1	1	0,924958	0,541167	0,848856	0,466534			
5KG	0,973081	0,435026	0,857848	0,954802	0,375211	0,710177	0,929087	0,760738			
6KG	1	0	0,753014	0,824335	0	1	0	1			

#### Table 5 - Weighting and normalized weighting coefficients (five variations)

		$\mathrm{CH}_4$	CO <sub>2</sub>	GWP	N <sub>2</sub> O	PM	FC	TOC	VW
I	$W_j$	80	80	100	80	50	80	100	50
	$W_j$ '	0,12903	0,12903	0,16129	0,12903	0,08064	0,12903	0,16129	0,08065
II	$W_j$	100	100	100	100	100	100	100	100
	$W_j$ '	0,125	0,125	0,125	0,125	0,125	0,125	0,125	0,125
III	$W_j$	80	50	80	50	50	100	100	100
	$W_j$ '	0,13115	0,08197	0,13115	0,08197	0,08197	0,16393	0,16393	0,16393
IV	$W_j$	50	50	100	50	50	100	100	50
1	$W_j$ '	0,09091	0,09091	0,18182	0,09091	0,09091	0,18182	0,18182	0,09091
V	$W_j$	100	100	100	100	100	50	50	50
	$W_j$ '	0,15385	0,15385	0,15385	0,15385	0,15385	0,07692	0,07692	0,07692

Strategy	Weighting coefficients variants										
Strategy	Ι	II	III	IV	V						
1KG	0,313793	0,321522	0,271204	0,30079	0,339063						
2KG	0,739779	0,709874	0,690889	0,737812	0,746588						
3KG	0,67385	0,662488	0,656138	0,682065	0,69346						
4KG	0,860161	0,84073	0,799098	0,828715	0,891933						
5KG	0,776351	0,749496	0,77824	0,772098	0,737841						
6KG	0,566529	0,572169	0,625341	0,575488	0,550361						

The sum characteristics of the proposed alternatives  $(A_i)$  are not significantly sensitive to the change in normalized weighting

Te

coefficients. Table 7 shows the mean (average) values of the sum characteristics of all the proposed strategies in five simulation variants.



Figure 3. Strategy ranking for different weighting coefficients variants (SAW method)

Table 7 - Mean sum characteristics and strategy ranking (SAW method)						
	1KG	2KG	3KG	4KG	5KG	6KG
$A_i$	0,309274	0,724988	0,6736	0,844127	0,762805	0,577978
Ranking	6	3	4	1	2	5

#### 4. CONCLUSION

Waste management is one of crucial environmental issues largely due to the fact that waste may pose a hazard to the human health.

One of the ways to select the optimal waste management system is through the integrated application of the LCA and MCDM methods.

The first phase of the procedure involves calculation of the values of the chosen parameters – indicators for each of the waste management strategies, i.e. LCA analysis. Six different waste management strategies for the territory of the city of Kragujevac were formulated and eight parameters were selected. The second phase involved the MCDM procedure, when the parameters get the role of criteria, and when the best waste management option is selected using the SAW method.

SAW method indicated the 4KG strategy as the best alternative solution for the alternative waste management system in the city of Kragujevac.

This choice has been additionally proven through analysis of the results sensitivity to the weighting coefficients variation. This strategy is characterized with relatively large amounts of recycled waste (about 30%). One sixth of the waste undergoes biological treatment. A relatively small amount of waste (10%) is incinerated, while the amount of disposed waste is still significant – over 60%. In that sense, it is vital to install a landfill gas collection system.

## ife Olife

#### **REFERENCES:**

- [1] Anderson, L. (1968). A mathematical model for the optimization of a waste management system, SERL Report, Sanitary Engineering Research Laboratory, University of California at Berkeley, USA.
- [2] Chang, N.B., Qi, C., Islam, K., & Hossain, F. (2012). Comparisons between global warming potential and cost benefit criteria for optimal planning of a municipal solid waste management system. *Journal of Cleaner Production*, 20(1), 1-13.
- [3] Chang, N.B., & Wang, S.F. (1996). Solid waste management system analysis by multi-objective mixed integer programming model. *Journal of Environmental Management*, 48(1), 17-43.
- [4] Banar, M., Cokaygil, Z., & Ozkan, A. (2009). Life cycle assessment of solid waste management options for Eskischir, Turkey. *Waste Management*, 29(1), 54-62.
- [5] McDougall, F., White, P.R., Franke, M., & Hindle, P. (2001). *Integrated Solid Waste Management: A Life cycle Inventory*, Second ed. Blackwell Science, Oxford.
- [6] Huang, I.B., Keisler, J., & Linkov, I. (2011). Multi-criteria decision analysis in environmental sciences: Ten years of applications and trends. *Science of the Total Environment*, 409(19), 3578– 3594.
- [7] Morrissey, A.J., & Browne, J. (2004). Waste management models and their applications to sustainable waste management. *Waste Management*, 24(3), 297–308.
- [8] Chevalier, J., & Rousseaux, P. (1999). Classification in LCA: Building of a Coherent Family of Criteria. *The International Journal of Life Cycle Assessment*, 4(6), 352-356.
- [9] Geldermann, J., & Rentz, O. (2005). Multi-criteria Analysis for Technique Assessment: Case Study from Industrial Coating. *Journal of Industrial Ecology*, 9(3), 127-142.
- [10] Hertwich, E.G., & Hammitt, J.K. (2001). A decision-analytic framework for impact assessment part I: LCA and decision analysis. *The International Journal of Life Cycle Assessment*, 6(1), 5-12.
- [11] Benoit, V., & Rousseaux, P. (2003). Aid for Aggregating the Impacts in Life Cycle Assessment. *The International Journal of Life Cycle Assessment*, 8(2), 74-82.
- [12] Fishburn, P.C. (1967). Additive Utilities with Incomplete Product Set: Applications to Priorities and Assignments, ORSA Publication, Baltimore.
- [13] Vujić, G., Jovičić, N., Redžić, N., Jovičić, G., Batinić, B., Stanisavljević, N., & Abuhress, O.A. (2010). A Fast Method for the Analysis of Municipal Solid Waste in Developing Countries - Case Study of Serbia. *Environmental Engineering and Management Journal*, 9(8), 1021-1029.

#### ACKNOWLEDGEMENTS

The research was supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia Grant III 42013.



304 S., Jovanović, N., Jovičić, G., Bošković, S., Savić, Z., Đorđević