



University of Banja Luka
Faculty of Mechanical Engineering



DEMI 2017

**13th International Conference on
Accomplishments in Mechanical and Industrial
Engineering**

BOOK OF PROCEEDINGS



Banja Luka, 26 - 27 May 2017

University of Banja Luka
Faculty of Mechanical Engineering

PROCEEDINGS

Banja Luka, May 2017

Print:
Grafomark, Laktaši

Circulation:
200

ISBN:

CIP - Каталогизација у публикацији
Народна и универзитетска библиотека
Републике Српске, Бања Лука

**13TH INTERNATIONAL CONFERENCE ON ACCOMPLISHMENTS IN
MECHANICAL AND INDUSTRIAL ENGINEERING**

Supported by:

MINISTRY OF SCIENCE AND TECHNOLOGY OF
THE REPUBLIC OF SRPSKA

Organizer and publisher:

FACULTY OF MECHANICAL ENGINEERING
UNIVERSITY OF BANJA LUKA

Co-organizer:

FACULTY OF MECHANICAL ENGINEERING
UNIVERSITY OF NIS, SERBIA

FACULTY OF MECHANICAL ENGINEERING PODGORICA,
UNIVERSITY OF MONTENEGRO, MONTENEGRO

FACULTY OF ENGINEERING, HUNEDOARA,
UNIVERSITY POLITEHNICA TIMISOARA, ROMANIA

For publisher:

Prof. Darko Knežević, PhD

Editor in chief:

Prof. Zorana Tanasić, PhD

Executive editor:

Biljana Prochaska, MSc

Editorial assistant:

Milivoj Stipanović

ORGANIZATIONAL COMMITTEE

Chair:

Assoc. Prof. Zorana Tanasić, PhD, Faculty of Mechanical Engineering Banja Luka

Secretary:

Biljana Prochaska, MSc, Faculty of Mechanical Engineering Banja Luka

Members:

Assoc. Prof. Dejan Mitrović, PhD, Niš, Serbia

Assoc. Prof. Radoslav Tomović, PhD, Podgorica, Montenegro

Assoc. Prof. Marijus Benea Calin, PhD, Hunedoara, Romania

Prof. Zdravko Milovanović, PhD, Faculty of Mechanical Engineering Banja Luka

Prof. Snežana Petković, PhD, Faculty of Mechanical Engineering Banja Luka

Assoc. Prof. Đorđe Čiča, PhD, Faculty of Mechanical Engineering Banja Luka

Assoc. Prof. Aleksandar Milašinović, PhD, Faculty of Mechanical Engineering Banja Luka

Assoc. Prof. Mihajlo Stojčić, PhD, Faculty of Mechanical Engineering Banja Luka

Assoc. Prof. Mladen Todić, PhD, Faculty of Mechanical Engineering Banja Luka

Assoc. Prof. Petar Gvero, PhD, Faculty of Mechanical Engineering Banja Luka

Assist. Prof. Tihomir Latinović, PhD, Faculty of Mechanical Engineering Banja Luka

Assist. Prof. Stevo Borojević, PhD, Faculty of Mechanical Engineering Banja Luka

Sen. Assist. Branislav Sredanović, MSc, Faculty of Mechanical Engineering Banja Luka

Sen. Assist. Goran Jotić, MSc, Faculty of Mechanical Engineering Banja Luka

Sen. Assist. Saša Laloš, MSc, Faculty of Mechanical Engineering Banja Luka

Sen. Assist. Jovan Škundrić, MSc, Faculty of Mechanical Engineering Banja Luka

Assist. Milisav Marković, MSc, Faculty of Mechanical Engineering Banja Luka

Assist. Danijela Kardaš, MSc, Faculty of Mechanical Engineering Banja Luka

Milivoj Stipanović, Faculty of Mechanical Engineering Banja Luka

Mirko Bojinović, Faculty of Mechanical Engineering Banja Luka

Slavica Petrović, Faculty of Mechanical Engineering Banja Luka

PROGRAM AND SCIENTIFIC COMMITTEE

Chairman:

Prof. Strain Posavljak, PhD, Faculty of Mechanical Engineering Banja Luka, B&H

Members:

Prof. Darko Knežević, PhD, University of Banja Luka, B&H

Prof. Nenad T. Pavlović, PhD, University of Niš, Serbia

Prof. Igor Vušanović, PhD, University of Monte Negro, Monte Negro

Prof. Caius Panoiu, PhD, University of Timisoara, Romania

Prof. Radivoje Mitrović, PhD, University of Belgrade, Serbia

Prof. Dobrica Milovanović, PhD, University of Kragujevac, Serbia

Prof. Ranko Antunović, PhD, University of East Sarajevo, B&H

Prof. Vlastimir Nikolić, PhD, University of Niš, Serbia

Prof. Petar Vukoslavčević, PhD, University of Monte Negro, Monte Negro

Prof. Mitar Jocanović, PhD, University of Novi Sad, Serbia

Prof. Milan Lečić, PhD, University of Belgrade, Serbia

Prof. Mirko Soković, PhD, University of Ljubljana, Slovenia

Prof. Miroslav Rogić, PhD, University of Banja Luka, B&H

Prof. Bobrek Miroslav, PhD, University of Banja Luka, B&H

Prof. Radivoje Pešić, PhD, University of Kragujevac, Serbia

Prof. Miodrag Manić, PhD, University of Niš, Serbia

Prof. Janko Jovanović, PhD, University of Monte Negro; Monte Negro

Prof. Sorin Ioan Deaconu, PhD, University of Timisoara, Romania

Prof. Zoran Bučevac, PhD, University of Belgrade, Serbia

Prof. Vojislav Novaković, PhD, Norwegian University of Science and Technology, Norway

Prof. Neven Dujčić, PhD, University of Zagreb, Croatia

Prof. Aleksandr V. Belousov, PhD, Belgorod State Technological University V. G. Shukhov, Russia

Prof. Bjørn Solvang, PhD, Arctic University of Norway, Norway

Prof. Trygve Thomessen, PhD, PPM AS Norway, Norway

Prof. Gabor Sziebig, PhD, Arctic University of Norway, Norway

Prof. Simo Jokanović, PhD, University of Banja Luka, B&H

Prof. Izet Bijelonja, PhD, University of Sarajevo, B&H

Prof. Predrag Ćosić, PhD, University of Zagreb, Croatia

Prof. Igor Budak, PhD, University of Novi Sad, Serbia

Prof. Borut Kosec, PhD, University of Ljubljana, Slovenia

Prof. Milan Zeljković, PhD, University of Novi Sad, Serbia

Prof. Predrag Janković, PhD, University of Niš, Serbia

Prof. Marina Mijanović Markus, PhD, University of Monte Negro; Monte Negro

Prof. Božidar Šarler, PhD, University of Ljubljana, Slovenia

Prof. Stevan Stankovski, PhD, University of Novi Sad, Serbia

Prof. Milentije Stefanović, PhD, University of Kragujevac, Serbia

Prof. Veljko Đuričković, PhD, University of Banja Luka, B&H
Prof. Milan Radovanović, PhD, University of Belgrade, Serbia
Prof. Dragoslava Stoilković, PhD, University of Belgrade, Serbia
Prof. Manuela Panoiu, PhD, University of Timisoara, Romania
Assist. Prof. Radoje Vujadinović, PhD, University of Monte Negro, Monte Negro
Prof. Virginia Ana Socalici, PhD, University of Timisoara, Romania
Prof. Miloš Milošević, PhD, University of Niš, Serbia
Assist. Prof. Milica Grahovac, PhD, Lawrence Berkeley National Laboratory, USA
Prof. Bogdan Nedić, PhD, University of Kragujevac, Serbia
Prof. Ranko Zrilić, PhD, University of Banja Luka, B&H
Prof. Miroslav Mijajlović, PhD, University of Niš, Serbia
Prof. Ilija Ćosić, PhD, University of Novi Sad, Serbia
Assist. Prof. Predrag Živković, PhD, University of Niš, Serbia
Prof. Zdravko Krivokapić, PhD, University of Monte Negro Monte Negro
Assist. Prof. Konstantinos T. Papakostas, PhD, Aristoteles University of
Thessaloniki, Greece
Prof. Dragan Milčić, PhD, University of Niš, Serbia
Prof. Goran Janevski, PhD, University of Niš, Serbia
Prof. Goran Radenković, PhD, University of Niš, Serbia
Prof. Jelena Jovanović, PhD, University of Monte Negro Monte Negro
Prof. Peđa Milosavljević, PhD, University of Niš, Serbia
Prof. Lyubomir T. Gruyitch, PhD, University of Technology Belfort-Montbeliard,
Belfort, France
Prof. Friedrich-Karl Benra, PhD, University of Duisburg-Essen, Germany
Prof. Aleksander Mikhailov, PhD, OAO NPO "Saturn", Russia
Assist. Prof. Alexander Remizov Evgenyevich, PhD, Rybinsk State Aviation
Technical University, Russia
Prof. Aleksandar Sedmak, PhD, University of Belgrade, Serbia
Prof. Dong Leiting, PhD, Beijing University of Aeronautics & Astronautics, China
Prof. Atul Bhaskar, PhD, University of Southampton, United Kingdom
Prof. Konstantinos-Dionysios Bouzakis, PhD, Aristoteles University of
Thessaloniki, Greece
Prof. Radi Ganev, PhD, University of Structural Engineering and Architecture,
Bulgaria
Prof. Milan Rakita, PhD, Perdue University, USA
Prof. Halil Caliskan, PhD, Bartin University, Turkey
Prof. Bojan Babić, PhD, University of Belgrade, Serbia
Prof. Sead Pašić, PhD, Džemal Bijedić University of Mostar, B&H
Prof. Miodrag Hadžistević, PhD, University of Novi Sad, Serbia
Prof. Dragan Milutinović, PhD, University of Belgrade, Serbia
Prof. Davorin Kramar, PhD, University of Ljubljana, Slovenia
Prof. Isak Karabegović, PhD, University of Bihać, B&H
Prof. Mladen Ječmenica, PhD, Telemark University College, Norway.

CONTENT
KEYNOTE LECTURES

Vojislav Novakovic INTEGRATED ENERGY DESIGN – MULTIDISCIPLINARY APPROACH TO DESIGN OF BUILDINGS	3
Sorin Ioan Deaconu DUAL STATOR WINDING CAGE INDUCTION GENERATOR FOR WIND OR HYDRO VARIABLE SPEED LOW POWER CONVERSION ENERGY SYSTEM	9
Atul Bhaskar, Enrique Cuan-Urquizo, Alessandra Bonfanti, Hayk Vasilyan, Tigran Saghatelian, Loris Domenicale, S.J.A. Rizvi, Naresh Bhatnagar POROUS AND LATTICE MATERIALS: MECHANICS & MANUFACTURE	17

PRODUCTION AND COMPUTER-AIDED TECHNOLOGIES

Sasa Zivanovic, Nikola Slakovic, Dragan Milutinovic, Zoran Dimic CONFIGURING OF VIRTUAL 5-AXIS HYBRID KINEMATIC MILLING MACHINE	29
Marin Gostimirovic, Pavel Kovac, Milenko Sekulic, Mijodrag Milosevic, Dejan Lukic INVERSE THERMAL MODELING OF THE ELECTRICAL DISCHARGE MACHINING	37
Nikola Slakovic, Sasa Zivanovic, Dragan Milutinovic, Branko Kokotovic ROBOT MACHINING SIMULATION IN STEP-NC MACHINE ENVIRONMENT	43
Samir Butković, Emir Šarić, Muhamed Mehmedović MICROSTRUCTURAL CHANGES DURING HEAT TREATMENT OF SINTERED AUSTENITIC NICKEL-FREE STAINLESS STEEL	51
Dejan Lukić, Mijodrag Milošević, Mića Đurđev, Jovan Vukman, Aco Antić OPTIMIZATION OF OPERATION SEQUENCING USING PRECEDENCE CONSTRAINTS AND SIMULATION TECHNIQUE	57
Elvin Okugić, Milan Jurković THE ANALYSIS OF TECHNOLOGICAL PROCESS IN MANUFACTURING FACILITY “SANI GLOBAL” AND PROPOSED MEASURES TO IMPROVE THE PROCESS	65
Amir Ćorlaić, Anel Maslo, Mersida Manjgo, Senad Rahimić SIMULATION CASTING POINT IN THE PROCESS OF PLASTIC INJECTION UNDER	71
Srbislav Aleksandrovic, Slavisa Djacic, Milentije Stefanovic, Milan Djordjevic, Vukic Lazić, Dusan Arsic INFLUENCE OF PROCESS PARAMETERS ON THE FRICTION COEFFICIENT IN ONE AND MULTI PHASE STEEL STRIP DRAWING IRONING TEST	77
David Muženič, Gordana Globočki Lakić, Branislav Sredanović, Davorin Kramar, EMPIRICAL MODELLING OF LASER ASSISTED MILLING; OVERVIEW AND CASE STUDY	87

Content

Nenad Petrović, Nenad Marjanović, Nenad Kostić, Mirko Blagojević, Miloš Matejić SIZING OPTIMIZATION OF PARAMETRICALLY DESIGNED TRUSSES	93
Aleksandar Živković, Milan Zeljković, Miloš Knežev, Milivoje Mijušković ANALYSIS OF STATIC BEHAVIOUR OF THE BEARING ASSEMBLY FOR AGRICULTURAL MECHANIZATION	101
Mirna Nožić, Himzo Đukić, Darko Šunjić COMPARATION OF THEORETICAL, EXPERIMENTAL AND NUMERICAL METHODS FOR PROCESS ANALYSIS FOR DEEP DRAWING WITH REDUCTION OF WALL THICKNESS	109
Miodrag Manić, Miloš Ristić, Dragan Mišić, Miloš Kosanović CONCEPT OF THE SYSTEM FOR CUSTOMIZED IMPLANT MANUFACTURABILITY ANALYSIS	115
Milan Šljivić, Milija Krašnik, Jovica Ilić, Jelica Anić DEVELOPMENT OF SMALL BATCHES OF FUNCTIONAL PARTS USING INTEGRATION OF 3D PRINTING AND VACUUM CASTING TECHNOLOGY	121
Miloš Madić, Marko Kovačević, Miroslav Radovanović, SOME OPTIMIZATION ASPECTS IN TURNING PROCESSES	127
Branko Kokotovic, Sasa Zivanovic FUNCTIONS FOR PROCESSING OF WOKPIECE CAD MODEL FOR PREDICTION AND OPTIMIZATION OF MILLING PROCESS	133
Simo Jokanović FEATURE CENTRIC MANUFACTURING AUTOMATION – A CONCEPT	139
ENERGETICS AND THERMAL ENGINEERING	
Andreja Stefanović THE IMPACT OF PARTIAL REFURBISHMENT ON THE HEATING ENERGY CONSUMPTION OF A RESIDENTIAL BUILDING SECTOR	151
Igor Shesho, Done Tashevski, Filip Mojsovski METHODOLOGY FOR TECHNO-ECONOMIC OPTIMIZATION OF SOLAR ASSISTED HEATING SYSTEMS	157
Veselin Blagojević, Nebojša Lukić, Novak Nikolić, Aleksandar Nešović HEAT RECOVERY OF VENTILATION AIR IN EXISTING EDUCATIONAL BUILDING IN DOBOJ	171
Danijela Nikolić, Jasmina Skerlic, Vanja Šušteršič, Vanja Šušteršič, Aleksandar Mišković INFLUENCE OF HOT WATER TEMPERATURE IN DHW SYSTEM ON BUILDING EXERGY OPTIMIZATION	177

Sadoon Ayed, Predrag Živković, Mladen Tomić, Mirko Dobrnjac, Janja Branković, Gradimir Ilić EXPERIMENTAL STUDY RAYLEIGH–BÉNARD CONVECTION IN A RECTANGULAR MOTOR OIL TANK	185
Uroš Karadžić, Marko Jankovic, Filip Strunjaš INFLUENCE OF THE INITIAL CONDITIONS ON WATER HAMMER IN RESERVOIR-PIPELINE-VALVE SYSTEM	193
Veselin Blagojević, Vanja Šušteršič POSSIBILITY OF USE HEAT ENERGY FROM WASTE WATER SEWAGE SYSTEM FOR HEATING OF BUILDINGS	199
Kire Popovski, Aleksandar Trajkvski, Blagoj Ristovski, Igor Popovski COMPUTER PROGRAM FOR CALCULATING HEAT TRANSFER THROUGH TRANSPARENT WALLS IN GLASS HOUSE COATED WITH FOIL	205
Kire Popovski, Aleksandar Trajkvski, Blagoj Ristovski, Igor Popovski COMPUTER PROGRAM FOR CALCULATING DISTRIBUTION OF WATERFLOW IN HEAT EXCHANGERS WHICH ARE USED IN GRAPHIC INDUSTRY	211
Sasa Pavlovic, Evangelos Bellos, Velimir Stefanovic, Christos Tzivanidis EXPERIMENTAL AND NUMERICAL INVESTIGATION OF A SOLAR DISH COLLECTOR WITH SPIRAL ABSORBER	217
Danijela Kardaš, Petar Gvero, Siniša Rodić INSTITUALIZATION OF ENERGY MANAGEMENT INFORMATION SYSTEM IN REPUBLIC OF SRPSKA	227
Šefko Šikalo, Aleksandra Kostić AN EQUATION FOR FITTING SPREADING DIAMETER OF A LIQUID DROPLET IMPACTING ON FLAT SURFACES	237
Marko Serafimov, Filip Mojsovski, Igor Šešo IMPACT OF INDOOR AIR QUALITY ON HEALTH EFFECTS	243
Zajim Aljicevic, Aleksandra Kostic, Nediz Dautbašić SELECTING LOCATION FOR INFRASTRUCTURAL INVESTMENT PROJECT IN RENEWABLE SOURCES OF ENERGY USING MATLAB AND FUZZY LOGIC	255
Miloš B. Radojević, Nebojša G. Manić, Vladimir V. Jovanović, Dragoslava D. Stojiljković, METHODOLOGY AND CHALLENGES OF CALIBRATING THE INSTRUMENT FOR SIMULTANEOUS THERMAL ANALYSIS	261
Živan Spasić, Miloš Jovanović, Jasmina Bogdanović Jovanović METHODS FOR PREDICTING THE PERFORMANCE OF CENTRIFUGAL PUMPS WHEN OPERATING IN THE TURBINE MODE	271
Izudin Delić, Amel Mešić CFD ANALYSIS OF FLUID STREAMING IN ROTARY DRYER	279
Ivana Terzić, Vanja Šušteršič, Katarina Đonovic COMPARATIVE ANALYSIS OF GEOTHERMAL HEAT PUMPS	285

Content

Jelena Petrović, Živojin Stamenković, Miloš Kocić, Milica Nikodijević, Jasmina Bogdanović-Jovanović MHD FLOW AND HEAT TRANSFER IN POROUS MEDIUM WITH INDUCED MAGNETIC FIELD EFFECTS	291
Ivana Kecman, Mirko Dobrnjac, Vladimir Stevanović, Milan Lečić TWO-PHASE FLOW ANALYSIS IN SPIRAL EVAPORATOR TUBE OF STEAM GENERATOR	297
Janja Branković, Predrag Živković, Dragana Dimitrijević, Jelena Janevski, Sanja Dobrnjac INFLUENCE OF A CONSTRUCTION SITE TO THE IMMEDIATE SURROUNDINGS AIR QUALITY	305
Dragana Dimitrijević, Predrag Živković, Janja Branković, Mirko Dobrnjac, Žana Stevanović AIR POLLUTION REMOVAL AND CONTROL BY GREEN LIVING ROOF SYSTEMS	313
Predrag Živković, Mirjana Laković, Dušan Petković, Dragana Dimitrijević, Milica Jović WIND ENERGY POTENTIALS OF THE NORTHERN BALKAN MOUNTAIN	321
Mladen A. Tomić, Biljana B. Milutinović, Predrag M. Živković, Petar S. Đekić, Mirjana S. Laković NUMERICAL ANALYSIS OF CONVECTIVE HEAT TRANSFER FROM A PERFORATED PLATE	327
Jasmina Bogdanović-Jovanović, Živojin Stamenković, Živan Spasić, Jelena Petrović, Miloš Kocić NUMERICAL INVESTIGATION OF CAVITATING FLOW IN VENTURI NOZZLE	333
Maja Mrkić Bosančić, Srđan Vasković, Petar Gvero DETERMINATION OF OPTIMAL ENERGY MIX SUPPLY FROM RENEWABLE ENERGY SOURCES BY USING MULTI-CRITERIA OPTIMIZATION	339
Miloš M. Kocić, Živojin M. Stamenković, Jelena D. Petrović, Jasmina B. Bogdanović-Jovanović, Milica D. Nikodijević MHD FLOW AND HEAT TRANSFER OF MICROPOLAR FLUID WITH INDUCED MAGNETIC FIELD EFFECTS	349
Jasmina Skerlic, Danijela Nikolić, Vanja Šušteršič, Jasna Radulovic, Aleksandar Mišković, Blaža Stojanović ANALYSIS AND EVALUATION OF SOLAR ENERGY SYSTEMS	355
Dragan Cvetković THE IMPACT OF INPUT TEMPERATURE AT PANEL HEATING SYSTEM TO HEAT THE SPORTS HALL	365
Esad Tombarević, Igor Vušanović NUMERICAL ANALYSIS OF UNSTEADY HEAT TRANSFER IN U-TUBE GEOTHERMAL HEAT EXCHANGER	375

Dušica Vuković, Vidosava Vilotijević, Uroš Karadžić HYDRAULIC TRANSIENTS CALCULATIONS ON KOMARNICA HPP	381
Marko Mančić, Dragoljub Živković, Dejan Mitrović, Milan Đorđević, Milena Jovanović OPTIMAL CONFIGURATION OF A POLYGENERATION SYSTEM FOR THE ENERGY DEMANDS OF A PUBLIC SWIMMING POOL BUILDING	387
Cvete Dimitrieska, Silvana Angelevska, Zore Angelevska, Sevde Stavreva HEATING WITH BIOMASS – BENEFITS OF THE INVESTMENTS	399
Mirjana Laković, Milica Jović, Predrag Živković, Dragana Dimitrijević ANALYSIS OF CARBON FOOTPRINT METHOD-AN REVIEW	405
Aleksandar Milašinović, Zdravko Milovanović, Željko Đurić EXPERIMENTAL INVESTIGATION OF HEAT FLUX AT THE PANEL HEATING SYSTEMS	409
Milica Jović, Mirjana Laković CARBON FOOTPRINT METHOD-A CASE STUDY FOR THERMAL POWER PLANTS IN REPUBLIC OF SERBIA	423
Darko Knežević, Saša Laloš EXPERIMENTAL DETERMINATION OF SMALL FLOW RATE WITHIN HYDRAULIC COMPONENTS	429
Jelena N. Janevski, Mladen M. Stojiljković, Branislav V. Stojanovic, Stefan D. Jovanović, ADVANTAGES OF DRYING OF VEGETABLES USING THE INTEGRATED HEAT PUMP TECHNOLOGY	435
Jelena N. Janevski, Branislav V. Stojanović, Predrag Živković, Dejan M. Mitrovic INVESTIGATION OF WOOD BIOMASS MARKET IN SOUTHEAST SERBIA	443

MECHANICS AND DESIGN

Aleksandar Radaković, Dragan Milosavljevic, Gordana Bogdanovic, Dragan Čukanović, Vladimir Geroski APPLYING THIRD ORDER SHEAR DEFORMATION THEORIES IN THE FREE VIBRATION ANALYSIS OF CROSS-PLY SYMMETRIC AND ANTISYMMETRIC LAMINATE PLATES	451
Mustafa Hadžalić, Josip Kačmarčik, Alma Žiga OPTIMIZATION OF MINE HOIST ROPE ATTACHMENT ASSEMBLY USING FEM ANALYSIS	457
Nenad Miloradović, Slobodan Garić, Rodoljub Vujanac MODELLING AND FINITE ELEMENT ANALYSIS OF ELEVATOR BUCKETS	463
Jelena Stefanović-Marinović, Sanjin Troha TWO-CARRIER TWO-SPEED PLANETARY GEAR TRAINS WITH BRAKES ON SINGLE SHAFTS	469

Ognjen Ognjanović, Stevan Maksimović, Nenad Vidanović, Gordana Kastratović, Katarina Maksimović STRUCTURAL ANALYSES OF BALISTIC MISSILE FIN CONFIGURATION DURING SUPERSONIC FLIGHT CONDITIONS	477
Mersida Manjgo, Tomaž Vuherer, Meri Burzić, Eldar Pirić DETERMINATION OF MECHANICAL PROPERTIES OF COMPOSITE MATERIALS - THE RUBBER CONVEYOR BELT WITH CARTRIDGES MADE OF POLYESTER AND POLYAMIDE	483
Djordjevic Zorica, Jovanovic Sasa, Stanojevic Milan, Blagojević Mirko, Veličković Sandra OPTIMIZATION OF FIBER ORIENTATION ANGLE OF A HYBRID AI /COMPOSITE CARDAN SHAFT	489
Marko Penčić, Maja Čavić, Milan Rackov, Branislav Borovac ASSISTIVE HUMANOID ROBOT MARKO: DEVELOPMENT OF THE WAIST MECHANISM	495
Stevan Maksimović, Ivana Vasović, Mirko Maksimović, Mirjana Đurić COMPUTATIONS AND EXPERIMENTAL STRENGTH ANALYSIS OF HELICOPTER TAIL ROTOR BLADES MADE FROM COMPOSITE MATERIALS	501
Delić Marko, Djordjevic Zorica, Matejic Miloš, Jovanovic Sasa CALCULATION OF STRESS STATE OF GEAR MADE OF COMPOSITE MATERIALS	509
Isak Karabegović THE ROLE OF INDUSTRIAL AND SERVICE ROBOTS IN THE 4th INDUSTRIAL REVOLUTION – “INDUSTRY 4.0”	515
Nebojša Radić, Dejan Jeremić ANALYTICAL SOLUTION FOR THERMAL VIBRATIONS OF SINGLELAYERED GRAPHENE SHEETS WITH VARIOUS BOUNDARY CONDITIONS	525
Milan Rackov, Siniša Kuzmanović, Maja Čavić, Marko Penčić, Ivan Knežević INFLUENCE OF OPERATING AND AMBIENT TEMPERATURE ON LOAD CAPACITY OF UNIVERSAL WORM GEAR REDUCER	533
Sanel Gredelj, Milan Jurković CORRELATION DIMENSION OF NONLINEAR TIME-SERIES AND EXPERIMENTAL ANALYSIS	539
Saša Milanović, Miloš Jovanović, Vladislav Blagojević SOLID PHASE VELOCITY DISTRIBUTION OF TWO-PHASE TURBULENT FLOW AT PREUMATIC TRANSPORT IN STRAIGHT CHANNELS OF QUADRATIC CROSS	545
Dragan Čukanović, Aleksandar Radaković, Gordana Bogdanović, Dragan Milosavljević, Vladimir Geroski CRITICAL BUCKLING TEMPERATURE OF CERAMIC-METAL FUNCTIONALLY GRADED PLATE	551

Gordana Bogdanović, Vladimir Geroski, Aleksandar Radaković, Dragan Čukanović, Dragan Milosavljević FAILURE STRESS ANALYSIS OF FIBER REINFORCED COMPOSITE LAMINATES	555
Slobodanka Boljanović, Stevan Maksimović, Strain Posavljak CRACK PROPAGATION ANALYSIS OF CYCLICALLY LOADED STRUCTURAL COMPONENTS	561
Katarina Maksimović, Dragi Stamenković, Slobodanka Boljanović, Mirko Maksimović, Ivana Vasović MODELING FRACTURE MECHANICS PARAMETERS OF CRACKED STRUCTURAL ELEMENTS UNDER THERMOMECHANICAL LOADS	567
Boban Andjelković, Dragan Milčić, Biljana Djordjević, Miodrag Milčić, Nataša Zdravković, MEASURING SYSTEM FOR DETERMINING SN CURVE BASED ON THE ARDUINO PLATFORM	577
Miodrag Milčić, Dragan Milčić, Boban Anđelković, Nataša Jovanović DESIGNING OF FIXATOR FOR VIBRATION TESTING OF WELDED JOINTS SPECIMENS	583
Dečan Ivanović GENERALIZED SIMILARITY INCOMPRESSIBLE BOUNDARY LAYER EQUATION WITH VELOCITY AND SHEAR STRESS DISTRIBUTIONS FOR UNSTEADY FLOW AROUND CIRCULAR CYLINDER	589
Saša Randelović, Marina Trajković THE BENDING TECHNOLOGY DESIGN AT HIGHER PRECISION	597
Aleksija Đurić, Biljana Marković CALCULATION OF L _{Bkz} FACTOR FOR CARBON FIBER REINFORCED POLYMER UNDER COMPRESSION AND THEIR COMPARISON WITH OTHER LIGHTWEIGHT MATERIALS	603
Đorđe Miltenović, Milan Tica, Aleksandar Miltenović, Milan Banić ANALYSIS OF LOAD CARRYING CAPACITY OF WORM GEARS FROM THE ASPECT OF ENGINEERING PRACTICE	611
Amir Al Sammarraie, Dragan Milčić, Miodrag Milčić, Miodrag Milčić TRIBOLOGICAL BEHAVIOUR OF TIN-BASED MATERIALS –TEGOTENAX V840 IN OIL LUBRICATED CONDITIONS	619
Miroslav Milutinović, Spasoje Trifković DETERMINATION OF STRESS AND TORSION ANGLE OF THE CARDAN SHAFT FOR KNOWN LOAD	625

MECHATRONICS

Emina Petrović, Miloš Simonović, Nevena Tomić, Vlastimir Nikolić, Ivan Ćirić NEURAL NETWORK BASED SYSTEM FOR HUMAN ACTION RECOGNITION	635
--	-----

Biljana Djordjevic, Boban Andjelkovic, Natasa Zdravkovic COEFFICIENT CONTRAST ASSESMENT OF THE HOMOMORPHIC FILTERING BASED ON IMAGE HISTOGRAM	641
Miloš Simonović, Emina Petrović, Vlastimir Nikolić, Ivan Ćirić, Aleksandar Miltenović ADVANCED OPTIMIZATION TECHNIQUES FOR MARSHALLING YARD MANAGEMENT PROBLEM	647
Milan Pavlović, Vlastimir Nikolić, Ivan Ćirić, Milica Ćirić APPLICATION OF THERMAL IMAGING SYSTEMS FOR OBJECT DETECTION	653
Radoslav Tomović NEW APPROACH IN THE RESEARCH OF DYNAMIC BEHAVIOR OF ROLLING ELEMENT BEARING	663
Tihomir Latinovic, Mladen Todoc, Cristian Barz, Pop Vadean Adina, Pop Paul Petrica DATA RECORDING SYSTEMS WITH TELOC - 1500 FOR UPGRADING SAFETY SYSTEMS ON LOCOMOTIVE SERIES 441-521	669
Jelena Eric Obucina, Stevan Stankovski, Vladimir Savic, Gordana Ostojic, Stanimir Cajetinac ENERGY SAVINGS USING FREQUENCY REGULATION IN THE HYDRAULIC SYSTEM WITH A PUMP OF CONSTANT DISPLACEMENT AUTOMOTIVE AND TRAFFIC ENGINEERING	679
AUTOMOTIVE AND TRAFFIC ENGINEERING	
Slavica Mačužić, Jovanka Lukić TRENDS IN THE DEVELOPMENT OF BRAKE SYSTEMS OF THE AGRICULTURAL TRACTORS AND TRAILERS	689
Danijela Miloradović, Gordana Bogdanović, Lozica Ivanović, Vladimir Geroski, Marija Rafailović COMPARISON OF NUMERICAL INTEGRATION METHODS I N THE LINEAR DYNAMIC ANALYSIS	697
Slobodan Mišanović, Dragan Taranovic, Radivoje Pešić, Jovanka Lukić EXPLOITATION SPECIFICITIES OF E-BUSES IN WINTER CONDITIONS FROM THE ASPECT OF ENERGY EFFICIENCY	703
Almir Blažević, Mirsad Trobradovic, Ivan Filipović ANALYSIS OF EFFECT OF FLYWHEEL ON CRANKSHAFT SPEED NONUNIFORMITY IN ENGINE OPERATING RANGE	711
Jasna Glišović, Jovanka Lukić, Blaža Stojanović, Nadica Stojanović AIRBORNE WEAR PARTICLES FROM AUTOMOTIVE BRAKE SYSTEMS IN URBAN AND RURAL AREAS	717
Saša Milojević, Radivoje Pešić, Dragan Taranović DETERMINATION OF LOSSES RELATED TO FRICTION WITHIN THE RECIPROCATING COMPRESSORS – INFLUENCES OF TRIBOLOGICAL OPTIMIZATION OF PISTON AND CYLINDER	723

Ivan Grujić, Jovanka Lukić, Aleksandar Davinić, Nadica Stojanović IDENTIFICATION OF COMBUSTION NOISE	729
Zoran Majkić RESEARCH INFLUENCE OF ROAD-OFF ROAD ROUGHNESS ON TERRAIN MOTOR VEHICLES	733
QUALITY AND ECOLOGY	
Amna Bajtarević, Samir Lemeš, Fuad Hadžikadunić MEASUREMENT OF ROLLER BEARING GEOMETRY DEVIATIONS USING COORDINATE MEASURING MACHINE	751
Ranka Radić, Petar Gvero AIR QUALITY IN RURAL RESIDENTIAL AREA	757
Goran Janjić, Zorana Tanasić, Gorazd Kosec, Borut Kosec, Mirko Soković AN INTEGRATED APPROACH TO THE IMPLEMENTATION OF AN ENVIRONMENTAL MANAGEMENT SYSTEM AND LIFE CYCLE ASSESSMENT METHOD IN COMPANY	765
Radovan Martić, Zorana Tanasić, Goran Janjić IMPLEMENTATION OF LEAN CONCEPT IN SMEs	773
Peđa Milosavljević, Milena Rajić, Dragan Pavlović, Srđan Mladenović, Marija Mitrović, THE APPLICATION OF QUALITY AND MANAGEMENT TOOLS IN THE AUTOMOTIVE INDUSTRY	779
Svetlana Lazarević Petrović, Mioljub Lazarević, Tamara Petković BOLOGNA PROCESS IN SERBIA – TEN YEARS AFTER	785
Miloš Sorak, Miroslav Dragić, Zorana Tanasić DEVELOPMENT OF MODEL FOR THE DESIGN AND IMPLEMENTATION OF QUALITY MANAGEMENT SYSTEM ACCORDING TO ISO STANDARD 9001:2015	791
Mirko Soković, Goran Janjić, Igor Budak, Zorana Tanasić, Boris Agarski, Milana Ilić, Gorazd Kosec, Davorin Kramar, Borut Kosec ENVIRONMENTAL LABELLING WITH TYPE I ECO LABELS	797
Vijoleta Vrhovac, Stevan Milisavljević, Nela Cvetković, Nemanja Sremčev THE QUALITY OF THE EDUCATION SYSTEM	803
Nela Cvetković, Slobodan Morača, Vijoleta Vrhovac, Stevan Milisavljević MEASURING THE QUALITY AND PROGRESS OF SOFTWARE PROJECTS WITH PROJECT METRICS	811
Miroslav Bobrek, Milan Ivanović KNOWLEDGE AUDIT AS A QUALITY TOOL	815

MAINTENANCE OF ENGINEERING SYSTEMS AND OCCUPATIONAL SAFETY ENGINEERING

Boris Agarski, Igor Budak, Goran Simunovic, Borut Kosec, Miodrag Hadzistevic, Djordje Vukelic DEVELOPMENT OF INNOVATIVE METHODOLOGY FOR ECODESIGN OF PRODUCTS AND PROCESSES FOR THE REGION OF VOJVODINA	821
Biljana Vranješ, Zorana Tanasić THE APPLICATION OF THE ISHIKAWA METHOD FOR DETERMINING THE CAUSE OF ACCIDENTS AT WORK	827
Biljana Milutinović, Petar Djekić, Milan Pavlović, Mladen Tomić ARTIFICIAL NEURAL NETWORK FOR PREDICTION OF THE BEGINNING OF DELAMINATION AT RUBBER CONVEYOR BELTS	835
Mladen Todić, Latinovi Tihomir, Djudurevic Biljana, Majstorovic Aleksandar SECURITY APPLICATIONS OF INSULATION MASK	841
Velibor Karanović, Mitar Jocanović, Nebojša Nikolić, Mike Lubich, Marko Orošnjak LUBRICATING OILS FOR AUTOMOTIVE NATURAL GAS ENGINES	847
Mitar Jocanović, Velibor Karanović, Darko Knežević, Marko Orošnjak, Saša Laloš SIGNIFICANCE OF HYDRAULIC SYSTEM WORKING FLUID MAINTENANCE WITH INTEGRATED LOGIC AND BUILT-IN COMPONENTS	855
Aleksandar Majstorović, Mladen Todić THE HEAT DISTRIBUTION AT COMPRESSION FILLING OF BOTTLES AND EXPANSION OF MEDICAL AIR	863
Stevan Jovičić, Zoran Ilić, Ljubiša Tomić, Aleksandar Mićović CONSTRUCTION OF ACCOMMODATION FACILITIES FOR BASIC MAINTENANCE AND TESTING OF AIRCRAFT IN SERBIAN ARMY	869
Ile Mircheski, Tashko Rizov NONDESTRUCTIVE DISASSEMBLY PROCESS OF TECHNICAL DEVICE SUPPORTED WITH AUGMENTED REALITY AND RFID TECHNOLOGY	877
Petar Pejic, Dejan Mitrovic, Sonja Krasic SPATIAL ORIENTATION USING VIRTUAL REALITY, CASE OF FACULTY OF MECHANICAL ENGINEERING, NIŠ	887

MATERIALS SCIENCE

Blaž Karpe, Marko Krivec, Aleš Nagode, Daniela Korolija Cerkvenjakov, Mirko Gojić, Igor Budak, Milan Bizjak, Borut Kosec RESTORATION AND CONSERVATION OF SIGNIFICANT RIFLE FROM I. WORLD WAR	895
---	-----

Natalia I. Cherkashina COMPOSITE FOR RADIATION PROTECTION	901
Miruna Magaon, Ana Socalici, Sorina Serban RESEARCH ON THE INFLUENCE OF THE VACUUMING PARAMETER ON THE GAS CONTENT IN STEELS	905
Dragoslav Dobraš, Nenad Bukejlović, Milisav Marković ANALYSIS OF QUALITY OF WELDED JOINT ACHIEVED WITH FLUX CORED WIRE IN PG WELDING POSITION	911
Dragoslav Dobraš, Milisav Marković CONDITIONS FOR THE SELECTION OF WELDERS	917
Petar Djekić, Biljana Milutinović, Mladen Tomić APPLICATION OF POLYURETHANE WASTE IN VIRGIN RUBBER BLENDS	923
Stojana Vesković Bukudur, Aleš Nagode, Blaž Karpe, Janez Kovač, Stjepan Kožuh, Milan Bizjak PACK ALUMINIZATION PROCESS OF HEAT RESISTANT FeCrAl AND NiCr ALLOYS	929
Nadežda Šubara, Srđan Stojičić MODERN METHODS OF EXAMINATION THE RAILWAY AXLES ON FATIGUE	937
Milan Radošević, Sebastijan Baloš, Dragan Ružić METALLOGRAPHIC TESTS AND STRENGTH OF THE MATERIAL OF CHAINS SNOW	943
Ivana Ivanić, Stjepan Kožuh, Andrej Vračan, Borut Kosec, Mirko Gojić SEM ANALYSIS OF FRACTURE SURFACE OF THE CuAlNi SHAPE MEMORY ALLOY AFTER HEAT TREATMENT	949



INFLUENCE OF HOT WATER TEMPERATURE IN DHW SYSTEM ON BUILDING EXERGY OPTIMIZATION

Danijela Nikolic¹, Jasmina Skerlic², Vanja Šušteršič³, Jasna Radulovic⁴, Aleksandar Mišković⁵

Summary: Exergy can be used for the optimization of energy losses in different energy system. Exergy is also used for design and performance evaluation of energy systems. In this paper it is investigated the Serbian residential building with photovoltaics and solar collectors on the roof. The building has electrical space heating. Exergy optimization (including embodied exergy) was performed with the aim to determine the maximum value of the generated electricity. The residential buildings with variable temperature in DHW system are investigated. It is also analyzed building energy consumption with or without embodied energy of solar systems. The buildings were simulated in EnergyPlus, Open Studio plug-in in Google SketchUp was used for buildings design and Hooke-Jeeves algorithm for optimization. GENOPT was used for software execution control during optimization.

Key words: Exergy; Photovoltaic; Solar collector; Simulation; Optimization

1. INTRODUCTION

Performances of energy-related engineering systems are evaluated primarily by using the energy balance. In recent years, the exergy concept has gained considerable interest in the thermodynamic analysis of thermal processes [1]. The exergy analysis is a method based on the Second law of thermodynamics and it quantifies the loss of efficiency in a process that is due to the losses in energy quality.

At the other side, due to increasing demand for energy and rising cost of fossil fuels, solar energy is considered an attractive source of renewable energy that can be used for electricity generation and domestic water heating in residential buildings. Photovoltaic (PV) technology is an attractive option for clean and renewable electricity generation because it represents the direct conversion of solar radiation into electricity. Electrical energy can be treated as totally convertible to work, so the electricity is pure exergy.

¹ Assistant professor, Danijela Nikolić, Kragujevac, Faculty of Engineering, (danijelan@kg.ac.rs)

² Researcher Associate, Ph. D. Jasmina Skerlic, Kragujevac, Faculty of Engineering, (jskerlic@gmail.com)

³ Full professor, Vanja Šušteršič, Kragujevac, Faculty of Engineering, (vanjas@kg.ac.rs)

⁴ Full Professor, Jasna Radulovic, Kragujevac, Faculty of Engineering, (jasna@kg.ac.rs)

⁵ Researcher, Aleksandar Mišković, Kragujevac, Technical College of Applied Studies, (sasafij@gmail.com)

Also, heating water consumes nearly 20% of total energy consumption for an average family [2]. So, solar water heating systems are the cheapest and most easily affordable clean energy available to homeowners that may provide most of hot water required by a family. Using PVs and solar collectors together, represent a great opportunity for reducing the consumption of primary energy in residential buildings.

This paper reports investigations of the exergy optimization, with the major aim to determine the optimal size of PV panels and solar collectors on the roof, in order to achieve the maximum amount of exergy. On that way, it can be obtain the maximum value of exergy efficiency for installed solar systems, and primary energy consumption will be minimized. The residential building with variable temperature in DHW system is analyzed. The investigated building was located in Kragujevac, Serbia. The building is designed with PV panels and solar collectors installed on the roof. Generated heat energy is used for domestic hot water (DHW) heating. Electricity generated by the PV may be used for space heating, cooling, lighting, and electric equipment. Analyzed building has an electrical space heating system. Heating devices operated from 15 October to 14 April next year.

In this paper, the EnergyPlus, Open Studio plug-in in Google SketchUp, Hooke-Jeeves algorithm and Genopt were used for simulation and optimization.

2. SIMULATION SOFTWARES AND CLIMATE

EnergyPlus software simulates the energy behavior of the building for defined period. In this study, the version 8.1.0 was used. EnergyPlus is made available by the Lawrence Berkley Laboratory in USA [3] and it has been tested using the IEA HVAC BESTEST E100-E200 series of tests [4]. For PV electricity generation, EnergyPlus uses the different component, like PV array and inverter [5].

Open Studio plug-in is a free 3D software tool that combines a tool-set with an intelligent drawing system [6]. The software enables to place models using real world coordinates. The OpenStudio is free plug-in that adds the building energy simulation capabilities of EnergyPlus to the 3D SketchUp environment.

GenOpt is an optimization program for the minimization of cost function evaluated by an external simulation program. GenOpt serves for optimization problems where the cost function is computationally expensive and its derivatives are not available or may not even exist. It can be coupled to any simulation program that reads its input from text files and writes its output to text files. GenOpt is written in Java so that it is platform independent. It has a library with adaptive Hooke-Jeeves algorithm [7].

Hooke-Jeeves optimization algorithm is used for the optimization, and it is direct search and derivative free optimization algorithm [8]. In this algorithm, only the objective functions and the constraint values are used to guide the search strategy. The main advantage of this algorithm is reducing the compute time.

Climate. The investigated residential building was located in the city of Kragujevac, Republic of Serbia. Its average height above sea level is 209 m. Its latitude is $44^{\circ}10$ N and longitude $20^{\circ}55$ E. The time zone for Kragujevac is GMT+1 h. In the city of Kragujevac summers are very warm and humid, with temperatures as high as 37°C . The

winters are cool, and snowy, with temperatures as low as -12°C . The EnergyPlus uses weather data from its own database file.

3. MATHEMATICAL MODEL

3.1 MODELED BUILDING IN ENERGYPLUS SOFTWARE

The modeled residential building in EnergyPlus software is shown in Figure 1. The building has the south-oriented roof with a slope of 37.5° , with PV array and solar collectors installed on the roof. The building has two floors with total floor area of 160 m^2 and total roof area of 80.6 m^2 . The windows are double glazed. The concrete building envelope, roof, and the floor were thermally insulated by polystyrene (thermal insulation thickness - 0.15 m). Air temperatures in the heated rooms are set to 20°C from 07:00-09:00 and from 16:00-21:00, and to 15°C from 09:00-16:00. The simulation time step is 15 min.




Fig. 1 *Modeled residential building*

The PV system consists is an on-grid system. The life cycle of PV array is set to 20 years, the embodied energy of PV panels is set to 3.75 GJ/m^2 [9, 10], and the embodied exergy of PV panels is set to 5 GJ/m^2 [11]. The PV panel is represented by the mathematical model of Photovoltaic:Simple from EnergyPlus [4]. The life cycle of solar collectors is also set to 20 years, the embodied energy of solar collectors is set to 2.75 GJ/m^2 [11], and the embodied exergy of solar collectors is set to 3.8 GJ/m^2 [11].

The main part of exergy (i.e. electricity) obtained from PV array ($E_{x, PV}$), is consumed for electrical space heating in the building. Additionally, electricity was consumed for lighting, domestic hot water (DHW) and appliances. Sun exergy is calculated based on the value of the mean annual insolation at the city of Kragujevac, Serbia ($I=1447.85\text{ kWh/m}^2$) [11].

3.2 OPTIMIZATION PROCEDURE

Exergy optimization gives the maximum value of the exergy efficiency of the system of PV panels and solar collectors [12]. The maximum exergy efficiency is achieved at the optimal size of PV array and solar collectors, which is given by the roof area covered with PV array in the optimization code (value y). The value y exists in the calculated total exergy of PV system and solar collectors. Objective function in optimization procedure is exergy efficiency without embodied exergy:

$$\eta_X = \frac{E_{X,PV-KOL}}{E_{X,SUN}}$$

where: $E_{X,SUN}$ – Sun exergy (J), $E_{X,PV-KOL}$ (J) – exergy obtained by PV array and solar collectors, and it is equal to the sum of exergy obtained by the PV array ($E_{X,PV}$) and exergy obtained by the solar collectors ($E_{X,KOL}$), i. e.

$$E_{X,PV-KOL} = E_{X,PV} + E_{X,KOL}$$

It is also calculated the exergy efficiency with embodied exergy:

$$\eta_{X,EE} = \frac{E_{X,PV-KOL,EE}}{E_{X,SUN}}$$

where: $E_{X,PV-KOL,EE}$ (J) – exergy obtained from PV array and solar collectors, with their embodied exergy. This value is equal to the subtraction of exergy obtained by the PV array and solar collectors ($E_{X,PV-KOL}$) and embodied exergy of PV array (EE_{PV}) and solar collector (EE_{KOL}), i. e.

$$E_{X,PV-KOL,EE} = E_{X,PV-KOL} - EE_{PV} - EE_{KOL}$$

Through the exergy optimization, it is also calculated some other parameters, which can be very useful as a valid indicators of the exergy flows in the analyzed solar systems. They are ratios between required and obtained exergy e_X and $e_{X,EE}$ (without and with embodied exergy of solar systems):

$$e_X = \frac{E_{X,POT}}{E_{X,PV-KOL}} \quad e_{X,EE} = \frac{E_{X,POT}}{E_{X,PV-KOL,EE}}$$

where: $E_{X,POT}$ – total consumer exergy (J) (sum of needed exergy of all consumers, yearly). Ratios of required and obtained exergy should be as small as possible.

In the proces of exergy optimization, it is calculated total electricity consumption E_{EL} (GJ), primary energy consumption (GJ), generated finally and primary energy (GJ), and avoided operative primary energy E_{PRIM} . Avoided operative primary energy consumption due to operation of the solar systems (J) is [13]:

$$E_{PRIM} = R_{EL}(E_{PV} + E_{COLL}) - C_{m1}(E_{em,PV} + E_{em, COLL}) - C_{inst} - C_{m1}E_{em, ISO}$$

where: $R_{EL}=3.04$ - primary conversion multiplier; E_{PV} – yearly electrical energy generated by PV array (J); E_{COLL} – yearly heat energy generated by solar collectors (J); $E_{em,PV}$ – PV array embodied energy (J); $E_{em, COLL}$ – solar collectors embodied energy (J); $C_{m1}=1/LC$; where LC is life cycle of PV and solar collectors, in years, $C_{m1}=1/LC_{ISO}$; where $L_{C_{ISO}}$ is life cycle of thermal isolations, in years, $E_{em, ISO}$ – insulation embodied energy (J) [13] and C_{inst} – coefficient of instalation and maintenance of solar systems during their life cycle [14].

4. RESULT AND DISCUSSION

Exergy optimization (including embodied exergy) was performed with the aim to determine the maximum value of the exergy efficiency. The residential building with electrical space heating and with variable water temperature in the hot water tank (central part of DHW system) was analyzed. The first case was the hot water temperature 50 °C (referent case), the second case was the hot water temperature 60°C and the third case was the hot water temperature of 70 °C, respectively. Due to different required hot water temperature, there was a small change in electricity consumption, which referred to the electricity for the operation of electrical appliances and for water heating. Results obtained by exergetic optimization are given at Table 1. According to the table, it can be concluded that with the increasing of hot water temperature, there is an increase in both of the exergy efficiency (with and without embodied exergy). Exergy efficiency η_x for hot water temperature of 50 °C, 60 °C and 70 °C are 12.64%, 12.83% and 12.84%, respectively, while the exergy efficiency $\eta_{x,EE}$ for the same values of hot water temperature are 7.63%, 7.82% and 7.83%, respectively. Preview the two of these exergy efficiencies is given in Figure 2.

Table 2 *The results obtained by exergetic optimization, for residential building with variable hot water temperature in DHW system*

	Hot water temperature		
	50 °C	60 °C	70 °C
η_x - exergy efficiency without embodied exergy (%)	12,64	12,83	12,84
$\eta_{x,EE}$ - exergy efficiency with embodied exergy (%)	7,63	7,82	7,78
e_x - ratio between required and obtained exergy (without embodied exergy)	1,075	1,101	1,143
$e_{x,EE}$ - ratio between required and obtained exergy (with embodied exergy)	1,78	1,804	1,874
$E_{x,POT}$ - total consumer exergy (GJ)	54,45	56,58	58,82
$E_{x,PV-KOL}$ – exeeegy obtained by solar systems (without embidied exergy) (GJ)	50,65	51,41	51,44
$E_{x,PV-KOL,EE}$ - exeeegy obtained by solar systems (with embidied exergy) (GJ)	30,6	31,36	31,39
E_{EL} - Total electricity consumption (GJ)	68,36	69	69,67
$E_{EL,PRIM}$ - Primary energy consumption (GJ)	207,8	209,8	211,8
Fraction of PV panels on the roof (%)	98,75	98,75	98,75
Generated energy (GJ)	55,68	55,68	55,68
Generated primary energy (GJ)	169,3	169,3	169,3
E_{PRIM} – avoided operative primary energy (GJ)	149	149	149
Building type (without embodied energy)	NNEB	NNEB	NNEB
Building type (with embodied energy)	NNEB	NNEB	NNEB

Required exergy of all building consumers and exergy obtained from solar systems (with or without embodied exergy) for different hot water temperature and electric heating system, are graphically shown in Figure 3.




Fig. 2 Exergy efficiency for building with defferent hot water temperature

When hot water temperature increases, exergy obtained from the solar system increases too. Compared to the referent case (hot water temperature of 50 °C and total required of 54.45 GJ), in the case of hot water temperature of 60°C required exergy is greater for 2.13 GJ (3.9%); in the case of hot water temperature of 70 °C required exergy is greater for 4.37 GJ (8%).




Fig. 3 Required and obtained exergy for building with defferent hot water temperature

Figure 4 represents total electricity consumption, primary energy consumption, generated primary energy and avoided operative primary energy consumption in building with different hot water temperature in DHW system. Fraction of PV panels on the roof was the same in all cases – 98.75 % (79,6 m² of PV panels and 1 m² of solar collector), and building generates 169.3 GJ of primary energy, while maximum avioded operative primary energy is 149 GJ.




Fig. 4 Total electricity consumption, primary energy consumption, generated primary energy and avoided operative primary energy for buildings with different hot water temperature (Yearly values)

5. CONCLUSION

The major aim of this investigation was optimization to determine the optimal area of PV array due to achieving the maximum avoided primary energy consumption of the buildings. The investigation shows that in all cases it is the maximum roof coverage with PV arrays. All the buildings were neto-negative energy building (NNEB) - with or without consideration of embodied energy. In the case of some other, low-temperature, heating system, positive-net energy building (PNEB) concept may be achieved.

Acknowledgement

This investigation is a part of the project TR 33015 of Technological Development of the Republic of Serbia. We would like to thank to the Ministry of Education, Science, and Technological Development of Republic of Serbia for the financial support.

REFERENCES

- [1] Koroneos C., Tsarouhis M., Exergy analysis and life cycle assessment of solar heating and coling systems in the building enviromnent, *Journal of Cleaner Production, Volume 32*, 2012, p. 52-60
- [2] Johari D., Yadav A., Verma R., Study of solar water heaters based on exergy analysis, *Proceedings of the National Conference on Trends and Advances in Mechanical Engineering, Faridabad, Haryana, 2012*
- [3] Anonymous, ENERGYPLUS, Input Output Reference - The Encyclopedic Reference to EnergyPlus Input and Output, University of Illiinois & Ernest Orlando Lawrence Berkeley National Laboratory, 2009

- [4] Henninger R.H., Witte M.J., Crawley D.B., Analytical and comparative testing of EnergyPlus using IEA HVAC BESTEST E100-E200 test suite, *Energy and Buildings* 36 (8), (2004), p. 855–863.
- [5] Lawrence Berkeley National Laboratory. EnergyPlus - Engineering documentation: the reference to EnergyPlus calculations. University of Illinois & Ernest Orlando Lawrence Berkeley National Laboratory; 2001.
- [6] Bojić M., Skerlić J., Nikolić D., Cvetković D., Miletić M, Toward future: positive net-energy buildings, *Proceedings 4th IEEE International Symposium on Exploitation of Renewable Energy Sources - EXPRES 2012*, March 9-10, 2012., Subotica, Serbia, p. 49-54
- [7] Wetter, M., 2004. GenOpt, Generic Optimization Program. User Manual, Lawrence Berkeley National Laboratory, *Technical Report*, LBNL- 54199, p. 109.
- [8] Hooke R., Jeeves T.A., Direct search solution of numerical and statistical problems, *Journal of the Association for Computing Machinery, Volume 8* (1961), pp. 212–229
- [9] Alsema, E.A., Nieuwlaar, E., Energy viability of photovoltaic systems, *Energy Policy, Volume 28(14)*, 2000, pp. 999–1010
- [10] Alsema E.A., Energy pay-back time and CO2 emissions of PV systems, *Progress in Photovoltaics: Research and Applications 8(1)*, (2000), pp. 17–25
- [11] Nikolić D., Energetsko-eksegetska optimizacija veličina fotonaponskih panela i solarnih kolektora kod kuća neto-nulte potrošnje energije, *Doktorska disertacija*, Fakultet inženjerskih nauka Univerziteta u Kragujevcu, Kragujevac, 2015.
- [12] Nikolić D., Radulović J., Skerlić J., Exergy optimization of buildings with different solar systems, CD Conference proceedings и Зборник радова, ISBN 978-86-81505-79-3, *47th International HVAC&R congress*, Beograd, decembar 2016.
- [13] Nikolić D., Bojić M., Skerlić J., Radulović J., Energy optimization of serbian buildings with solar collectors and different pv systems, CD Conference proceedings, ISBN 978-86-81505-79-3, *46th International HVAC&R congress*, Beograd, decembar 2015.
- [14] Cabeza L.F., Rincón L., Vilariño V., Pérez G., Castell A., Life cycle assessment (LCA) and life cycle energy analysis (LCEA) of buildings and the building sector: A review, *Renewable and Sustainable Energy Reviews, Volume 29*, 2014, p. 394–416

Print:
Grafomark, Laktaši

Circulation:
200

ISBN: 978-99938-39-72-9

CIP - Каталогизacija у публикацији
Народна и универзитетска библиотека
Републике Српске, Бања Лука

621.3(082)(0.034.2)

621(082)(0.034.2)

004(082)(0.034.2)

INTERNATIONAL Conference on Accomplishments in Mechanical and
Industrial Engineering (13 ; Banja Luka ; 2017)

Proceedings [Електронски извор] / 13th International Conference
on Accomplishments in Mechanical and Industrial Engineering, Banja
Luka, 26 - 27 May 2017 ; [editor in chef Zorana Tanasić]. - Banja Luka :
University of Banja Luka, Faculty of Mechanical Engineering =Mašinski
fakultet, 2017 (Laktaši : Grafomark). - 1 elektronski optički disk (CD-
ROM) : tekst, slika ; 12 cm

CD ROM čitač. - Nasl. sa nasl. ekrana. - Tiraž 200. - Bibliografija uz svaki
rad.

ISBN 978-99938-39-72-9

COBISS.RS-ID 6522392