

Faculty of Engineering
University of Kragujevac



Ministry of Science, Technological
Development and Innovation

10th International Congress
Motor Vehicles & Motors 2024
ECOLOGY -
VEHICLE AND ROAD SAFETY
- EFFICIENCY
Proceedings



University of Kragujevac



Department for Motor Vehicles
and Motors



International Journal for Vehicle
Mechanics, Engines and
Transportation Systems

October 10th - 11th, 2024
Kragujevac, Serbia

**10th International Congress
Motor Vehicles & Motors 2024**

**ECOLOGY -
VEHICLE AND ROAD SAFETY
- EFFICIENCY**

Proceedings

October 10th - 11th, 2024
Kragujevac, Serbia

Publisher: Faculty of Engineering, University of Kragujevac
Sestre Janjić 6, 34000 Kragujevac, Serbia

For Publisher: Prof. Slobodan Savić, Ph.D.
Dean of the Faculty of Engineering

Editors: Prof. Jasna Glišović, Ph.D.
Asst. prof. Ivan Grujić, Ph.D.

Technical preparation: Asst. prof. Nadica Stojanović, Ph.D.
Asst. prof. Ivan Grujić, Ph.D.

Cover: Nemanja Lazarević

USB printing: Faculty of Engineering, University of Kragujevac, Kragujevac

ISBN: 978-86-6335-120-2

Year of publication: 2024.

Number of copies printed: 100

CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

CIP - Каталогизација у публикацији Народна библиотека Србије, Београд

629.3(082)(0.034.2)
621.43(082)(0.034.2)

INTERNATIONAL Congress Motor Vehicles and Motors (10 ; 2024 ; Kragujevac)
Ecology - Vehicle and Road Safety - Efficiency [Elektronski izvor] : proceedings /
[10th] international congress Motor vehicles & motors 2024, October 10th - 11th,
2024 Kragujevac, Serbia ; [editors Jasna Glišović, Ivan Grujić]. - Kragujevac :
University, Faculty of Engineering, 2024 (Kragujevac : University, Faculty of
Engineering). - 1 USB fleš memorija ; 1 x 1 x 6 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa nasl. strane dokumenta. - Tiraž 100.

-

Bibliografija uz svaki rad.

ISBN 978-86-6335-120-2

a) Моторна возила -- Зборници b) Мотори са унутрашњим сагоревањем --
Зборници

COBISS.SR-ID 153339657

Copyright © 2024 Faculty of Engineering, University of Kragujevac

*Publishing of this USB Book of proceedings was supported by
Ministry of Science, Technological Development and Innovation of the Republic of Serbia*

SCIENTIFIC BOARD

- President:** Prof. dr Jasna Glišović, UniKg, FE, Serbia
- Secretary:** Assoc. Prof. dr Aleksandar Jovanović, UniKg, FE, Serbia
- Members:**
- Prof. dr Giovanni Belingardi, Politecnico di Torino, Italy
 - Prof. dr Ivan Blagojević, University of Belgrade, FME, Serbia
 - Prof. dr Murat Ciniviz, Selcuk University, Turkey
 - Prof. dr Adrian Clenci, University of Pitesti, Romania
 - Assoc. Prof. dr Aleksandar Davinić, University of Kragujevac, FE, Serbia
 - Prof. dr Miroslav Demić, University of Kragujevac, FE, Serbia
 - Prof. dr Jovan Dorić University of Novi Sad, FTS, Serbia
 - Assoc. Prof. dr Boris Stojić, University of Novi Sad, FTS, Serbia
 - Prof. dr Jovanka Lukić, University of Kragujevac, FE, Serbia
 - Prof. dr Valentina Golubović Bugarski University of Banja Luka, FME, Republic of Srpska, Bosnia and Herzegovina
 - Prof. dr Aleksandra Janković, University of Kragujevac, FE, Serbia
 - Assoc. Prof. dr Aleksandar Jovanović, University of Kragujevac, FE, Serbia
 - Prof. dr Emrullah Hakan Kaleli, YTU, Istanbul, Turkey
 - Prof. dr Dimitrios Koulocheris, NTUA, Athens, Greece
 - Prof. dr Božidar Krstić, University of Kragujevac, FE, Serbia
 - Prof. dr Danijela Miloradović, University of Kragujevac, FE, Serbia
 - Prof. dr Alexander Novikov, OSUni, Orel, Russia
 - Prof. dr ing Oday Abdulah, TU Ham, Germany
 - Prof. dr Radivoje Pešić, University of Kragujevac, FE, Serbia
 - Prof. dr Snežana Petković, University of Banja Luka, FME, Republic of Srpska, Bosnia and Herzegovina
 - Prof. dr Ralph Puetz, Landshut University UAS, Germany
 - Prof. dr Dragan Ružić, University of Novi Sad, FTS, Serbia
 - Assoc. Prof. dr Aleksandar Stevanović, UniPitt, USA
 - Assist. Prof. dr Slobodan Mišanović, Project Manager GSP Beograd, Serbia
 - Prof. dr Zoran Lulić, University of Zagreb, FSB, Croatia
 - Prof. dr Igor Gjurkov, FME, Skopje, Republic of North Macedonia
 - Prof. dr Sunny Narayan, Instituto Tecnológico y de Estudios Superiores de Monterrey, Mexico
 - Prof. dr Zbigniew Lozia, WUT, Warsaw, Poland
 - Prof. dr Breda Kegl, University in Maribor, FME, Slovenia

ORGANIZATIONAL BOARD

President: Asst. prof. dr Ivan Grujić, UniKg, FE, Serbia

Secretaries: Asst. prof. Nadica Stojanović, Ph.D., UniKg, FE, Serbia
Assist. Slavica Mačužić Saveljić, M.Sc., UniKg, FE, Serbia

CONGRESS ORGANIZERS

University of Kragujevac
Faculty of Engineering of the University of Kragujevac
Department for Motor Vehicles and Motors, FE Kragujevac
International Journal "Mobility & Vehicle Mechanics"

CONGRESS PATRONS

Ministry of Science, Technological Development and Innovation
City Council of Kragujevac

PREGOVOR

U oktobru se na Fakultetu inženjerskih nauka Univerziteta u Kragujevcu tradicionalno održava skup istraživača i naučnika koji se bave proučavanjem motornih vozila, motora i drumskog saobraćaja. Od 1979. do 2004. godine održano je trinaest bienalnih MVM simpozijuma koji su 2006. prerasli u Međunarodni kongres MVM. Od tada je održano devet MVM kongresa, a oktobra 2024. godine Fakultet inženjerskih nauka je organizovao deseti međunarodni kongres MVM od 10. do 11. oktobra 2024. godine.

Na deseti kongres Motorna vozila i motori, MVM2024 dostavljen je veliki broj naučnih radova iz Srbije i inostranstva. Kongres tradicionalno podržavaju Ministarstvo za nauku, tehnološki razvoj i inovacije Republike Srbije, Univerzitet u Kragujevcu, Fakultet inženjerskih nauka i međunarodni časopis „Mobility and Vehicle Mechanics“.

Tema Kongresa MVM 2024 bila je „Ekologija – Bezbednost vozila i na putevima – Efikasnost“. Tokom ovog istraživačkog putovanja, učesnici su puno naučili kroz rad na različitim sekcijama, koje su pokrivale širok spektar tema u vezi sa inženjerstvom u automobilske industriji, od fundamentalnih istraživanja do industrijskih primena, naglašavaju interakciju između vozača, vozila i životne sredine i stimulišući naučnu interakciju i saradnju.

Međunarodni naučni odbor u saradnji sa organizacionim odborom izradio je podsticajan naučni program. Program je ponudio preko 54 prezentacije radova, uključujući predavanja po pozivu i radove u sekcijama. Prezentacije na ovom kongresu obuhvatile su aktuelna istraživanja u oblasti motornih vozila i motora sprovedena u 12 zemalja iz celog sveta.

Zadovoljstvo nam je bilo što su nam uvodničari bili profesor Emrulah Hakan Kaleli (sa Tehničkog univerziteta Yıldız, Turska), profesor Ralph Putz (sa Univerziteta Landshut UAS, Nemačka) i profesori Nenad Miljić i Slobodan Popović (sa Univerziteta u Beogradu, Srbija). Izazovi i rešenja u korišćenju vodonika kao goriva za motore sa unutrašnjim sagorevanjem, korišćenje aditiva nanoborne kiseline dodatog u motorno ulje, kao i evropska politika o budućoj mobilnosti na putevima su bile teme uvodnih predavanja.

Sigurni smo da je ovaj program pokrenuo živu diskusiju i podstakao istraživače na nova dostignuća.

10. Kongres MVM 2024. finansijski je podržalo Ministarstvo za nauku, tehnološki razvoj i inovacije Republike Srbije.

Zahvaljujemo se iskusnim i mladim istraživačima koji su prisustvovali i prezentovali svoju stručnost i inovativne ideje na našem kongresu.

Posebnu zahvalnost dugujemo članovima međunarodnog naučnog odbora i svim recenzentima za njihov značajan doprinos visokom nivou kongresa.

Naučni i organizacioni komitet Kongresa MVM2024

FOREWARD

In October, the Faculty of Engineering University of Kragujevac traditionally holds gatherings of researchers and academics who study motor vehicles, engines and road traffic. From 1979 to 2004, thirteen, biennial MVM Symposiums have been held and they grew into an International Congress MVM in 2006. Since then, ninth MVM Congresses have been held, and in October 2024, the Faculty of Engineering organized the tenth International Congress MVM from 10th to 11th October 2024.

A large number of scientific papers from the Serbia and abroad were submitted to the tenth Congress "MVM2024". Congress is traditionally supported by the Ministry of Science, Technological Development and Innovation of the Republic of Serbia, University of Kragujevac, Faculty of Engineering and the International Journal "Mobility and Vehicle Mechanics".

The theme of the Congress MVM 2024 was "Ecology - Vehicle and Road Safety - Efficiency". Along this journey we learned from the various sessions, which broadly cover a wide range of topics related to automotive engineering from fundamental research to industrial applications, highlight the interaction between the driver, vehicle and environment and stimulate scientific interactions and collaborations.

The International Scientific Committee in collaboration with the Organising Committee built up a stimulating scientific program. The program offered over 54 presentations, including key-note speakers and paper sessions. The presentations to this conference covered current research in motor vehicle and motors conducted in 12 countries from all over the world.

We were pleased to have professor Emrullah Hakan Kaleli (from Yıldız Technical University, Türkiye), professor Ralph Pütz (from Landshut University UAS, Germany) and professors Nenad Miljić and Slobodan Popović (from University of Belgrade, Serbia) as the keynote speakers, addressing Challenges and solutions in using hydrogen as a fuel for internal combustion engines, using nanoboric acid (nBA) additive added in engine oil, as well as European policy on future road mobility.

We are sure this program will trigger lively discussion and will project researchers to new developments.

The 10th Congress MVM 2024 was financially supported by the Ministry of Science, Technological Development and Innovation of the Republic of Serbia.

We would like to thank experienced and young researchers, for attending and bringing their expertise and innovative ideas to our conference.

Special thanks are due to the International Scientific Board Members and all reviewers for their significant contribution in the high level of the conference.

Scientific and Organizational committee of Congress MVM2024

CONTENT

INTRODUCTORY LECTURES

MVM2024-IL1	Ralph Pütz	EU ENERGY AND PROPULSION TRANSITIONS IN THE MOBILITY SECTOR OF GERMANY – A REALIZABLE STRATEGY OR EVEN RATHER IDEOLOGICAL ASTRAY?	3
MVM2024-IL2	Nenad Miljić Slobodan Popović	HYDROGEN AND INTERNAL COMBUSTION ENGINES – STATUS, PERSPECTIVES AND CHALLENGES IN PROVIDING HIGH EFFICIENCY AND CO2 FREE POWERTRAIN FOR FUTURE	13
MVM2024-IL3	Hakan Kaleli Selman Demirtaş Veli Uysal	NANOSCALE TRIBOLOGICAL INFLUENCE OF NBA ADDED IN ENGINE OIL FOR FRICTION AND WEAR BEHAVIOUR IN DIESEL ENGINE CYLINDER LINER SURFACE RUBBED UNDER 1ST AND 2ND PISTON RINGS	35

SECTION A

Power Train Technology

MVM2024-008	Vanja Šušteršič Vladimir Vukašinić Dušan Gordić Mladen Josijević	APPLICATION OF HYDROSTATIC TRANSMISSION IN MOBILE MACHINE	55
MVM2024-010	Miloš Maljković Ivan Blagojević Branko Miličić Dragan Stamenković	TOWARDS AN ENERGY EFFICIENT OPERATION OF A SUPERCAPACITOR ELECTRIC BUS	65
MVM2024-013	Zoran Masoničić Siniša Dragutinović Aleksandar Davinić Slobodan Savić Radivoje Pešić	SOME ASPECTS OF COMBUSTION MODEL VARIATION ONTO FLAME PROPAGATION AND EXHAUST EMISSIONS OF IC ENGINES	75
MVM2024-016	Predrag Mrđa Marko Kitanović Slobodan Popović Nenad Miljić Nemanja Bukušić	MATHEMATICAL MODELING OF AN ELECTRONIC THROTTLE VALVE USING NARX NEURAL NETWORKS	83
MVM2024-018	Nemanja Bukušić Predrag Mrđa Marko Kitanović Nenad Miljić Slobodan Popović	GASOLINE DIRECT INJECTION STRATEGY ANALYSIS FOR IMPROVED COMBUSTION	93
MVM2024-020	Nenad Miljić Predrag Mrđa Mihailo Olda Slobodan J. Popović Marko Kitanović	THE METHOD AND INSTRUMENTATION FOR ENGINE POSITIONING ON A TESTBED WITH FAST SHAFT ALIGNMENT	103

MVM2024-026	Minja Velemir Radović Danijela Nikolić Nebojša Jurišević Saša Jovanović	APPLICATION OF WASTE PLASTIC OIL IN THE MODERN AUTOMOTIVE INDUSTRY	111
MVM2024-031	Miroljub Tomić Dragan Knežević Miloljub Štavljanin	CYLINDER DEACTIVATION IN IC ENGINES IN CYLINDER PROCESS SIMULATION	123
MVM2024-037	Marko Nenadović Dragan Knežević Željko Bulatović	CHARACTERISTICS OF TORSIONAL OSCILLATIONS OF PERKINS 1104 ENGINE CRANKSHAFT	131
MVM2024-038	Marko Nenadović Dragan Knežević Željko Bulatović	ANALYSIS OF CRANKSHAFT TORSIONAL OSCILLATION DUMPER FOR ENGINE V-46-6	141
MVM2024-047	Attila Kiss Bálint Szabó Zoltán Weltsch	THE SAFETY ISSUES OF HYDROGEN-GASOLINE DUAL-FUEL INJECTION IN NATURAL ASPIRATED INTERNAL COMBUSTION ENGINES	153
MVM2024-049	Ivan Grujic Aleksandar Davinic Nadica Stojanovic Zeljko Djuric Marko Lucic Radivoje Pesic	THE NUMERICAL INVESTIGATION OF THE WORKING CYCLE OF DUAL FUEL IC ENGINE	163

SECTION B Vehicle Design and Manufacturing

MVM2024-005	Gordana Bogdanović Dragan Čukanović Aleksandar Radaković Milan T. Đorđević Petar Knežević	FUNCTIONALLY GRADED MATERIALS IN AUTOMOTIVE INDUSTRY-MODELLING AND ANALYSIS OF FG PLATE ON ELASTIC FOUNDATION	171
MVM2024-006	Dušan Arsić Djordje Ivković Dragan Adamović Vesna Mandić Marko Delić Andjela Mitrović Nada Ratković	APPLICATION OF HIGH STRENGTH STEELS IN AUTOMOTIVE INDUSTRY	179
MVM2024-011	Saša Vasiljević Jasna Glišović Marko Maslač Milan Đorđević Sonja Kostić Dobrivoje Čatić	TIRE WEAR: VEHICLE SAFETY AND ENVIRONMENTAL PROBLEM	187
MVM2024-012	Zorica Đorđević Sonja Kostić Saša Jovanović Danijela Nikolić	THE INFLUENCE OF FIBER ORIENTATION ANGLE ON THE STABILITY OF A COMPOSITE DRIVE SHAFT	199
MVM2024-014	Vojislav Filipovic Milan Matijevic Dragan Kostic	DIGITAL PREVIEW CONTROLLER DESIGN USING REINFORCEMENT LEARNING	205
MVM2024-015	Milan Matijevic Vojislav Filipovic Dragan Kostic	ITERATIVE LEARNING (ILC) IN MANUFACTURING SYSTEMS: DESIGN OF ILC ALGORITHMS AND OVERVIEW OF MODEL INVERSION TECHNIQUES FOR ILC SYNTHESIS	213

MVM2024-017	Marko Delić Vesna Mandić Dragan Adamović Dušan Arsić Đorđe Ivković Nada Ratković	ANALYSIS OF PHOTOGRAMMETRY APPLICATION POSSIBILITIES FOR REVERSE ENGINEERING OF COMPONENTS IN THE AUTO INDUSTRY	229
MVM2024-023	Dániel Kecskés László Tóth István Péter Szabó	STRENGTH TESTING OF 3D PRINTED SPECIMENS	235
MVM2024-027	Milan Stanojević Milan Bukvić Saša Vasiljević Lozica Ivanović Blaža Stojanović	RESEARCH METHODS IN THE DESIGN PROCESS OF HYDRAULIC SYSTEMS WITH CYCLOID TEETH	247
MVM2024-028	Dragan Adamovic Vesna Mandic Nada Ratkovic Dusan Arsic Djordje Ivkovic Marko Delic Marko Topalovic	MODERN MATERIALS IN AUTOMOTIVE INDUSTRY - REVIEW	255
MVM2024-029	Dragan Adamović Fatima Živić Nikola Kotorčević Nenad Grujović	REVIEW OF THE USE OF NANOTECHNOLOGIES AND NANOMATERIALS IN THE AUTOMOTIVE INDUSTRY: DEVELOPMENT, APPLICATIONS AND FUTURE DIRECTIONS	269
MVM2024-032	Nada Ratković Dragan Adamović Srbislav Aleksandrović Vesna Mandić Dušan Arsić Marko Delić Živana Jovanović Pešić	ADVANCED WELDING TECHNOLOGIES: FSW IN AUTOMOTIVE MANUFACTURING	281
MVM2024-035	Milan Bukvić Sandra Gajević Slavica Miladinović Saša Milojević Momčilo Đorđević Blaža Stojanović	CHARACTERISTICS AND APPLICATION OF POLYMER COMPOSITES IN THE AUTOMOTIVE INDUSTRY	289
MVM2024-036	Gordana Bogdanović Aleksandar Radaković Dragan Čukanović Nikola Velimirović Petar Knežević	SHAPE FUNCTION OPTIMIZATION FOR STATIC ANALYSIS OF COMPOSITE MATERIALS USED IN AUTOMOTIVE INDUSTRY	295
MVM2024-039	Igor Saveljić Slavica Mačužić Saveljić Nenad Filipović	THE MODERN APPROACH TO PROBLEM- SOLVING IN MECHANICAL ENGINEERING - APPLICATION OF ARTIFICIAL INTELLIGENCE	303
MVM2024-040	Slavica Mačužić Saveljić Igor Saveljić Jovanka Lukić	DETERMINATION OF THE SEAT-TO-HEAD TRANSFER FUNCTION AND INFLUENCING FACTORS ON COMFORT UNDER VERTICAL RANDOM VIBRATIONS	309
MVM2024-041	Dobrivoje Čatić Saša Vasiljević Živana Jovanović Pešić Vladimir Čatić	DISC BRAKE FAILURE ANALYSIS OF THE MOTOR VEHICLE BRAKING SYSTEM	315

MVM2024-048	Isak Karabegović Ermin Husak Edina Karabegović Mehmed Mahmić	DEVELOPMENT AND IMPLEMENTATION OF ADVANCED ROBOTICS IN THE AUTOMOTIVE AND ELECTRO-ELECTRONIC INDUSTRY OF CHINA	321
MVM2024-051	Jasna Glišović Saša Vasiljević Jovanka Lukić Danijela Miloradović	SUBSYSTEM AND SYSTEM ANALYSIS OF BRAKE WEAR PARTICLES FOR PREDICTION AND CONTROL OF THE TRAFFIC NON- EXHAUST EMISSION	331
MVM2024-052	Dobrivoje Čatić Vladimir Čatić	DETERMINING THE RELIABILITY OF BRAKE BOOSTERS IN LIGHT COMMERCIAL VEHICLES	343
MVM2024-053	Nikola Komatina Danijela Tadić Marko Džapan	QUANTITATIVE ANALYSIS OF NONCONFORMING PRODUCTS: A CASE STUDY IN THE AUTOMOTIVE INDUSTRY	349
MVM2024-054	Danijela Miloradović Jasna Glišović Jovanka Lukić Nenad Miloradović	SUSPENSION RATIOS OF MACPHERSON STRUT SUSPENSION	357
MVM2024-056	Nenad Miloradović Rodoljub Vujanac	INFLUENCE OF SELECTION OF MATERIAL HANDLING DEVICES ON SOLUTION FOR WAREHOUSE SYSTEM IN AUTOMOTIVE INDUSTRY	369
MVM2024-057	Nenad Petrović Strahinja Milenković Živana Jovanović Pešić Nenad Kostić Nenad Marijanović	DETERMINING 3D PRINTED HOUSING DIAMETERS FOR PRESS-FITTING STANDARD BALL BEARINGS	379

SECTION C

Vehicle Dynamics and Intelligent Control Systems

MVM2024-002	Mihai Blaga	VOLVO FH POWERTRAIN, VEHICLE ENGINE DIAGNOSTICS	387
MVM2024-007	Abdeselem Benmeddah Momir Drakulić Aleksandar Đurić Sreten Perić	MODELING AND VALIDATION OF TRUCK SUSPENSION SYSTEMS USING ADAMS SOFTWARE	401
MVM2024-030	Vesna Ranković Andrija Đonić Tijana Geroski	ROAD TRAFFIC ACCIDENTS PREDICTION USING MACHINE LEARNING METHODS	409
MVM2024-034	Vasko Changoski Igor Gjurkov Vase Janushevska	HANDLING AND STABILITY ANALYSIS OF AN AUTOMATED VEHICLE WITH INTEGRATED FOUR-WHEEL INDEPENDENT STEERING (4WIS)	417
MVM2024-042	Bojana Bošković Nadica Stojanović Ivan Grujić Saša Babić Branimir Milosavljević	THE INFLUENCE OF THERMAL STRESS OF DISC BRAKES ON VEHICLE DECELERATION	431
MVM2024-046	Andjela Mitrović Vladimir Milovanović Nebojša Hristov Damir Jerković Mladen Josijević Djordje Ivković	ANALYSIS OF PLACING ADDITIONAL SUPPORTS OF THE INTEGRATED ARTILLERY SYSTEM CALIBER 130 mm	439

SECTION D
Driver/Vehicle Interface, Information and Assistance Systems

MVM2024-001	Miroslav Demić Mikhail P. Malinovsky	INVESTIGATION OF TORSIONAL VIBRATIONS OF THE STEERING SHAFT FROM THE ASPECT OF MINIMAL DRIVER-HAND FATIGUE IN HEAVY MOTOR VEHICLES	451
MVM2024-009	Mikhail P. Malinovsky Miroslav Demić Evgeny S. Smolko	TECHNICAL SOLUTIONS FOR CATASTROPHIC EXTENT OF THE HUMAN FACTOR IN DRIVERS TRAINING AND STRUCTURAL SAFETY OF BUSES AND HEAVY VEHICLES	459
MVM2024-050	Jovanka Lukić Danijela Miloradović Jasna Glišović	MASKING EFFECTS UNDER DUAL AXIS WHOLE BODY VIBRATION	477

SECTION E
Transport Challenges in Emerging Economies

MVM2024-004	Slobodan Mišanović	PERFORMANCES OF FAST CHARGERS FOR ELECTRIC BUSES IN BELGRADE ON THE EKO2 LINE	485
MVM2024-019	Siniša Dragutinović Zoran Masonic Aleksandar Davinić Slobodan Savić Radivoje Pešić	APPLICATION OF THE AHP METHOD FOR THE ASSESMENT OF INFLUENTIAL CRITERIA IN RISK ANALYSIS OF ROAD TRANSPORT OF DANGEROUS GOODS	493
MVM2024-021	Željko Đurić Snežana Petković Valentina Golubović Bugarski Nataša Kostić	METHODS FOR CATEGORIZING ROAD TUNNELS ACCORDING TO DANGEROUS GOODS REGULATIONS	501
MVM2024-025	Franci Pušavec Janez Kopač	TRAFFIC HAZARD DUE TO HIGH CENTRE OF GRAVITY	511
MVM2024-043	Alexander Koudrin Sergey Shadrin	DEVELOPMENT OF AN ENERGY-EFFICIENT CONTROL SYSTEM FOR CONNECTED, HIGHLY AUTOMATED VEHICLES	517
MVM2024-055	Marko Miletić Ivan Miletić Robert Ulewich Ružica Nikolić	EV CHARGING STATIONS: CURRENT SITUATION AND FUTURE PERSPECTIVES	527



MVM2024-042

Bojana Bošković¹
Nadica Stojanović²
Ivan Grujić³
Saša Babić⁴
Branimir Milosavljević⁵

THE INFLUENCE OF THERMAL STRESS OF DISC BRAKES ON VEHICLE DECELERATION

ABSTRACT: Braking system is one part of the equation that leads to the desired deceleration of the vehicle. Vehicle dynamics are equally important and should optimize to achieve maximum deceleration of the vehicle. Whether the driver brakes and stops the vehicle in an emergency, it must be able to stop safely. This means that he does not harm himself or other traffic participants. Velocity makes braking more difficult because higher velocities require higher braking forces. When they are moving at high velocities, more braking force is needed to slow them down. High braking forces lead to high deceleration values. When high braking force is applied, the vehicle will decelerate very quickly, however, high decelerations affect the brakes. In order to slow down the vehicle, a very large braking force is applied, and the work performed will lead to a large amount of thermal energy in the brakes, which can cause them to overheat and thus endanger traffic safety. The paper will define the influence of disc brake thermal stress on vehicle deceleration for different initial velocities

KEYWORDS: deceleration, braking, thermal stress, traffic safety

INTRODUCTION

The first cars were equipped with simple braking mechanisms that were far from efficient and posed significant safety risks. The first disc brakes were patented by Frederick William Lanchester in 1902. The first modern disc brake system was introduced in the production Studebaker Avanti in 1962, which had Bendix disc brakes on all four wheels. The reason this system was so successful was that it used a vacuum booster to reduce the force the driver has to apply to the pedal/shoe during the braking process.

The history of brake technology shows how far it has come, in terms of safety and performance. From a simple rope-operated brake to an advanced electronic braking system, brakes have come a long way over the past hundred years. All this is aimed at improving the state of traffic safety.

¹ *Bojana Bošković, Academy of professional studies Šumadija, Department in Trstenik, Radoja Krstića 19, 37240 Trstenik, Serbia, bboskovic@asss.edu.rs*

² *Nadica Stojanović, Faculty of Engineering, University of Kragujevac, 6 Sestre Janjić Str., 34000 Kragujevac, Serbia, nadica.stojanovic@kg.ac.rs*

³ *Ivan Grujić, Faculty of Engineering, University of Kragujevac, 6 Sestre Janjić Str., 34000 Kragujevac, Serbia, ivan.grujic@kg.ac.rs*

⁴ *Saša Babić, Academy of professional studies Šumadija, Department in Trstenik, Radoja Krstića 19, 37240 Trstenik, Serbia, sbabic@asss.edu.rs*

⁵ *Branimir Milosavljević, Academy of professional studies Šumadija, Department in Trstenik, Radoja Krstića 19, 37240 Trstenik, Serbia, bmilosavljevic@asss.edu.rs*

The brake system from the aspect of the technical correctness of the vehicle is a system that directly affects the safety of vehicle participation in traffic. The role of the braking system is to slow down and/or stop the vehicle, that is, to adapt to traffic conditions, all in order to prevent a traffic accident. In addition, the role of the brake system is to prevent the vehicle from moving when the vehicle is parked, i.e. to keep it stationary.

The aim of this paper is to define the influence of disc brake thermal stress on vehicle deceleration for different initial velocities, in order to improve traffic safety.

VEHICLE DECELERATION

At the beginning of the 16th century, the Italian scientist Galileo Galilei was the first to deal with the concept of acceleration. By studying moving objects, he came to the conclusion that acceleration is exactly a change in velocity over a certain period of time. However, the physicist Isaac Newton just expanded Galileo's discoveries and wrote about it in his book *Philosophiæ Naturalis Principia Mathematica* or just *Principia* [8]. All Newton's laws are defined in this book, which also includes Newton's Second Law, which refers to acceleration and reads: The acceleration of an object depends on the mass of the object and the amount of force applied, Equation 1. Newton's laws played a key role in defining and disseminating acceleration.

$$F = m \cdot a \quad (1)$$

Where is:

m – body mass, and
 a – acceleration.

The value of deceleration during intensive braking is one of the important input data for traffic accident analysis [5]. In physics, deceleration (negative acceleration) represents a decrease in velocity per time. Deceleration is a vector quantity that can be obtained by taking the first derivative of velocity (also a vector quantity) with respect to time, Equation 2.

$$\vec{j}(t) = \frac{d\vec{V}}{dt} \quad (2)$$

Where is:

j – deceleration (negative acceleration),
 $d\vec{V}$ – reduction of velocity, and
 dt – time interval.

The velocity of vehicle participating in a traffic accident, during expertise, is often determined in accordance with the length of traces of braking from tires. In this case, the values of vehicle's velocity are used for calculations, which are selected from the relevant references. Experimental research in such situations where it is necessary to determine the braking parameters of vehicle that participated in the traffic accident are not implemented enough. Therefore, it is of great importance to calculate the velocity of the vehicle in accordance with the defined deceleration values on the basis of which the vehicles limit velocities.

The braking system is one of the most complex systems on the vehicle. Its basic function is to reduce the velocity of the vehicle, as well as to stop the vehicle in a timely manner. The vehicle must ensure that the slowdown is such not to disturb the stability of the vehicle, i.e. the comfort of passengers. Maintenance of the balance between these requirements is challenging. In the last thirty years, numerous researches were conducted to give answers to the question: "What affects the braking process the most?".

In the braking process, it is necessary to achieve the force of braking corresponding to the kinetic energy of the vehicle. There are two types of braking: free and intense/forced braking. The difference between intense and free braking is that in intense braking is achieved almost immediately, so it can be considered constant, while in free braking it takes place through three characteristic phases. The first phase represents a rise of deceleration to maximum value, in the second phase there is a stabilization of deceleration that can now be considered as full deceleration, while in the third phase, deceleration decreases to zero.

The braking process is achieved by friction between brake disc and brake pads. During the friction process, the surface is heated in contact which significantly reduces braking efficiency. The reduction of braking efficiency further leads to reducing the value of deceleration, which causes longer braking distance. This is a huge problem for traffic safety.

THE INFLUENCE OF VARIOUS PARAMETERS ON THE DECELERATION

For intersection design, deceleration lane design, traffic simulation modelling, vehicular emission and fuel consumption modelling, etc. deceleration characteristics of vehicles are important. Maximum deceleration rate generally increases with increase in maximum velocity of all vehicle types. Authors [7] conducted that car employ highest deceleration rates while truck use the lowest among the vehicle types.

Vehicles with higher maximum velocity have higher deceleration time, deceleration distance, and lower deceleration rates. At deceleration manoeuvre, vehicles with high velocity needs more time to stop compared to one with low velocity [9]. The critical velocity (at which driver attains maximum deceleration) changes with vehicle type and increases with approach velocity. This indicates that at higher approach velocity, the drivers achieve their maximum deceleration rate quickly to stop at the earliest [4].

While braking, most of the kinetic energy are converted into thermal energy and increase the disc temperature [3]. This is very dangerous because overheating may result in brake system breakdown. Through the brake disc the temperature stability is achieved [2]. The highest thermal loads happen during rescue braking near the start of the deceleration phase [1].

Kudarauskas [6] conducted an experiment and concluded that the settled deceleration of vehicles with ABS varied from 8.00 m/s² (when the velocity was 40 km/h), then 8.41 m/s² (upon 60 km/h) up to 8.76 m/s² (upon 80 km/h), and the maximum values often were over 9 m/s². In vehicles without ABS, deceleration varied from 7.00 m/s² (upon 40 km/h), 6.89 m/s² (upon 60 km/h) up to 6.66 m/s² (upon 80 km/h), and the maximum values often were up to 8.3 m/s². On increase of initial velocity, the difference of deceleration in vehicles with and without ABS increased as well and was equal (for different velocities) to 11.5%, 18.1% and 24%, respectively.

Stojanovic et al. [10] conducted two experimental tests for the same vehicle type for different velocities (60 km/h and 80 km/h) were the other parameters: initial temperature, the mass of the simulated vehicle, number of repetitions) were the same for both tests. The authors came to the conclusion that an increase in initial velocity causes a longer braking distance as well as a higher disc temperature.

EXPERIMENTAL INVESTIGATION OF THE INFLUENCE OF TEMPERATURE ON DECELERATION FOR DIFFERENT INITIAL VELOCITIES

The test rig for the experimental investigation of disk brakes thermal stresses is BRAKE DYNO 2020 and its scheme is shown in Figure 1.




Figure 1 The scheme of the test rig

An experimental investigation was carried out with the aim of determining how the vehicle velocity affects the value of the temperature of the disc brake, how it is further reflected in the value of the deceleration and braking distance. Before starting the measurement, the test conditions were defined, Figure 2. The test rig simulates a quarter of the vehicle's mass, which for each initial velocity value was 300 kg. The pressure in the brake installation was the same

for all measurements – 5 MPa. The initial velocities were varied and were 60 km/h, 70 km/h, 80 km/h, 90 km/h and 100 km/h, respectively.

Based on the obtained data on the drop in speed over time, the actual value of the deceleration was obtained. The braking distance is calculated as the integral of the speed in a certain time interval:

$$S = \int_{t_0}^{t_1} V(t) dt \tag{3}$$

Where is:

- t_0 – time at the beginning of the braking process (it is usually taken to be $t_0 = 0$), and
- t_1 – time required to stop the vehicle.




Figure 2 Experimental procedure

The input parameters are set on the test rig. After that, the desired initial velocity is achieved. After reaching the desired initial velocity, the brake is activated for the desired vehicle. During the braking process from the desired initial velocity to complete stopping, simulating intense braking, and the velocity drop is monitored. All obtained data for each measurement is stored on the computer memory. The last step is the processing and analysis of the obtained data, and certain conclusions are drawn based on the obtained analysis.

RESULTS AND DISCUSSION

Five measurements were taken and all measurements were with the same initial conditions (a quarter of the vehicle's mass was 300 kg, and the pressure in the brake installation was 5 MPa).

During the braking process, at an initial velocity of 60 km/h, the temperature of the brake pad was 32.1 °C. The maximum deceleration value was 8.44 m/s², while the braking distance was 21.7 m, Figure 3.




Figure 3 Dependence of deceleration and braking distance on temperature for initial velocity 60 km/h

In a repeated experiment, the value of the initial velocity was changed. When the initial velocity was 70 km/h, the maximum temperature measured on the brake pad was 36.2 °C. The maximum deceleration value measured is 10.9 m/s². The braking distance for initial velocity of 70 km/h was 28.2 m, as shown in Figure 4.




Figure 4 Dependence of deceleration and braking distance on temperature for velocity 70 km/h

The third measurement, Figure 5, that was carried out and had the same initial conditions as the previous two measurements, with the fact that in the third measurement the initial velocity was 80 km/h. Maximum measured temperature was 39 °C, the maximum recorded deceleration value was 9.8 m/s², while the braking distance was 39.2 m.




Figure 5 Dependence of deceleration and braking distance on temperature for initial velocity 80 km/h

In the fourth measurement, the initial velocity was 90 km/h, Figure 6. All other conditions were as in previous measurements. The temperature measured on the brake pad was 44.9 °C, the maximum deceleration measured was 11 m/s², and the braking distance was 44.6 m.




Figure 6 Dependence of deceleration and braking distance on temperature for initial velocity 90 km/h

In the last measurement, at an initial velocity of 100 km/h, the maximum measured temperature was 44.9 °C, as well as in the previous measurement at a velocity of 90 km/h. The maximum deceleration value was 10.9 m/s², and the braking distance was 61.2 m, as shown in Figure 7.




Figure 7 Dependence of deceleration and braking distance on temperature for initial velocity 100 km/h

It can be concluded that with the increment of initial velocity, there was an increase in temperature, as well as an increase in the braking distance, which tripled. However, the trend of change in deceleration is different. The highest value of deceleration was recorded at velocities 70 km/h, 90 km/h and 100 km/h, and the lowest at a velocity of 60 km/h, shown in Figure 8.




Figure 8 Deceleration for different initial velocities

The deceleration values obtained on the test bench differ from the ideal deceleration values because they do not take into consideration the deceleration of the whole vehicle, but the deceleration of the disc brake. Floating caliper is the reason for the appearance of peaks.

The obtained deceleration values differ from those shown in the paper [7], because the authors considered decelerations for different categories of vehicles, and therefore the masses of those vehicles differ from the mass used in this research.

CONCLUSIONS

The mass of the vehicle, the pressure in the brake installation, as well as the initial velocity have a great influence on the braking process. The research carried out led to the conclusion that the braking temperature increases as the velocity increases in passenger vehicles, as does the braking distance. The deceleration is the smallest for the velocity of 60 km/h, and almost approximately for the initial velocities of 70 km/h, 90 km/h and 100 km/h.

Further research should be directed at investigating how repeated braking, characteristic for stop-and-go driving, affects deceleration and braking distance.

REFERENCES

- [1] Adamowicz, A., Grzes, P.: "Analysis of disc brake temperature distribution during single braking under non-axisymmetric load", *Applied Thermal Engineering*, Vol. 31, 2011, pp. 1003-1012,
- [2] Agrawal, K., Patil, L.N., Chavan, K.V., Nimbalkar U.D.: "A computational analysis of heat transfer in solid and vented disc brakes: CFD simulation and thermal performance assessment", *Multiscale and Multidisciplinary Modeling, Experiments and Design*, 2024,
- [3] Akop, M.Z., Kien, R., Mansor, M.R., Mohd Rosli, M.A.: "Thermal stress analysis of heavy truck brake disc rotor", *Journal of Mechanical Engineering and Technology*, Vol. 1, No. 1, 2009, pp. 43-52,
- [4] Bokare, P.S., Maurya, A.K.: "Acceleration-deceleration behaviour of various vehicle types", *Transportation Research Procedia*, Vol. 25, 2017, pp. 4733-4749,
- [5] Kolla, E., Ondruš, J., Gogola, M., Šarić, Ž.: "Braking characteristics of the specified modern electric vehicle during intensive braking", *Advances in Science and Technology Research Journal*, Vol. 14, No. 3, 2020, pp. 125-34,
- [6] Kudarauskas, N.: "Analysis of emergency braking of a vehicle", *Transport*, Vol. 22, No. 3, 2007, pp.154-159,
- [7] Maurya, A.K., Bokare, P.S.: "Study of deceleration behaviour of different vehicle types", *International Journal for Traffic and Transport Engineering*, Vol. 2, No. 3, 2012, pp. 253-270,
- [8] Newton, I.: "Philosophiæ naturalis principia mathematica", Londini: Apud G. & J. Innys, 1726,
- [9] Omar, N., Prasetijo, J., Daniel, B.D., Abdullah, M.A.E., Ismail, I.: "Study of car acceleration and deceleration characteristics at dangerous route FT050", 4th International Conference on Civil and Environmental Engineering for Sustainability (IConCEES 2017), 4–5 December 2017, Langkawi, Malaysia, pp. 1-6,
- [10] Stojanovic, N., Grujic, I., Abdullah, O.I., Belhocine, A., Glisovic, J.: "The determination of the disc brake thermal stresses for different vehicle speeds", 9th International Congress Motor Vehicles & Motors 2022, Kragujevac, 2022, pp. 1-8.

ISBN 978-86-6335-120-2



9 788663 351202