

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/382813468>

# Exploring YOLOv8 architecture applications for weed detection in crops

Chapter · August 2024

DOI: 10.2991/978-94-6463-482-2\_5

CITATIONS

0

READS

22

6 authors, including:



**Aleksandar Petrović**

Singidunum University

55 PUBLICATIONS 696 CITATIONS

[SEE PROFILE](#)



**Marina Svicevic**

University of Kragujevac, Kragujevac

30 PUBLICATIONS 283 CITATIONS

[SEE PROFILE](#)



**Vuk Gajić**






Singidunum University

17 PUBLICATIONS 17 CITATIONS

[SEE PROFILE](#)



# Exploring YOLOv8 architecture applications for weed detection in crops

Aleksandar Petrovic<sup>1\*</sup> , Milos Pavkovic<sup>1</sup> , Marina Svcevic<sup>2</sup> , Nebojsa Budimirovic<sup>1</sup> , Vuk Gajic<sup>1</sup> , and Dejan Jovanovic<sup>3</sup>

<sup>1</sup> Singidunum University, Faculty of Informatics and Computing, Danijelova 32, 11000 Belgrade, Serbia

<sup>2</sup> University of Kragujevac, Faculty of Science, Radoja Domanovića 12, 34000 Kragujevac, Serbia

<sup>3</sup> College of Academic Studies “Dositej”, Vojvode Putnika 7, 11000 Belgrade, Serbia  
office@singidunum.ac.rs.  
<https://singidunum.ac.rs/>

<sup>4</sup> Singidunum University, Belgrade, Serbia  
aleksandar.petrovic@singidunum.ac.rs\*, mpavkovic@singidunum.ac.rs,  
vgajic@singidunum.ac.rs, nebojsa.budimirovic.20@singimail.rs,  
marina.svcevic@pmf.kg.ac.rs, dejanjovanovic@akademijadositej.edu.rs

**Abstract.** This work has a goal to test a deep-learning approach to the problem of aerial weed detection in crops. The issue of this type of detection lies in the nature of plants and their life cycles. Crops as well as weeds change their appearance and can be similar in physical appearance. The use of advanced models like the You Only Look Once v8 (YOLOv8) allows for fast and accurate predictions. In this work, five different sizes of the YOLOv8 are applied to the same dataset consisting of aerial images of plants. The results, metrics, and actual predictions are provided for every of the five models. The modernization of the agricultural domain has begun, and the use of artificial intelligence (AI) is paramount to stay ahead of the competition. The experimental outcomes indicate significant potential of YOLO networks in this domain, and further possibility to integrate these networks with precision agriculture.

**Keywords:** YOLOv8 · aerial imagery · weed detection · deep-learning.

## 1 Introduction

Weed control protocols are advancing from traditional mechanical and pesticide techniques. In some cases, more advanced systems based on robots are present in the current state of this domain. The application of AI has the potential to reduce the costs that come with the use of traditional techniques. Furthermore, the use of pesticides can be harmful and requires controlled use. The AI allows for the use of even more advanced use of robots with sensors that allow AI-enhanced detection of weeds in crop environments [55]. The reasons weed detection is

© The Author(s) 2024

N. Bacanin and H. Shaker (eds.), *Proceedings of the 2nd International Conference on Innovation in Information Technology and Business (ICIITB 2024)*,

Advances in Computer Science Research 113,

[https://doi.org/10.2991/978-94-6463-482-2\\_5](https://doi.org/10.2991/978-94-6463-482-2_5)

problematic are that both weeds and crops change through cycles of their growth, obstructing leaves, and general similarity in their appearance.

Computer vision can be vital in weed control, as these algorithms are capable of analyzing the images from crop fields in order to identify presence of weed. Relying mostly on convolutional neural networks (CNNs), these methods can be trained on extensive datasets of labeled images to differentiate between useful plants and weed, with respect to the visual properties such as color, size, shape of leaves etc. After identifying the weed plants, computer vision models can accurately locate them, allowing usage of targeted treatment, and reducing the application of herbicide.

Deep-learning has proven to have a significant role in computer vision and such potential is yet to be explored for the use cases related to crops. YOLOv8 model is particularly promising in the domain of real-time detection. The model has proven efficient while maintaining accuracy in various detection-based task environments. The use of YOLOv8 has the potential to increase the efficiency in the search for unwanted plants in yield, as well as to provide significant savings if used in combination with the right mechanization. Thus, it can be an integral part of the precision agriculture systems, that rely on a broad spectrum of technologies like GPS, wireless sensors, Internet of Things (IoT) devices and drones to monitor the crops' health, identify harmful plants, and perform adequate actions without necessitating the human presence.

Single and two-staged object detection solutions represent the current state of AI technologies used in this domain. The advantage of the simpler single-stage algorithms' mechanisms is the detection speed, while the slower two-staged solutions are capable of fine detection because of the higher precision that is a result of their region proposal mechanism. The proposed YOLOv8 method is of the single-staged type. The goal of this work is to explore the potential of lightweight architectures that can allow for the reduction of hardware requirements in real-time use cases.

The structure of the paper is provided in the following text. Section 2 is dedicated to the fundamentals of the technologies used in this research, Section 3 provides the experimental setup and the results of different model sizes of YOLOv8, and Section 4 concludes the paper.

## 2 Background

The main reason for the use of transfer learning is their ability to mitigate some of the challenges with crop prediction. The mechanisms that allow transfer learning can expedite model development which results in cost reductions. The reason for this is that such models can provide higher performance in training on large datasets which are required due to the plants' nature. The use of this principle can improve generalization performance and provide a solution for real-world use cases with limited labeled data.

Real-world use of AI is on the rise and thanks to metaheuristic optimization many solutions that were not feasible before are possible now. The role of meta-

heuristic optimizers in AI is to aid in hyperparameter optimization which provides significant performance improvements. Some of the use cases include computer security, phishing and intrusion detection [58, 2, 48, 28, 46, 14, 27, 11], plant classification [13, 66], credit card frauds identification [22, 38, 37], cloud computing problems [43, 8], medicine [32, 56, 31, 62, 25, 64, 61, 36], global optimization problems [16, 10], automotive traffic predictions [41, 18], environmental monitoring and pollutants tracking [34, 24, 7, 33, 17], economic problems [26, 30, 51, 20, 42, 40], wireless sensor networks optimization [57, 4], feature selection [63, 15, 23, 59, 6], predicting green energy production [50, 5, 29], spam emails [60, 44], enhancing the audit opinion [52], defect identification in software testing [67], marine vessel classification and trajectory prediction [39, 53], as well as general optimization in machine learning models [9, 49, 12, 35, 45, 65, 3, 19, 54].

## 2.1 YOLOv8 Models

You Only Look Once (YOLO) architecture represents a group of algorithms that are renowned for their high accuracy and speed. The images are only analyzed once for the reason of predicting bounding boxes with class probabilities [21]. The difference in these models from traditional two-stage detectors is that they work with raw pixels for predicting locations and categories of objects. Consequentially, the real-time application is realistic. Data augmentation, transfer learning, and fine-tuning are techniques employed in YOLO models that enhance the performance of generalization even with cases of high diversity.

YOLOv8 is the latest iteration of YOLO architecture. The upgrades include speed and accuracy improvements, as well as simplicity due to its novel availability as a pip package. The YOLOv8 supports all YOLO versions, making it a versatile tool [47].

YOLOv8 introduces feature pyramid and path aggregation neural networks along with a labeling tool for shortcuts, personalization of hotkeys, and automatization in labeling. The model is autonomous in detecting and categorizing objects, as well as regression tasks due to an anchor-free model with a decoupled head. The branches are executed independently with sigmoid and Softmax functions applied to for probability of an object falling into a bounding box and to a specific class, respectively. The use of bounding boxes results in superior accuracy with delicate tasks.

## 3 Results

### 3.1 Experimental setup

The dataset used in this research is publicly available [1] and consists of aerial imagery of the plants. This work tests the performance of different architecture sizes of YOLO models including nano, small, medium, large, and extremely large models. The results of each of the models are reported in the following text. The resolution of the images in the dataset is  $640 \times 640$ , and 100 epochs were applied for training.

### 3.2 YOLOv8 Nano Model

The Fig. 1 provides the results of the nano model structure. The Fig. 2 provides the PR curve of the model along the confusion matrix, while the predictions are provided in the Fig. 3. This is the smallest model of the five tested models, and it provides the highest detection speeds but lacks stability in comparison with more complex architecture.




Fig. 1. Nano YOLOv8 model results




Fig. 2. Nano YOLOv8 model PR curve and confusion matrix




Fig. 3. Nano YOLOv8 predictions

### 3.3 YOLOv8 Small Model

Slightly bigger the small model begins to exhibit the trade-off between speed and accuracy as it is slightly slower and more accurate than the nano model. The results are provided in Fig. 4, while the PR curve and confusion matrix for the small model are given in Fig. 5. The predictions that the model made are provided in Fig. 6 for a better illustration of performance differences.




Fig. 4. Small YOLOv8 model results




Fig. 5. Small YOLOv8 model results




Fig. 6. Small YOLOv8 model results

### 3.4 YOLOv8 Medium Model

The medium model follows the incremental changes in the mentioned trade-off. The results are given in Fig. 7, the PR curve and the confusion matrix in Fig. 8, while the actual process of model-making predictions is given in Fig. 9.




Fig. 7. Medium YOLOv8 model results




Fig. 8. Medium YOLOv8 model results






Fig. 9. Medium YOLOv8 model results

### 3.5 YOLOv8 Large Model

The highest stability and accuracy are exhibited in the large and extra-large models. Fig. 10 gives the results of this model, Fig. 11 provides the PR curve and the confusion matrix, and the actual predictions are provided in Fig. 12.




Fig. 10. Large YOLOv8 model results




Fig. 11. Large YOLOv8 model results






Fig. 12. Large YOLOv8 model results

### 3.6 YOLOv8 Extra-Large Model

The slowest model is of the extra-large architecture but it is the most stable as well. The increase in architecture can reduce false positives which further increases the accuracy of the model. The results of the extra-large model are provided in Fig. 13, the PR curve along the confusion matrix in Fig. 14, and the model's predictions in Fig. 15.



**Fig. 13.** Extra-Large YOLOv8 model results



**Fig. 14.** Extra-Large YOLOv8 model results




Fig. 15. Extra-Large YOLOv8 model results

## 4 Conclusion

This research tackles an important problem in agriculture. The detection of weeds between crops can be difficult due to their morphological similarities and hence the use of AI is justified. With the advancement of deep-learning, more powerful models have begun to emerge that are less computationally demanding. Such is the case with the YOLOv8 model chosen for this research. The data that was trained is publicly available and consists of aerial images of plants. The performance of the model was compared across its architecture. Models with five different sizes were tested and reported. The results indicate that the model can be even faster with lightweight architecture, but concern about its stability arises. Real-time use sacrifices stability so the predictions can be made with cheaper mechanization. However, in the cases where absolute precision is required and is not with a time factor, the larger models tend to excel. Future research in domains includes improvements to the framework for prediction including a potential optimizing algorithm, as well as to implement the YOLO network on other real-world problems.

## References

1. 100, R.: weed crop aerial dataset. <https://universe.roboflow.com/roboflow-100/weed-crop-aerial> (may 2023), <https://universe.roboflow.com/roboflow-100/weed-crop-aerial>, visited on 2024-04-15
2. AlHosni, N., Jovanovic, L., Antonijevic, M., Bukumira, M., Zivkovic, M., Strumberger, I., Mani, J.P., Bacanin, N.: The xgboost model for network intrusion de-

- tection boosted by enhanced sine cosine algorithm. In: International Conference on Image Processing and Capsule Networks. pp. 213–228. Springer (2022)
3. Bacanin, N., Antonijevic, M., Vukobrat, N., Bezdán, T., Zivkovic, M.: Enhanced seagull optimization algorithm adapted for artificial neural network training. In: ICT with Intelligent Applications: Proceedings of ICTIS 2021, Volume 1. pp. 753–761. Springer (2022)
  4. Bacanin, N., Arnaut, U., Zivkovic, M., Bezdán, T., Rashid, T.A.: Energy efficient clustering in wireless sensor networks by opposition-based initialization bat algorithm. In: Computer Networks and Inventive Communication Technologies: Proceedings of Fourth ICCNCT 2021. pp. 1–16. Springer (2022)
  5. Bacanin, N., Jovanovic, L., Zivkovic, M., Kandasamy, V., Antonijevic, M., Deveci, M., Strumberger, I.: Multivariate energy forecasting via metaheuristic tuned long-short term memory and gated recurrent unit neural networks. *Information Sciences* **642**, 119122 (2023)
  6. Bacanin, N., Petrovic, A., Zivkovic, M., Bezdán, T., Chhabra, A.: Enhanced salp swarm algorithm for feature selection. In: International conference on intelligent and fuzzy systems. pp. 483–491. Springer International Publishing Cham (2021)
  7. Bacanin, N., Sarac, M., Budimirovic, N., Zivkovic, M., AlZubi, A.A., Bashir, A.K.: Smart wireless health care system using graph lstm pollution prediction and dragonfly node localization. *Sustainable Computing: Informatics and Systems* **35**, 100711 (2022)
  8. Bacanin, N., Simic, V., Zivkovic, M., Alrasheedi, M., Petrovic, A.: Cloud computing load prediction by decomposition reinforced attention long short-term memory network optimized by modified particle swarm optimization algorithm. *Annals of Operations Research* pp. 1–34 (2023)
  9. Bacanin, N., Stoean, C., Zivkovic, M., Jovanovic, D., Antonijevic, M., Mladenovic, D.: Multi-swarm algorithm for extreme learning machine optimization. *Sensors* **22**(11), 4204 (2022)
  10. Bacanin, N., Stoean, R., Zivkovic, M., Petrovic, A., Rashid, T.A., Bezdán, T.: Performance of a novel chaotic firefly algorithm with enhanced exploration for tackling global optimization problems: Application for dropout regularization. *Mathematics* **9**(21), 2705 (2021)
  11. Bacanin, N., Zivkovic, M., Hajdarevic, Z., Petrovic, A., Budimirovic, N., Antonijevic, M., Strumberger, I.: Detection of botnet using extreme learning machine tuned by enhanced sine cosine algorithm. In: International Conference on Advances and Applications of Artificial Intelligence and Machine Learning. pp. 125–137. Springer (2022)
  12. Bacanin, N., Zivkovic, M., Salb, M., Strumberger, I., Chhabra, A.: Convolutional neural networks hyperparameters optimization using sine cosine algorithm. In: Sentimental Analysis and Deep Learning: Proceedings of ICSADL 2021. pp. 863–878. Springer (2022)
  13. Bacanin, N., Zivkovic, M., Sarac, M., Petrovic, A., Strumberger, I., Antonijevic, M., Petrovic, A., Venkatachalam, K.: A novel multiswarm firefly algorithm: An application for plant classification. In: International Conference on Intelligent and Fuzzy Systems. pp. 1007–1016. Springer (2022)
  14. Bacanin, N., Zivkovic, M., Stoean, C., Antonijevic, M., Janicijevic, S., Sarac, M., Strumberger, I.: Application of natural language processing and machine learning boosted with swarm intelligence for spam email filtering. *Mathematics* **10**(22), 4173 (2022)

15. Bezdan, T., Cvetnic, D., Gajic, L., Zivkovic, M., Strumberger, I., Bacanin, N.: Feature selection by firefly algorithm with improved initialization strategy. In: 7th conference on the engineering of computer based systems. pp. 1–8 (2021)
16. Bezdan, T., Petrovic, A., Zivkovic, M., Strumberger, I., Devi, V.K., Bacanin, N.: Current best opposition-based learning salp swarm algorithm for global numerical optimization. In: 2021 Zooming Innovation in Consumer Technologies Conference (ZINC). pp. 5–10. IEEE (2021)
17. Damaševičius, R., Jovanovic, L., Petrovic, A., Zivkovic, M., Bacanin, N., Jovanovic, D., Antonijević, M.: Decomposition aided attention-based recurrent neural networks for multistep ahead time-series forecasting of renewable power generation. *PeerJ Computer Science* **10** (2024)
18. Dogandzic, T., Petrovic, A., Jovanovic, L., Bacanin, N., Jovanovic, A., Zivkovic, M.: Speeding classification by a deep learning audio analysis system optimized by the reptile search algorithm. In: International Joint Conference on Advances in Computational Intelligence. pp. 73–88. Springer (2022)
19. Gajic, L., Cvetnic, D., Zivkovic, M., Bezdan, T., Bacanin, N., Milosevic, S.: Multi-layer perceptron training using hybridized bat algorithm. In: Computational Vision and Bio-Inspired Computing: ICCVBIC 2020. pp. 689–705. Springer (2021)
20. Golubovic, S., Petrovic, A., Bozovic, A., Antonijević, M., Zivkovic, M., Bacanin, N.: Gold price forecast using variational mode decomposition-aided long short-term model tuned by modified whale optimization algorithm. In: International Conference on Data Intelligence and Cognitive Informatics. pp. 69–83. Springer (2023)
21. Jiang, P., Ergu, D., Liu, F., Cai, Y., Ma, B.: A review of YOLO algorithm developments. *Procedia Computer Science* **199**, 1066–1073 (2022)
22. Jovanovic, D., Antonijević, M., Stankovic, M., Zivkovic, M., Tanaskovic, M., Bacanin, N.: Tuning machine learning models using a group search firefly algorithm for credit card fraud detection. *Mathematics* **10**(13), 2272 (2022)
23. Jovanovic, D., Marjanovic, M., Antonijević, M., Zivkovic, M., Budimirovic, N., Bacanin, N.: Feature selection by improved sand cat swarm optimizer for intrusion detection. In: 2022 International Conference on Artificial Intelligence in Everything (AIE). pp. 685–690. IEEE (2022)
24. Jovanovic, G., Perisic, M., Bacanin, N., Zivkovic, M., Stanisic, S., Strumberger, I., Alimpic, F., Stojic, A.: Potential of coupling metaheuristics-optimized-xgboost and shap in revealing paha environmental fate. *Toxics* **11**(4), 394 (2023)
25. Jovanovic, L., Bacanin, N., Zivkovic, M., Antonijević, M., Petrovic, A., Zivkovic, T.: Anomaly detection in eeg using recurrent networks optimized by modified meta-heuristic algorithm. In: 2023 31st Telecommunications Forum (TELFOR). pp. 1–4. IEEE (2023)
26. Jovanovic, L., Jovanovic, D., Bacanin, N., Jovanca Stakic, A., Antonijević, M., Magd, H., Thirumalaisamy, R., Zivkovic, M.: Multi-step crude oil price prediction based on lstm approach tuned by salp swarm algorithm with disputation operator. *Sustainability* **14**(21), 14616 (2022)
27. Jovanovic, L., Jovanovic, D., Antonijević, M., Nikolic, B., Bacanin, N., Zivkovic, M., Strumberger, I.: Improving phishing website detection using a hybrid two-level framework for feature selection and xgboost tuning. *Journal of Web Engineering* **22**(3), 543–574 (2023)
28. Jovanovic, L., Jovanovic, D., Antonijević, M., Zivkovic, M., Budimirovic, N., Strumberger, I., Bacanin, N.: The xgboost tuning by improved firefly algorithm

- for network intrusion detection. In: 2022 24th International Symposium on Symbolic and Numeric Algorithms for Scientific Computing (SYNASC). pp. 268–275. IEEE (2022)
29. Jovanovic, L., Kljajic, M., Petrovic, A., Mizdrakovic, V., Zivkovic, M., Bacanin, N.: Modified teaching-learning-based algorithm tuned long short-term memory for household energy consumption forecasting. In: International Conference on Worldwide Computing and Its Applications. pp. 347–362. Springer Nature Singapore (2023)
  30. Jovanovic, L., Milutinovic, N., Gajevic, M., Krstovic, J., Rashid, T.A., Petrovic, A.: Sine cosine algorithm for simple recurrent neural network tuning for stock market prediction. In: 2022 30th Telecommunications Forum (TELFOR). pp. 1–4. IEEE (2022)
  31. Jovanovic, L., Petrovic, A., Zivkovic, T., Antonijevec, M., Bacanin, N., Zivkovic, M.: Exploring the potential of generative adversarial networks for synthetic medical data generation. In: 2023 31st Telecommunications Forum (TELFOR). pp. 1–4. IEEE (2023)
  32. Jovanovic, L., Zivkovic, M., Antonijevec, M., Jovanovic, D., Ivanovic, M., Jassim, H.S.: An emperor penguin optimizer application for medical diagnostics. In: 2022 IEEE Zooming Innovation in Consumer Technologies Conference (ZINC). pp. 191–196. IEEE (2022)
  33. Mani, J., Shaker, H., Jovanovic, L., et al.: Sunspot occurrence forecasting with metaheuristic optimized recurrent neural networks. *Theoretical and Applied Computational Intelligence* **1**(1), 15–26 (2023)
  34. Markovic, I., Krzanovic, J., Jovanovic, L., Toskovic, A., Bacanin, N., Petrovic, A., Zivkovic, M.: Flood prediction based on recurrent neural network time series classification boosted by modified metaheuristic optimization. In: International Conference on Advances in Data-driven Computing and Intelligent Systems. pp. 289–303. Springer (2023)
  35. Milutinovic, N., Gajevic, M., Krstovic, J., Petrovic, A., Bacanin, N., Antonijevec, M.: Performance of arithmetic optimization algorithm for elm tuning applied to iot security. In: 2022 30th Telecommunications Forum (TELFOR). pp. 1–4. IEEE (2022)
  36. Minic, A., Jovanovic, L., Bacanin, N., Stoean, C., Zivkovic, M., Spalevic, P., Petrovic, A., Dobrojevic, M., Stoean, R.: Applying recurrent neural networks for anomaly detection in electrocardiogram sensor data. *Sensors* **23**(24), 9878 (2023)
  37. Petrovic, A., Antonijevec, M., Strumberger, I., Jovanovic, L., Savanovic, N., Janicijevic, S.: The xgboost approach tuned by tlb metaheuristics for fraud detection. In: Proceedings of the 1st International Conference on Innovation in Information Technology and Business (ICIITB 2022). vol. 104, p. 219. Springer Nature (2023)
  38. Petrovic, A., Bacanin, N., Zivkovic, M., Marjanovic, M., Antonijevec, M., Strumberger, I.: The adaboost approach tuned by firefly metaheuristics for fraud detection. In: 2022 IEEE World Conference on Applied Intelligence and Computing (AIC). pp. 834–839. IEEE (2022)
  39. Petrovic, A., Damaševičius, R., Jovanovic, L., Toskovic, A., Simic, V., Bacanin, N., Zivkovic, M., Spalević, P.: Marine vessel classification and multivariate trajectories forecasting using metaheuristics-optimized extreme gradient boosting and recurrent neural networks. *Applied Sciences* **13**(16), 9181 (2023)
  40. Petrovic, A., Jovanovic, L., Zivkovic, M., Bacanin, N., Budimirovic, N., Marjanovic, M.: Forecasting bitcoin price by tuned long short term memory model. In: 1st International conference on innovation in information technology and business (ICIITB 2022). pp. 187–202. Atlantis Press (2023)

41. Petrovic, A., Strumberger, I., Antonijevic, M., Jovanovic, D., Mladenovic, D., Chhabra, A.: Firefly-xgboost approach for pedestrian detection. In: 2022 IEEE Zooming Innovation in Consumer Technologies Conference (ZINC). pp. 197–202. IEEE (2022)
42. Petrovic, A., Strumberger, I., Bezdan, T., Jassim, H.S., Nassor, S.S.: Cryptocurrency price prediction by using hybrid machine learning and beetle antennae search approach. In: 2021 29th Telecommunications Forum (TELFOR). pp. 1–4. IEEE (2021)
43. Predić, B., Jovanovic, L., Simic, V., Bacanin, N., Zivkovic, M., Spalevic, P., Budimirovic, N., Dobrojevic, M.: Cloud-load forecasting via decomposition-aided attention recurrent neural network tuned by modified particle swarm optimization. *Complex & Intelligent Systems* pp. 1–21 (2023)
44. Radomirovic, B., Petrovic, A., Zivkovic, M., Njegus, A., Budimirovic, N., Bacanin, N.: Efficient spam email classification logistic regression model trained by modified social network search algorithm. In: *Computational Intelligence and Blockchain in Complex Systems*, pp. 39–55. Elsevier (2024)
45. Salb, M., Bacanin, N., Zivkovic, M., Antonijevic, M., Marjanovic, M., Strumberger, I.: Extreme learning machine tuning by original sine cosine algorithm. In: 2022 IEEE World Conference on Applied Intelligence and Computing (AIC). pp. 143–148. IEEE (2022)
46. Salb, M., Jovanovic, L., Bacanin, N., Antonijevic, M., Zivkovic, M., Budimirovic, N., Abualigah, L.: Enhancing internet of things network security using hybrid cnn and xgboost model tuned via modified reptile search algorithm. *Applied Sciences* **13**(23), 12687 (2023)
47. Sary, I.P., Andromeda, S., Armin, E.U.: Performance comparison of YOLOv5 and YOLOv8 architectures in human detection using aerial images. *Ultima Computing: Jurnal Sistem Komputer* **15**(1), 8–13 (2023)
48. Savanović, N., Toskovic, A., Petrovic, A., Zivkovic, M., Damaševičius, R., Jovanovic, L., Bacanin, N., Nikolic, B.: Intrusion detection in healthcare 4.0 internet of things systems via metaheuristics optimized machine learning. *Sustainability* **15**(16), 12563 (2023)
49. Stankovic, M., Gavrilovic, J., Jovanovic, D., Zivkovic, M., Antonijevic, M., Bacanin, N., Stankovic, M.: Tuning multi-layer perceptron by hybridized arithmetic optimization algorithm for healthcare 4.0. *Procedia Computer Science* **215**, 51–60 (2022)
50. Stoean, C., Zivkovic, M., Bozovic, A., Bacanin, N., Strulak-Wójcikiewicz, R., Antonijevic, M., Stoean, R.: Metaheuristic-based hyperparameter tuning for recurrent deep learning: application to the prediction of solar energy generation. *Axioms* **12**(3), 266 (2023)
51. Todorovic, M., Petrovic, A., Toskovic, A., Zivkovic, M., Jovanovic, L., Bacanin, N.: Multivariate bitcoin price prediction based on lstm tuned by hybrid reptile search algorithm. In: 2023 16th International Conference on Advanced Technologies, Systems and Services in Telecommunications (TELSIKS). pp. 195–198. IEEE (2023)
52. Todorovic, M., Stanisic, N., Zivkovic, M., Bacanin, N., Simic, V., Tirkolaee, E.B.: Improving audit opinion prediction accuracy using metaheuristics-tuned xgboost algorithm with interpretable results through shap value analysis. *Applied Soft Computing* **149**, 110955 (2023)
53. Toskovic, A., Petrovic, A., Jovanovic, L., Bacanin, N., Zivkovic, M., Dobrojevic, M.: Marine vessel trajectory forecasting using long short-term memory neural networks



- optimized via modified metaheuristic algorithm. In: International Conference on Trends in Sustainable Computing and Machine Intelligence. pp. 51–66. Springer (2023)
54. Vesic, A., Marjanovic, M., Petrovic, A., Strumberger, I., Tuba, E., Bezdán, T.: Optimizing extreme learning machine by animal migration optimization. In: 2022 IEEE Zooming Innovation in Consumer Technologies Conference (ZINC). pp. 261–266. IEEE (2022)
  55. Zhu, H., Zhang, Y., Mu, D., Bai, L., Zhuang, H., Li, H.: Yolox-based blue laser weeding robot in corn field. *Frontiers in Plant Science* **13**, 1017803 (2022)
  56. Zivkovic, M., Bacanin, N., Antonijevic, M., Nikolic, B., Kvascev, G., Marjanovic, M., Savanovic, N.: Hybrid cnn and xgboost model tuned by modified arithmetic optimization algorithm for covid-19 early diagnostics from x-ray images. *Electronics* **11**(22), 3798 (2022)
  57. Zivkovic, M., Bacanin, N., Zivkovic, T., Strumberger, I., Tuba, E., Tuba, M.: Enhanced grey wolf algorithm for energy efficient wireless sensor networks. In: 2020 zooming innovation in consumer technologies conference (ZINC). pp. 87–92. IEEE (2020)
  58. Zivkovic, M., Jovanovic, L., Ivanovic, M., Bacanin, N., Strumberger, I., Joseph, P.M.: Xgboost hyperparameters tuning by fitness-dependent optimizer for network intrusion detection. In: Communication and intelligent systems: Proceedings of ICCIS 2021, pp. 947–962. Springer (2022)
  59. Zivkovic, M., Jovanovic, L., Ivanovic, M., Krdzic, A., Bacanin, N., Strumberger, I.: Feature selection using modified sine cosine algorithm with covid-19 dataset. In: Evolutionary computing and mobile sustainable networks: Proceedings of ICECMSN 2021, pp. 15–31. Springer (2022)
  60. Zivkovic, M., Petrovic, A., Bacanin, N., Djuric, M., Vesic, A., Strumberger, I., Marjanovic, M.: Training logistic regression model by hybridized multi-verse optimizer for spam email classification. In: Proceedings of International Conference on Data Science and Applications: ICDSA 2022, Volume 2. pp. 507–520. Springer (2023)
  61. Zivkovic, M., Petrovic, A., Bacanin, N., Milosevic, S., Veljic, V., Vesic, A.: The covid-19 images classification by mobilenetv3 and enhanced sine cosine metaheuristics. In: Mobile Computing and Sustainable Informatics: Proceedings of ICMCSI 2022, pp. 937–950. Springer Nature Singapore Singapore (2022)
  62. Zivkovic, M., Petrovic, A., Venkatachalam, K., Strumberger, I., Jassim, H.S., Bacanin, N.: Novel chaotic best firefly algorithm: Covid-19 fake news detection application. In: Advances in Swarm Intelligence: Variations and Adaptations for Optimization Problems, pp. 285–305. Springer International Publishing Cham (2022)
  63. Zivkovic, M., Stoean, C., Chhabra, A., Budimirovic, N., Petrovic, A., Bacanin, N.: Novel improved salp swarm algorithm: An application for feature selection. *Sensors* **22**(5), 1711 (2022)
  64. Zivkovic, M., Stoean, C., Petrovic, A., Bacanin, N., Strumberger, I., Zivkovic, T.: A novel method for covid-19 pandemic information fake news detection based on the arithmetic optimization algorithm. In: 2021 23rd international symposium on symbolic and numeric algorithms for scientific computing (SYNASC). pp. 259–266. IEEE (2021)
  65. Zivkovic, M., Vesic, A., Bacanin, N., Strumberger, I., Antonijevic, M., Jovanovic, L., Marjanovic, M.: An improved animal migration optimization approach for extreme learning machine tuning. In: International Conference on Intelligent and Fuzzy Systems. pp. 3–13. Springer (2022)

66. Živković, M., et al.: Plant classification using firefly algorithm and support vector machine. In: Sinteza 2022-International Scientific Conference on Information Technology and Data Related Research. pp. 443–448. Singidunum University (2022)
67. Zivkovic, T., Nikolic, B., Simic, V., Pamucar, D., Bacanin, N.: Software defects prediction by metaheuristics tuned extreme gradient boosting and analysis based on shapley additive explanations. *Applied Soft Computing* **146**, 110659 (2023)

**Open Access** This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.

