



38. Međunarodni kongres
o procesnoj industriji
Procesing '25

ZBORNIK RADOVA Proceedings

ZBORNIK RADOVA

**pisanih za 38. Međunarodni kongres o procesnoj industriji
PROCESING '25**



2025.

ZBORNİK RADOVA
38. Međunarodni kongres
o procesnoj industriji
(29. i 30. maj 2025)

IZDAVAČ

*Savez mašinskih i elektrotehničkih
inženjera i tehničara Srbije (SMEITS)
– Društvo za procesnu tehniku –
Kneza Miloša 7a/II, 11000 Beograd
2025. god.*

UREDNICI

*Prof. dr Nikola Karličić, mast. inž. maš.
Univerzitet u Beogradu, Mašinski fakultet, Beograd
Prof. dr Marko Obradović, dipl. inž. maš.
Univerzitet u Beogradu, Mašinski fakultet, Beograd
Prof. dr Miroslav Stanojević, dipl. inž. maš.
Univerzitet u Beogradu, Mašinski fakultet, Beograd
Prof. dr Aleksandar Jovović, dipl. inž. maš.
Univerzitet u Beogradu, Mašinski fakultet, Beograd*

TIRAŽ

50 primeraka

ISBN

978-86-85535-22-2

CD UMNOŽAVA

SMEITS, Beograd

CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

621(082)(0.034.2)
66.01(082)(0.034.2)

МЕЂУНАРОДНИ КОНГРЕС О ПРОЦЕСНОЈ ИНДУСТРИЈИ ПРОЦЕСИНГ (38 ; 2025 ; Београд)
Zbornik radova [pisanih za] 38. Međunarodni kongres o procesnoj industriji, PROCESING
'25, [29 i 30. maj 2025, Beograd] [Elektronski izvor] = Proceedings / [organizator Društvo za
procesnu tehniku pri Savezu mašinskih i elektrotehničkih inženjera i tehničara Srbije (SMEITS)]
; [suorganizator Mašinski fakultet, Beograd, Katedra za procesnu tehniku] ; [urednici Nikola
Karličić ... [et al.]]. - Beograd : Savez mašinskih i elektrotehničkih inženjera i tehničara Srbije
(SMEITS), Društvo za procesnu tehniku, 2025 (Beograd : SMEITS). - 1 elektronski optički disk
(CD-ROM) ; 12 cm

Sistemski zahtevi: Nisu navedeni. - Radovi na srp. i engl. jeziku. - Nasl. sa naslovne strane
dokumenta. - Tiraž 50. - Bibliografija uz svaki rad. - Abstracts.

ISBN 978-86-85535-22-2

a) Машинство -- Зборници b) Процесна индустрија -- Зборници

COBISS.SR-ID 171213321

Održavanje 38. Međunarodnog kongresa o procesnoj industriji
sufinansiralo je
Ministarstvo prosvete, nauke i tehnološkog
razvoja Republike Srbije



Institucionalna podrška



PRIVREDNA
KOMORA
SRBIJE



Generalni pokrovitelj



Elixir Prahovo

Sponzori



Beograd



Subotica



Beograd



Beograd



Beograd



Beograd



Beograd



Beograd

Izlagači

Meris doo	Beograd
Optimal Energy Solution doo	Beograd
Tapflo doo	Petrovaradin
Compact MM Trade doo	Beograd
Elmamont inženjering doo	Čuprija
Indas doo	Novi Sad
Profimatic Control System doo	Beograd
Aliaxis Serbia doo	Niš
MIP doo	Arilje

ORGANIZACIONI ODBOR ORGANIZING COMMITTEE

Dr Mirjana Čujić	<i>Univerzitet u Beogradu, Institut za nuklearne nauke „Vinča“, Laboratorija za hemijsku dinamiku i permanentno obrazovanje, Beograd, Srbija</i>
Dr Maja Đolić	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd, Srbija</i>
Dr Mladen Đurić	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd, Srbija</i>
Dr Jelena Ruso	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd, Srbija</i>
Dr Nikola Karličić	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija (predsednik)</i>
Dr Aleksandar Petrović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Jelena Salević	<i>SMEITS, Beograd, Srbija</i>
Alija Salkunić	<i>Elixir Group, Šabac, Srbija</i>
Slavica Bogdanović	<i>Elixir Group, Šabac, Srbija</i>
Zoran Simić	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd, Srbija</i>
Dr Miroslav Stanojević	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija (potpredsednik)</i>
Dr Dušan Todorović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Branislav Todorović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>

MEĐUNARODNI NAUČNI ODBOR INTERNATIONAL SCIENTIFIC COMMITTEE

Dr Martina Balać	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Nikolina Banjanin	<i>Univerzitet u Beogradu, Medicinski fakultet, Institut za higijenu sa medicinskom ekologijom, Beograd</i>
Dr Maja Đolić	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd, Srbija</i>
Dr Snežana Stevanović	<i>Univerzitet u Beogradu, Poljoprivredni fakultet, Beograd, Srbija</i>
Dr Aleksandar Dedić	<i>Univerzitet u Beogradu, Šumarski fakultet, Beograd, Srbija</i>
Dr Miloš Nikolić	<i>Univerzitet u Kragujevcu, Fakultet za mašinstvo i građevinarstvo u Kraljevu, Kraljevo, Srbija</i>
Dr Anes Kazagić	<i>JP „Elektroprivreda Bosne i Hercegovine“, Sarajevo, BiH</i>
Dr Srbislav Genić	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Dušan Golubović	<i>Univerzitet u Istočnom Sarajevu, Mašinski fakultet, Sarajevo, BiH</i>
Dr Dijana Grgas	<i>Prehrambeno biotehnološki fakultet, Sveučilište u Zagrebu, Hrvatska</i>
Dr Gorica Ivaniš	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd, Srbija</i>
Dr Jelena Janevski	<i>Univerzitet u Nišu, Mašinski fakultet, Niš, Srbija</i>
Dr Rade Karamarković	<i>Fakultet za mašinstvo i građevinarstvo u Kraljevu Univerziteta u Kragujevcu, Kraljevo, Srbija</i>
Dr Sandira Eljšan	<i>Univerzitet u Tuzli, Mašinski fakultet, Tuzla, BiH</i>
Dr Atanas Kočov	<i>Mašinski fakultet Univerziteta Skopje, Severna Makedonija</i>
Dr Tibela Landeka Dragičević	<i>Prehrambeno biotehnološki fakultet, Sveučilište u Zagrebu, Hrvatska</i>
Dr Nikola Karličić	<i>Mašinski fakultet Univerziteta u Beogradu, Beograd, Srbija</i>
Dr Katarina Knežević	<i>Venergi GmbH, Austrija</i>
Dr Dorin Lelea	<i>University Politehnica Timisoara, Rumunija</i>
Dr Ljiljana Medić-Pejić	<i>Universidad Politécnica de Madrid, Madrid, Španija</i>
Dr Nenad Mitrović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Sanja Milivojević	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Biljana Miljković	<i>Fakultet tehničkih nauka Univerziteta u Novom Sadu, Novi Sad, Srbija</i>
Dr Nataša Nord	<i>Norwegian University of Science and Technology, Trondheim, Norveška</i>
Dr Marko Obradović	<i>Mašinski fakulteta Univerziteta u Beogradu, Beograd, Srbija (predsednik)</i>
Dr Milan M. Petrović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Darko Radenković	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Dejan Radić	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Ivona Radović	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd, Srbija</i>
Dr Niko Samec	<i>Mašinski fakultet Univerziteta u Mariboru, Maribor, Slovenija</i>
Dr Aleksandar Jovović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Filip Kokalj	<i>Univerzitet u Mariboru, Mašinski fakultet, Maribor, Slovenija</i>
Dr Olivera Stamenković	<i>Univerzitet u Nišu, Tehnološki Fakultet, Leskovac, Srbija</i>
Dr Vladimir Stevanović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>

Dr Jasna Tolmač	<i>Univerzitet u Novom Sadu, Tehnički fakultet „Mihailo Pupin“, Zrenjanin, Srbija</i>
Dr Radoje Vujadinović	<i>Univerzitet Crne Gore, Mašinski fakultet, Podgorica, Crna Gora</i>
Dr Andrija Petrović	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd, Srbija</i>
Dr Igor Vušanović	<i>Mašinski fakultet Univerziteta Crne Gore, Podgorica, Crna Gora</i>
Dr Dušan Todorović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd, Srbija</i>
Dr Nikola Živković	<i>Institut za nuklearne nauke „Vinča“, Beograd, Srbija</i>

RECENZENTI

REVIEWERS

Prof. dr Miroslav Stanojević	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd</i>
Prof. dr Nikola Karličić	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd</i>
Prof. dr Marko Obradović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd</i>
V. prof. dr Dušan Todorović	<i>Univerzitet u Beogradu, Mašinski fakultet, Beograd</i>
Prof. dr Antonije Onjia	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Prof. dr Đorđe Veljović	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Prof. dr Vladimir Pavićević	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Prof. dr Dragana Živojinović	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Doc. dr Nevena Prlainović	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Doc. dr Maja Đolić	<i>Univerzitet u Beogradu, Tehnološko-metalurški fakultet, Beograd</i>
Prof. dr Mladen Đurić	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd</i>
Doc. dr Ana Rakić	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd</i>
Doc. dr Jelena Ruso	<i>Univerzitet u Beogradu, Fakultet organizacionih nauka, Beograd</i>
Zoran Simić	<i>Univerzitet u Beogradu, Inovacioni centar Tehnološko-metalurškog fakulteta u Beogradu</i>

POČASNI ODBOR

HONORARY COMMITTEE

Prof. dr Bratislav Blagojević	<i>SMEITS, Beograd</i>
Aleksandar Ćosić	<i>ABB, Beograd</i>
Dr Slavko Dimović	<i>Institut za nuklearne nauke „Vinča“, Beograd</i>
Dejan Dotlić	<i>Kazantrade Solution, Beograd</i>
Čaba Kern	<i>Cim gas, Subotica</i>
Vladan Kocić	<i>Superlab, Beograd</i>
Veljko Todorović	<i>Grundfos Srbija, Beograd</i>
Nemanja Tubić	<i>Wilo, Beograd</i>
Slavoljub Vukčević	<i>Fischer, Austrija</i>
Danijela Ridić	<i>Superlab, Beograd</i>

ORGANIZATOR

ORGANIZER

Društvo za procesnu tehniku

pri Savezu mašinskih i elektrotehničkih inženjera
i tehničara Srbije (SMEITS),

Kneza Miloša 7a/II, 11000 Beograd

Tel. 011/3230-041, 3031-696, tel./faks 3231-372

E-mail: procesing@smeits.rs

www.smeits.rs

SUORGANIZATOR

COORGANIZER

Univerzitet u Beogradu, Mašinski fakultet, Beograd,
Katedra za procesnu tehniku

PREDGOVOR

U ovom zborniku je 25 celih radova autora iz zemlje i inostranstva koje je Naučno – stručni odbor 38. Međunarodnog kongresa o procesnoj industriji Procesing '25 posle obavljenih recenzija prihvatio za izlaganje.

Procesing '25 je održan u Negotinu, 29. i 30. maja 2025.

Generalni pokrovitelj Procesinga '25 je Elixir Prahovo – Elixir Group – kompanija koja u 2025. godini obeležava velike jubileje: 65 godina tradicije Hemijske industrije u Prahovu i 35 godina postojanja kompanije Elixir Group.

Procesing '25 je fokusiran na ostvarivanje ciljeva održivog razvoja, smanjenje negativnog uticaja na životnu sredinu, uvođenje obnovljivih izvora energije i proizvodnji održivih proizvoda u procesnoj industriji.

Zbornik celih radova je u režimu dijamantskog slobodnog pristupa objavljen na sajtu www.izdanja.smeits.rs. Kao integralni dokument biće dostupan na sajtu www.smeits.rs

Međunarodni karakter Procesinga '25 i ove godine ostvaren je inostranim učesnicima sa radovima, kao i članovima naučnog odbora. Zvanični jezici za izlaganje radova na kongresu su srpski i engleski.

Osnovni ciljevi kongresa su inoviranje i proširivanje znanja inženjera u procesnoj industriji, energetici, rudarstvu, komunalnom sektoru (vodovodima, toplanama) i podrška istraživačima u predstavljanju ostvarenih rezultata istraživačkih projekata.

Tematske oblasti Procesinga '25 su:

- *Procesne tehnologije;*
- *Projektovanje, izgradnja, eksploatacija i održavanje procesnih postrojenja;*
- *Osnovne i pomoćne operacije, aparati i mašine u procesnoj industriji;*
- *Energija u procesnoj industriji;*
- *Inženjerstvo životne sredine i održivi razvoj u procesnoj industriji;*
- *Procesi i postrojenja u pripremi i prečišćavanju vode u procesnoj industriji;*
- *Sušenje i sušare;*
- *Gasna tehnika;*
- *Hidraulički i pneumatski transport;*
- *Modelovanje i optimizacija procesnih i termoeenergetskih postrojenja;*
- *Merenja i upravljanje u procesnoj industriji;*
- *Menadžment kvaliteta i standardizacija u organizacijama.*

Osim izlaganja radova, program Procesinga '25 obuhvatio je i četiri okrugla stola na sledeće teme:

1. Značaj ESG izveštavanja

ESG (Environmental, Social and Governance) postaje nezaobilazan standard u poslovanju koji usmerava kompanije da posluju u skladu sa konceptima održivog razvoja u oblastima životne sredine, društvene odgovornosti i korporativnog upravljanja. ESG izveštavanje je ključni faktor u poslovanju i investicionim odlukama, a njegov značaj raste kako regulativa postaje sve strožija, a zainteresovane strane sve zahtevnije.

Razmatranja obhvataju ulogu ESG izveštavanja u održivom razvoju, izazove njegove primene i perspektive za budućnost.

2. Oprema pod pritiskom

(u organizaciji Komiteta za opremu pod pritiskom u okviru Društva za procesnu tehniku)

Razmatranjima su obuhvaćene sledeće teme: Pravilnik o izmenama i dopunama Pravilnika o pregledima opreme pod pritiskom tokom veka upotrebe (primena od 1. juna 2025.); Sanacija/rekonstrukcija opreme pod pritiskom i Tehnička dokumentacija opreme pod pritiskom.

3. ETS (Emission Trading System) postrojenja u Srbiji – presek stanja i planovi

U Srbiji su tokom 2024. godine izdate prve dozvole za emisiju gasova sa efektom staklene bašte. Uvođenjem ovih dozvola uspostavljen je sistem za monitoring, izveštavanje i verifikaciju gasova sa efektom staklene bašte.

Razmatranja obuhvataju trenutni status ETS postrojenja u Srbiji, izazovi u implementaciji sistema i njegov uticaj na privredu i kako će uvođenje CBAM mehanizma u EU uticati na domaće proizvođače i izvoz.

4. Otpad kao izvor energije

Otpad kao značajan resurs i energent postaje sve relevantnija tema u kontekstu održivog razvoja i energetske efikasnosti. Razmatranja obuhvataju procese termičke obrade otpada, njihovu efikasnost, uticaj na životnu sredinu i ekonomske aspekte ovih rešenja.

Procesing '25 organizovalo je Društvo za procesnu tehniku pri SMEITS-u, a u Naučnom i Organizacionom odboru prisutni su predstavnici mašinskih, tehnoloških i drugih fakulteta u okviru kojih je oblast procesne tehnike zastupljena u nastavi.

Pomoć u organizovanju Procesinga '25 dali su članovi Katedre za procesnu tehniku Mašinskog fakulteta Univerziteta u Beogradu kao i drugih fakulteta iz Srbije.

U okviru ovogodišnjeg skupa organizovan je obilazak Industrijskog muzeja „Prahovo“.

*U Beogradu
jun 2025.*

Predgovor

Menadžment kvaliteta i standardizacija u organizacijama

1. ANALIZA FAKTORA KOJI UTIČU NA UNAPREĐENJE KVALITETA I DOSTIZANJE NIVOVA ZRELOSTI PFMEA 4.0 <i>ANALYSIS OF FACTORS INFLUENCING THE QUALITY ENHANCEMENT AND ACHIEVEMENT OF PFMEA 4.0 MATURITY LEVEL</i> Snežana NESTIĆ, Aleksandar ALEKSIĆ, Danijela TADIĆ, Dragan MARINKOVIĆ, Nikola KOMATINA	15
2. ULOGA EFQM MODELA I POSLOVNIH MODELA U UNAPREĐENJU PERFORMANSI KVALITETA: PRISTUP ZASNOVAN NA MAŠINSKOM UČENJU <i>THE ROLE OF EFQM AND BUSINESS MODELS IN ENHANCING QUALITY PERFORMANCE: A MACHINE LEARNING APPROACH</i> Aleksandar ALEKSIĆ, Tijana PETROVIĆ, Aleksandar ĐORĐEVIĆ, Marija SAVKOVIĆ, Nikola KOMATINA	29
3. DOSTIGNUĆE INDUSTRIJE 5.0 U VISOKOŠKOLSKIM USTANOVAMA NA OSNOVU BALANCED SCORECARD (BSC) – FOKUS NA PERSPEKTIVU UČENJA I RASTA <i>ACHIEVEMENT OF INDUSTRY 5.0 IN HEIS BASED ON THE BALANCED SCORECARD (BSC) – FOCUS ON LEARNING AND GROWTH PERSPECTIVE</i> Nedeljka ŽIVKOVIĆ, Maja GLOGOVAC, Sanela ARSIĆ, Isidora MILOŠEVIĆ, Nedeljko ŽIVKOVIĆ	39
4. PRIMENA MODELA DRUŠTVENE ODGOVORNOSTI U ORGANIZACIJAMA KOJE PRUŽAJU USLUGE OSIGURANJA <i>IMPLEMENTATION OF SOCIAL RESPONSIBILITY MODEL IN ORGANISATIONS THAT PROVIDE INSURANCE SERVICES</i> Miloš NIŠIĆ, Mladen ĐURIĆ	47
5. MOGUĆNOSTI UNAPREĐENJA INTERNET TRGOVINE SA STANOVIŠTA MENADŽMENTA KVALITETA I STANDARDIZACIJE <i>OPPORTUNITIES TO IMPROVE E-COMMERCE FROM THE PERSPECTIVE OF QUALITY MANAGEMENT AND STANDARDIZATION</i> Mirjana RAJKOVIĆ, Mladen ĐURIĆ	55

Procesne tehnologije

6. EKOLOŠKI PRIHVATLJIVI SISTEMI NA BAZI HIDROGELOVA ZA PH-OSETLJIVO OTPUŠTANJE KOFEINA <i>ECO-FRIENDLY HYDROGEL SYSTEMS FOR PH-RESPONSIVE CAFFEINE DELIVERY</i> Nina N. MILADINOVIĆ, Rada V. PJANOVIĆ, Maja D. MARKOVIĆ	75
7. NOVI TRENDovi U RAZVOJU PROGRAMABILNIH LOGIČKIH KONTROLERA <i>NEW TRENDS IN THE DEVELOPMENT OF PROGRAMMABLE LOGIC CONTROLLERS</i> Stanko P. STANKOV	85
8. SINTEZA DERIVATA 1,4-DIHIDROPIRIDINA PRIMENOM MIKROTALASNOG ZRAČENJA <i>MICROWAVE-ASSISTED SYNTHESIS OF 1,4-DIHYDROPYRIDINE DERIVATIVES</i> Marija DIMITRIJEVIĆ, Kristina GAK SIMIĆ, Luka MATOVIĆ, Aleksandra MAŠULOVIĆ, Jelena LAĐAREVIĆ, Ivana ĐORĐEVIĆ, Nemanja TRIŠOVIĆ, Anita LAZIĆ	99
9. NITRO DERIVATI N-FENILSUKCINIMIDA: SINTEZA PRIMENOM MIKROTALASNE TEHNIKE I IN SILICO ODREĐIVANJE FARMAKOLOŠKE AKTIVNOSTI <i>NITRO DERIVATIVES OF N-PHENYLSUCCINIMIDE: A MICROWAVE-ASSISTED SYNTHETIC APPROACH AND IN SILICO EVALUATION OF THE PHARMALOGICAL POTENTIAL</i> Kristina GAK SIMIĆ, Jelena LAĐAREVIĆ, Vukašin LALOVIĆ, Marija DIMITRIJEVIĆ, Anita LAZIĆ, Luka MATOVIĆ, Nemanja TRIŠOVIĆ	107

Inženjerstvo životne sredine i održivi razvoj u procesnoj industriji

10. PRIMENA UNAPREĐENOG PROCESA OKSIDACIJE ZA UKLANJANJE BOJE ACID VIOLET 109 IZ VODENIH RASTVORA PRIMENOM ŠARŽNIH I MIKROREAKTORSKIH SISTEMA
APPLICATION OF AN ADVANCED OXIDATION PROCESS FOR THE REMOVAL OF ACID VIOLET 109 FROM AQUEOUS SOLUTIONS IN BATCH AND MICROREACTOR SYSTEMS
Ana DAJIĆ, Marina MIHAJLOVIĆ 113

Modelovanje i optimizacija procesnih i termoenergetskih postrojenja

11. VEŠTAČKA INTELIGENCIJA U PROCESNIM TEHNOLOGIJAMA KROZ MODELOVANJE, OPTIMIZACIJU I ODRŽIVI RAZVOJ
ARTIFICIAL INTELLIGENCE IN PROCESS TECHNOLOGIES THROUGH MODELING, OPTIMIZATION, AND SUSTAINABLE DEVELOPMENT
Obrad ANIČIĆ 119
12. PRIMENA PAMETNIH ROBOTA I VEŠTAČKE INTELIGENCIJE U SAVREMENIM PROIZVODNIM TEHNOLOGIJAMA ZA OBRADU REZANJEM
APPLICATION OF SMART ROBOTS AND ARTIFICIAL INTELLIGENCE IN MODERN MANUFACTURING TECHNOLOGIES FOR CUTTING PROCESSES
Obrad ANIČIĆ 133
13. IMPLEMENTACIJA VEŠTAČKE INTELIGENCIJE U PROIZVODNE TEHNOLOGIJE SA FOKUSOM NA MAŠINSKE MATERIJALE I POLIMERE
THE IMPLEMENTATION OF ARTIFICIAL INTELLIGENCE IN MANUFACTURING TECHNOLOGIES WITH A FOCUS ON METALLIC MATERIALS AND POLYMERS
Obrad ANIČIĆ 143
14. RAZVOJ I PRIMENA VEŠTAČKE INTELIGENCIJE U PROIZVODNIM TEHNOLOGIJAMA SA FOKUSOM NA NEURONSKE MREŽE U OBRADI REZANJEM I 3D MODELIRANJU
DEVELOPMENT AND APPLICATION OF ARTIFICIAL INTELLIGENCE IN MANUFACTURING TECHNOLOGIES WITH A FOCUS ON NEURAL NETWORKS IN CUTTING PROCESSES AND 3D MODELING
Obrad ANIČIĆ 153
15. RAZVOJ VEŠTAČKE INTELIGENCIJE U TEHNOLOGIJAMA PROIZVODNJE: NEURONSKE MREŽE U OBRADI, 3D MODELIRANJU I LASERIMA
THE DEVELOPMENT OF ARTIFICIAL INTELLIGENCE IN MANUFACTURING TECHNOLOGIES: NEURAL NETWORKS IN PROCESSING, 3D MODELING, AND LASERS
Obrad ANIČIĆ 161
16. ANALIZA KORELACIJE I LINEARNOG MODELA U KONTROLI KVALITETA TOKOM SERIJSKE PROIZVODNJE
ANALYSIS OF CORRELATION AND LINEAR MODEL IN QUALITY CONTROL DURING SERIAL PRODUCTION
Obrad ANIČIĆ, Goran NESTORVIĆ 169

Merenja i upravljanje u procesnoj industriji

17. OPTIMALIZACIJA I PRIMENA KONTROLNIH KARATA ZA POBOLJŠANJE KVALITETA I TAČNOSTI U PROIZVODNIM PROCESIMA
OPTIMIZATION AND APPLICATION OF CONTROL CHARTS FOR IMPROVING QUALITY AND ACCURACY IN MANUFACTURING PROCESSES
Goran NESTORVIĆ, Obrad ANIČIĆ 175

Projektovanje, izgradnja, eksploatacija i održavanje procesnih postrojenja

18. ДЕСТИЛАЦИЈА АЛКОХОЛА У РЕКТИФИКАЦИОНОЈ КОЛОНИ ДО 96%VOL ЕТАНОЛА
ALCOHOL DISTILLATION IN RECTIFICATION COLUMN FOR PRODUCTION OF 96%VOL ETHANOL
Бранислав ГАЈИЋ, Ђорђе САМАРЦИЋ, Никола МИТРОВИЋ 181
19. UTICAJ ZAHTEVA IZ DOMENA BEZBEDNOSTI NA INŽENJERSKI PRISTUP U PROCESNOJ INDUSTRIJI
INFLUENCE OF SECURITY REQUIREMENTS TO ENGINEERING IN PROCESS INDUSTRY
János BESENYŐ, Branislav TODORVIĆ 191

Energija u procesnoj industriji

20. ENERGETSKA EFIKASNOST I EMISIJA GASOVA KOTLOVA NA BIOMASU
ENERGY EFFICIENCY AND GAS EMISSIONS OF BIOMASS BOILERS
Jasna TOLMAČ, Slavica PRVULOVIĆ, Uroš ŠARENAC, Milan MARKOVIĆ, Saša JOVANOVIĆ 199

Sušenje i sušare

21. **SISTEM U OBLAKU ZA PRAĆENJE I UPRAVLJANJE PROCESOM SUŠENJA
BAZIRAN NA MIKROKONTROLERU I VEB APLIKACIJI**
*THE CLOUD-BASED SYSTEM FOR MONITORING AND MANAGEMENT OF THE DRYING PROCESS
BASED ON MICROCONTROLLER AND WEB APPLICATION*
Željko EREMIĆ, Aleksandar DEDIĆ, Matilda LAZIĆ, Dragan HALAS 209
22. **POBOLJŠANA OSMO-VAKUMSKA SUŠARA ZA VOĆE I POVRĆE**
ENHANCED OSMOTIC VACUUM DRYER FOR FRUITS AND VEGETABLE
Zaga TRIŠOVIĆ, Tomislav TRIŠOVIĆ, Maja ČAVIĆ,
Toamas MANKOVITS, Nikola KARLIČIĆ, Ana PETROVIĆ, Dražan KOZAK, Nataša TRIŠOVIĆ 219

Radovi po pozivu

23. **KLASIFIKACIJA I KARAKTERIZACIJA MATERIJALA ZA OPTIMALAN IZBOR
REŽIMA PNEUMATSKOG TRANSPORTA**
*CLASSIFICATION AND CHARACTERIZATION OF MATERIALS FOR
OPTIMAL SELECTION OF PNEUMATIC CONVEYING REGIMES*
Nikola KARLIČIĆ 227
24. **NUMERIČKE SIMULACIJE I MODELI GENERISANJA PARE
U VELIKIM ZAPREMINAMA TEČNOSTI**
*NUMERICAL SIMULATIONS AND VAPOUR GENERATION MODELS
IN LARGE LIQUID VOLUMES*
Milan M. PETROVIĆ 237
25. **PONOVNA UPOTREBA LETEĆEG PEPELA KAO ADSORBENTA
ZA UKLANJANJE ORGANSKIH I NEORGANSKIH ZAGAĐUJUĆIH MATERIJA IZ VODE**
*REUSE OF FLY ASH AS AN ADSORBENT FOR THE REMOVAL
OF ORGANIC AND INORGANIC POLLUTANTS FROM WATER*
Marina MALETIĆ 251
- 65 godina industrije hemijskih proizvoda Prahovo
ELIXIR GRUPA – ČUVAMO VREDNOSTI PROŠLOSTI
I STVARAMO REŠENJA ZA BUDUĆNOST 261**

Originalni naučni rad <https://doi.org/10.24094/ptk.025.1.015>

Ključne reči:
PFMEA;
unapređenje kvaliteta;
nivo zrelosti;
industrija 4.0; MADM

Key words:
PFMEA;
quality enhancement;
maturity level;
industry 4.0; MADM

ANALIZA FAKTORA KOJI UTIČU NA UNAPREĐENJE KVALITETA I DOSTIZANJE NIVOA ZRELOSTI PFMEA 4.0

ANALYSIS OF FACTORS INFLUENCING THE QUALITY ENHANCEMENT AND ACHIEVEMENT OF PFMEA 4.0 MATURITY LEVEL

Aleksandar ALEKSIĆ

Univerzitet u Kragujevcu, Fakultet inženjerskih nauka, Kragujevac, Srbija
ORCID: 0000-0002-7990-9123

Danijela TADIĆ

Univerzitet u Kragujevcu, Fakultet inženjerskih nauka, Kragujevac, Srbija
ORCID: 0000-0003-2236-967X

Dragan MARINKOVIĆ

Faculty of Mechanical Engineering and Transport Systems,
TU Berlin, Berlin, Germany; Institute of Mechanical Science,
Vilnius Gediminas Technical University, Vilnius, Lithuania
ORCID: 0000-0002-3583-9434

Snežana NESTIĆ*

* s.nestic@kg.ac.rs

Univerzitet u Kragujevcu, Fakultet inženjerskih nauka, Kragujevac, Srbija
ORCID: 0000-0003-1461-9595

Nikola KOMATINA

Univerzitet u Kragujevcu, Fakultet inženjerskih nauka, Kragujevac, Srbija
ORCID: 0000-0001-6964-5673

Procesna analiza efekata i načina otkaza (engl. Process Failure Mode and Effect Analysis, PFMEA) predstavlja izuzetno koristan analitički alat za upravljanje kvalitetom, koji omogućava procenu potencijalnih načina otkaza i rizika koji mogu nastati u proizvodnom procesu. U automobilske industriji, primena PFMEA je obavezna, a propisana je standardom IATF 16949:2016 i pratećim procedurama. Kada je reč o samom proizvodnom procesu, PFMEA ima ključnu ulogu u obezbeđivanju pouzdanosti procesa. Međutim, brojne ograničavajuće okolnosti, poput finansijskih ograničenja, raspoloživosti radne snage, tehničkih uslova, veština i znanja, mogu značajno uticati na efikasnost implementacije PFMEA. Iz tog razloga, savremene industrijske prakse teže ka većem stepenu automatizacije PFMEA, smanjujući ljudske greške i subjektivnost u procenama, što je u skladu sa principima Industrije 4.0. Cilj ovog istraživanja je evaluacija i rangiranje faktora koji utiču na unapređenje PFMEA i potencijalno dostizanje nivoa PFMEA 4.0, na osnovu relevantnih kriterijuma, kako bi se utvrdilo koji faktori predstavljaju najveće izazove i najzahtevniji su za rešavanje u praksi. U tu svrhu, korišćen je kombinovani, višeatributivni pristup odlučivanja (engl. Multi-Attribute Decision-Making, MADM). Istraživanje je sprovedeno u saradnji sa liderima PFMEA timova iz tri kompanije automobilske industrije koje posluju u Srbiji.

The Process Failure Mode and Effect Analysis (PFMEA) is a highly useful analytical quality management tool for assessing potential failure modes and risks that may arise in the production process. In the automotive industry, PFMEA is mandatory, and its use is prescribed by the IATF 16949:2016 standard and related procedures. Regarding the manufacturing process itself, PFMEA plays a crucial role in ensuring process reliability. However, numerous limitations, such as financial constraints, workforce availability, technical conditions, skills, and knowledge, can significantly impact the effectiveness of PFMEA implementation. For this reason, modern industrial practices strive for a higher degree of PFMEA automation, minimizing human errors and reducing subjectivity in assessments, which is in line with the principles of Industry 4.0. The objec-

tive of this study is to evaluate and rank the factors influencing PFMEA improvement and the potential achievement of PFMEA 4.0, based on relevant criteria, to determine which factors pose the greatest challenges and are the most difficult to address in practice. For this purpose, a combined Multi-Attribute Decision-Making (MADM) approach was used. The research was conducted in collaboration with PFMEA team leaders from three automotive industry companies operating in Serbia.

1. Introduction

The Fourth Industrial Revolution, commonly known as Industry 4.0, has introduced significant transformations in the operations of industrial enterprises. Concepts such as the Internet of Things (IoT), artificial intelligence, cloud computing, Big Data, collaborative robotics, and additive manufacturing have become integral to modern production processes. The automotive industry, as a key contributor to the GDP of many countries and a crucial component of contemporary industrial systems, has also been profoundly impacted by these advancements. Every company strives to automate its business processes within its capabilities, enhancing their efficiency and effectiveness. The same applies to manufacturing processes, which are undeniably the most critical aspect of a company's success in the automotive sector.

One of the essential elements of the manufacturing process in automotive enterprises that necessitates the application of Industry 4.0 tools and concepts is Process Failure Mode and Effect Analysis (PFMEA). The implementation of PFMEA in the automotive industry is mandated by the IATF 16949:2016 standard [1]. However, PFMEA has several limitations [2], [3], some of which can be mitigated or effectively compensated for through the adoption of Industry 4.0 technologies. For instance, challenges such as the subjectivity of decision-makers and the assessment of risk factor values can be addressed through the application of artificial intelligence and Big Data analytics. Additionally, interdependencies between failure modes can be analyzed using machine learning techniques and cyber-physical systems (CPS).

In the study by [4], the authors developed a model for assessing the maturity level of PFMEA implementation, categorizing it into four levels: primitive, basic, proficient, and advanced. The highest level, referred to as PFMEA 4.0, represents a state of PFMEA development that integrates Enterprise Resource Planning (ERP), Manufacturing Execution Systems (MES), artificial intelligence, and other Industry 4.0 concepts.

In recent years, various studies have explored the integration of Industry 4.0 tools and concepts with PFMEA analysis. One such study was conducted by [5], in which the authors developed a mathematical model linking potential risks to the Six Sigma framework by assessing risks within the context of Quality 4.0. Similarly, [6] provided a detailed examination of the enhancement of Failure Mode and Effect Analysis (FMEA) through the application of Industry 4.0 technologies for automating risk assessment, presenting a case study from the construction industry.

In general, when linking Industry 4.0 with PFMEA or, more broadly, with Failure Mode and Effect Analysis (FMEA), the most commonly discussed approach in the relevant literature involves the application of artificial intelligence as a tool for enhancing the analysis and overcoming its fundamental limitations. Neural networks, as one of the key artificial intelligence tools, have been utilized in studies such as those by [7], [8]. Machine learning has been applied in the papers of [9–12].

However, the most extensive body of research on the integration of intelligent systems and FMEA analysis pertains to the application of fuzzy logic. FMEA has been extended through fuzzy logic and Multi-Attribute Decision Making (MADM) approaches in studies by [13–17].

Nevertheless, automotive industry companies, at least those operating in the Republic of Serbia, remain far from achieving the FMEA 4.0 level. A study by [18], conducted on a sample of 46 automotive companies in Serbia, revealed that the implementation of any Industry 4.0 concept is rare and that the use of specialized FMEA software remains at a low level.

The objective of this study is to examine the key factors preventing PFMEA analysis in automotive industry enterprises in the Republic of Serbia from reaching the 4.0 level. The factors analyzed in this study were defined by [4] and include: (1) Digitalization of PFMEA completion, (2) Inclusion of cost analysis, (3) Level of process automation, (4) Organization of PFMEA documentation, (5) Risk assessment methodology, (6) Control and data monitoring system, (7) Team readiness for PFMEA, and (8) Culture of continuous improvement. These factors were evaluated based on five criteria, which were defined in consultation with FMEA practitioners participating in this study: (1) Implementation costs, (2) Implementation complexity, (3) Employee resistance to change, (4) Lack of skills and knowledge, and (5) Lack of operational capacity.

To determine the weights of the considered criteria, the Analytic Hierarchy Process (AHP) method was applied [19], [20]. Although some other methods are also used for this purpose in the literature, such as the Best-Worst Method (BWM) [21], Defining Interrelationships Between Ranked criteria (DIBR) [22], Level Based Weight Assessment (LBWA) [23], the AHP method was chosen as one of the oldest and most commonly used methods in the relevant literature (see [24], [25]).

For ranking the factors, five Multi-Attribute Decision-Making (MADM) methods were used: Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) [26], Simple Additive Weighting (SAW) (see [27], [28]), Evaluation based on Distance from Average Solution (EDAS) [29], Ranking based on the Distances And Range (RADAR) [30], and RADAR II [31]. The obtained results were compared and analyzed.

Following the introductory chapter, which also provides a brief overview of the relationship between PFMEA analysis and Industry 4.0 concepts, Chapter 2 describes the problem under consideration. Chapter 3 explains the applied methodology, while Chapter 4 presents the problem-solving process. The final chapter outlines the research conclusions.

2. Problem description

Achieving the highest PFMEA maturity level is a highly challenging and currently difficult goal for automotive industry enterprises in the Republic of Serbia. However, the primary objective is not merely to reach the PFMEA 4.0 level but to sufficiently automate and enhance the PFMEA process to make its application simpler, more effective, and more reliable. The goal is to minimize subjectivity in the assessments of PFMEA team members, reduce the risk of incorrect evaluations due to insufficient knowledge, and streamline the method into routine steps.

Additionally, the time required for the method's implementation is a crucial factor, and efforts are directed toward its reduction. To provide a clearer understanding of the research problem, a graphical representation of the study is presented in Figure 1.

The core of this research involves analyzing factors, $i, i = 1, \dots, I$, defined in the study by [4]. The criteria, $j, j = 1, \dots, J$, based on which these factors are evaluated, were determined in collaboration with PFMEA team members from three automotive industry companies operating in the Republic of Serbia. The weight of each criterion was determined using the AHP method, while the ranking of the factors was conducted using five MADM methods, as explained in the following chapter.




Figure 1. Problem description

3. Materials and methods

This research utilized a total of six MADM methods. AHP was applied for determining the criterion weights, while TOPSIS, SAW, EDAS, RADAR, and RADAR II were used for ranking the factors influencing the achievement of the PFMEA 4.0 maturity level. Since the focus of the study is not on improving or extending these methods but rather on assessing the significance of the considered factors, the basic versions of these methods were employed.

3.1. Determination of criteria weights using the AHP method

The AHP method is based on pairwise comparison of criteria through a pairwise comparison matrix, which can be formally represented as follows: $[W_{ij}]_{J \times J}$

Such that: $j, j' = 1, \dots, J, j \neq j'$.

In this case, PFMEA team leaders, $e, e = 1, \dots, E$, from three different automotive industry companies provided their assessments of the relative importance of the criteria. In this case, three PFMEA team leaders were selected from three different automotive companies with production facilities located in the Republic of Serbia. Each of the chosen decision-makers has over 10 years of work experience in the automotive industry, as well as more than five years of experience working in PFMEA teams. Besides leading PFMEA teams, their primary positions within their companies are Maintenance Specialist, Manufacturing Engineer, and Quality Engineer.

For their evaluations, they used the standard Saaty's fundamental measurement scale [19]:

- 1 – two criteria are equally important (prioritized);
- 3 – one criterion has slightly greater importance compared to the other;
- 5 – one criterion has significantly greater importance compared to the other;
- 7 – one criterion has very much greater importance compared to the other;
- 9 – one criterion has absolutely and extremely greater importance compared to the other;
- 2, 4, 6, and 8 – intermediate values representing a compromise between the defined values.

The consistency check of the assessments was performed using the Eigenvector method [32], by calculating the Consistency Index (CI).

By applying the steps of the conventional AHP method, the criterion weights were determined at the level of each decision-maker, ω_j^e .

The geometric mean operator was then used to determine the unique criterion weight, ω_j :

$$\omega_j = \sqrt[E]{\prod_{e=1}^E \omega_j^e} \quad (1)$$

In this way, the criterion weights obtained based on each decision-maker individually were aggregated into a single value.

3.2. Ranking of factors influencing the achievement of the PFMEA 4.0 maturity level

The problem of determining the most significant factors that obstruct or pose the greatest challenge for achieving PFMEA 4.0 maturity level in automotive industry companies in Serbia was addressed in this study using five MADM methods. Specifically, the TOPSIS, SAW, EDAS, and two variations of the RADAR method (RADAR and RADAR II) were applied. As previously mentioned, the original versions of these methods were used.

To evaluate the values of alternatives (factors) based on each considered criterion, decision-makers used the following measurement scale:

- 1 – the improvement of the factor does not depend on the considered criterion;
- 2 – the improvement of the factor slightly depends on the considered criterion;
- 3 – the improvement of the factor moderately depends on the considered criterion;
- 4 – the improvement of the factor largely depends on the considered criterion;
- 5 – the improvement of the factor absolutely depends on the considered criterion.

Each decision-maker, e , $e = 1, \dots, E$, provides their assessments independently, which are then aggregated (summed) to obtain a single value.

3.3. The proposed algorithm

The developed model in this study can also be represented through an algorithm, i.e., implementation steps (Figure 2).




Figure 2. The proposed algorithm

In Figure 2, the following steps of the proposed algorithm can be observed:

Step 1. Evaluation of the relative importance of criteria at the level of each decision-maker, $[W_{jj'}]_{J \times J}$.

Step 2. Determination of criteria weights using the conventional AHP method at the level of each decision-maker, ω_j^e .

Step 3. Aggregation of criteria weights into a single value using the geometric mean operator, ω_j .

Step 4. Assessment of the dependency values of factors on the considered criterion at the level of each decision-maker, $[M_{ij}^e]_{I \times J}$.

Step 5. Summation of the assessed values into a single score to form the decision matrix, $[M_{ij}]_{I \times J}$.

Step 6. Application of the basic versions of the TOPSIS, SAW, EDAS, RADAR, and RADAR II methods for ranking factors. Since the basic versions of the considered MADM methods were used in this study, and the focus of the paper is not on their modification or improvement, the methodological steps are omitted to keep the paper concise.

Step 7. Sensitivity analysis and discussion of the obtained results.

4. Determining the impact of factors on improving PFMEA maturity level

As already mentioned in this study, the dimensions of the considered problem include 8 alternatives and 5 criteria. The considered alternatives, i.e., the factors being ranked, are: Digitalization of PFMEA completion ($i = 1$), Inclusion of cost analysis ($i = 2$), Level of process automation ($i = 3$), Organization of PFMEA documentation ($i = 4$), Risk assessment methodology ($i = 5$), Control and data monitoring system ($i = 6$), Team readiness for PFMEA ($i = 7$), and Culture of continuous improvement ($i = 8$). The criteria based on which these alternatives are evaluated are: Implementation costs ($j = 1$), Implementation complexity ($j = 2$), Employee resistance to change ($j = 3$), Lack of skills and knowledge ($j = 4$), and Lack of operational capacity ($j = 5$).

Based on the first step of the proposed algorithm, the decision-makers provided their assessments of the relative importance of the criteria:

$$\begin{array}{ccc}
 e = 1 & e = 2 & e = 3 \\
 \begin{bmatrix} 1 & 1/3 & 1/4 & 1/7 & 1/9 \\ & 1 & 2 & 1/3 & 1/2 \\ & & 1 & 1/3 & 1/2 \\ & & & 1 & 2 \\ & & & & 1 \end{bmatrix} & \begin{bmatrix} 1 & 1 & 1/2 & 1/3 & 1/5 \\ & 1 & 1 & 1/2 & 1/3 \\ & & 1 & 1/4 & 1/4 \\ & & & 1 & 1 \\ & & & & 1 \end{bmatrix} & \begin{bmatrix} 1 & 1/2 & 1/3 & 1/8 & 1/6 \\ & 1 & 1/2 & 1/4 & 1/3 \\ & & 1 & 1/2 & 1/2 \\ & & & 1 & 2 \\ & & & & 1 \end{bmatrix} \\
 CI = 0.04 & CI = 0.04 & CI = 0.02
 \end{array}$$

In all three cases, the decision makers' evaluations are consistent, meaning that the condition $CI \leq 0.1$ is met. By applying the AHP method (Step 2), the following criteria weights were obtained at the level of each decision maker (Table 1).

Table 1. Criteria weights at the level of each decision maker

$e = 1$	$e = 2$	$e = 3$
$\omega_1^1 = 0.04$	$\omega_1^2 = 0.09$	$\omega_1^3 = 0.05$
$\omega_2^1 = 0.16$	$\omega_2^2 = 0.12$	$\omega_2^3 = 0.09$
$\omega_3^1 = 0.13$	$\omega_3^2 = 0.11$	$\omega_3^3 = 0.17$
$\omega_4^1 = 0.40$	$\omega_4^2 = 0.31$	$\omega_4^3 = 0.41$
$\omega_5^1 = 0.27$	$\omega_5^2 = 0.37$	$\omega_5^3 = 0.28$

The aggregated value of the criteria weights (Step 3), determined using the geometric mean operator, is:

$$\omega_1 = 0.06 \quad \omega_2 = 0.12 \quad \omega_3 = 0.13 \quad \omega_4 = 0.37 \quad \omega_5 = 0.30$$

According to step 4, the assessment of the dependency values of factors on the considered criterion was performed at the level of each decision-maker (Table 2). Then, by applying step 5, the summation/aggregation of the assessed values into a single score was carried out to form the decision matrix, which is presented in Table 3.

Table 2. Assessment of the dependency values of factors on the considered criterion was performed at the level of each decision-maker

Factor	$j = 1$	$j = 2$	$j = 3$	$j = 4$	$j = 5$
$i = 1$	3, 3, 2	4, 5, 4	3, 4, 3	5, 5, 4	4, 5, 5
$i = 2$	3, 4, 4	2, 1, 2	2, 2, 2	3, 3, 3	2, 2, 2
$i = 3$	4, 5, 5	5, 5, 5	4, 4, 4	5, 5, 5	5, 5, 5
$i = 4$	2, 2, 3	3, 3, 4	3, 3, 4	3, 3, 3	2, 2, 2
$i = 5$	2, 3, 4	3, 4, 5	3, 3, 3	4, 5, 3	3, 4, 4
$i = 6$	4, 3, 4	5, 5, 2	3, 2, 4	5, 4, 5	5, 5, 5
$i = 7$	1, 2, 1	2, 2, 3	5, 5, 5	5, 3, 5	2, 2, 2
$i = 8$	1, 2, 2	2, 3, 4	4, 5, 4	3, 4, 2	3, 2, 4

Table 3. Decision matrix

Factor	$j = 1$	$j = 2$	$j = 3$	$j = 4$	$j = 5$
$i = 1$	8	13	10	14	14
$i = 2$	11	5	6	9	6
$i = 3$	14	15	12	15	15
$i = 4$	7	10	10	9	6
$i = 5$	9	12	9	12	11
$i = 6$	11	12	9	14	15
$i = 7$	4	7	15	13	6
$i = 8$	5	9	13	9	9

By applying step 6, the ranking of the considered factors was performed, as shown in Table 4.

Table 4. Ranking of the considered factors using MADM methods

Factor	Rank				
	TOPSIS	SAW	EDAS	RADAR	RADAR II
$i = 1$	3	3	3	3	3
$i = 2$	8	8	6	8	7
$i = 3$	1	1	1	1	1
$i = 4$	7	7	8	7	8
$i = 5$	4	4	5	4	5
$i = 6$	2	2	2	2	2
$i = 7$	5	5	4	5	4
$i = 8$	6	6	7	6	6

In step 7 of the proposed algorithm, a sensitivity analysis and discussion of the obtained results are conducted. To make the analysis clearer and more effective, the ranking of alternatives is graphically presented in Figure 3.




Figure 3. Rank of alternatives (factors)

From Table 4, as well as from Figure 3, it is evident that the application of different MADM methods results in a very similar ranking of factors influencing the improvement of the PFMEA maturity level. The results obtained using these methods are largely consistent, especially concerning the top three ranked factors.

In Figure 3, numerous overlaps in the ranking of alternatives can be observed, i.e., the curves are of very similar shape and frequently coincide. Even where deviations exist, they are very small. To further examine the reliability of the obtained results, a comparison of the rankings was performed using Spearman's rank correlation coefficient, as shown in Table 5. Spearman's rank correlation coefficient between the rankings obtained by different MADM methods was calculated using the Data Analysis function in Microsoft Office Excel.

Table 5. Comparative analysis of alternative rankings using Spearman's rank correlation coefficient

	TOPSIS	SAW	EDAS	RADAR	RADAR II
TOPSIS	1.00				
SAW	1.00	1.00			
EDAS	0.90	0.90	1.00		
RADAR	1.00	1.00	0.90	1.00	
RADAR II	0.95	0.95	0.98	0.95	1.00

Table 5 clearly shows that the TOPSIS, SAW, and RADAR methods produce identical rankings of the alternatives (correlation coefficient equal to 1). In all other cases, the correlation coefficient is 0.9 or higher, indicating a high degree of correlation, meaning the rankings of the alternatives are very similar. This confirms the previously stated assumptions that all methods yielded stable results.

In all considered cases, Level of process automation ($i = 3$) is ranked first, Control and data monitoring system ($i = 6$) is ranked second, while Digitalization of PFMEA completion ($i = 1$) holds third place in the ranking.

Risk assessment methodology ($i = 5$) and Team readiness for PFMEA ($i = 7$) alternate between fourth and fifth place, depending on the method applied. Thus, minor variations exist, which depend on the nature of the specific MADM method.

Culture of continuous improvement ($i = 8$) is ranked sixth in most cases, except in the EDAS method, where it is ranked seventh. Organization of PFMEA documentation ($i = 4$) is generally ranked seventh, except in the EDAS method, where it holds the last position. Inclusion of cost analysis ($i = 2$) is ranked last in the TOPSIS, SAW, and RADAR methods, sixth in EDAS, and seventh in RADAR II. However, the significance of this factor is negligible.

It can be concluded that the application of different MADM methods confirms the stability of the solution. In this sense, the most important factors influencing the potential improvement of the PFMEA analysis, or in other words, the ones that may hinder its advancement the most, are ($i = 3$), ($i = 6$), and ($i = 1$).

5. Conclusion

This study identifies the key factors influencing the enhancement of the PFMEA analysis to the PFMEA 4.0 level. The case study was conducted in collaboration with three automotive industry companies and three PFMEA team leaders. The significance of involving practitioners lies in the fact that they have the best understanding of the conditions within their companies and are familiar with their capabilities.

To address the research problem, a total of six MADM methods were employed. The AHP method was used to determine the weights of the criteria, which were previously established in collaboration with PFMEA practitioners who participated in the study. Additionally, the same respondents provided their assessments of the relative importance of the considered criteria, as well as the dependence of the analyzed factors on the defined criteria. For ranking the factors and determining their impact on the possibility of improving PFMEA implementation, five MADM methods were applied: TOPSIS, SAW, EDAS, RADAR, and RADAR II.

Based on the obtained ranking of the analyzed factors, the most important ones were identified as the Level of process automation ($i = 3$), Control and data monitoring system ($i = 6$), and Digitalization of PFMEA completion ($i = 1$). On the other hand, the least significant factors were the Culture of continuous improvement ($i = 8$), Organization of PFMEA documentation ($i = 4$), and Inclusion of cost analysis ($i = 2$).

The Level of process automation ($i = 3$) is a crucial factor, as it significantly facilitates the application of PFMEA analysis. Primarily, the automation of manufacturing activities reduces the likelihood of failure mode occurrence, which greatly impacts the overall PFMEA analysis. Additionally, automation enables better monitoring of process execution and the collection of data necessary for conducting the analysis.

The Control and data monitoring system ($i = 6$) is closely related to automation. A system that monitors and controls the occurrence of failure modes would significantly aid in identifying critical process points. This would enable faster responses to emerging issues and more effective implementation of preventive actions.

The Digitalization of PFMEA completion ($i = 1$) refers to the systematization of data entry and the generation of PFMEA reports. This process is primarily supported by appropriate PFMEA software, which helps standardize the application of PFMEA analysis within the company.

Furthermore, it is evident that the Culture of continuous improvement ($i = 8$), Organization of PFMEA documentation ($i = 4$), and Inclusion of cost analysis ($i = 2$) are less influential factors. Specifically, ($i = 8$) is a factor that can be relatively easily influenced through changes in organizational structure and leadership style, which can significantly contribute to its improvement. The factor ($i = 4$) pertains to PFMEA documentation itself, meaning that if data is accurate and the analysis is conducted properly, the organization of documentation can be easily improved. Lastly, the factor ($i = 2$) can be integrated into PFMEA analysis by adding an additional risk factor or incorporating a cost aspect within the severity risk factor.

The main contribution of this research is the application of a combined MADM approach, incorporating five different ranking methods, to identify key factors influencing the enhancement of PFMEA analysis. By employing five MADM methods, an objective ranking of alternatives was performed, confirming the stability of the obtained results. In this way, practitioners are provided with insights into the factors that require the most attention if a company aims to improve its PFMEA analysis to the 4.0 level.

The primary limitation of this study is the restricted data sample, as the research involved experts from only three companies. Since all three companies operate within the automotive industry, the results may not be fully applicable to other industrial sectors.

Future research could include a larger number of companies and extend beyond the automotive industry to other industrial and economic sectors. Additionally, from a methodological perspective, MADM methods could be expanded by applying fuzzy logic, and further sensitivity analysis could be conducted by varying the criterion weight values. Moreover, different approaches can be used for comparing the ranking of alternatives, as proposed in [33], [34]. Consideration could be given to incorporating additional factors for analysis, as well as introducing new evaluation criteria.

6. Acknowledgement

The research was funded by Ministry of Science, Technological Development and Innovation of the Republic of Serbia, contact number 451-03-137/2025-03/200107 (Faculty of Engineering, University of Kragujevac)

7. References

- [1] *** IATF 16949:2016, Quality management system requirements for automotive production and relevant service parts organizations, 1st edition, 2017.
- [2] **H. C. Liu**, ‘FMEA Using Uncertainty Theories and MCDM Methods’, in *FMEA Using Uncertainty Theories and MCDM Methods*, Singapore: Springer Singapore, 2016, pp. 13–27. doi: 10.1007/978-981-10-1466-6_2.
- [3] **H. C. Liu, L. Liu, and N. Liu**, ‘Risk evaluation approaches in failure mode and effects analysis: A literature review’, *Expert Syst. Appl.*, vol. 40, no. 2, pp. 828–838, Feb. 2013, doi: 10.1016/j.eswa.2012.08.010.
- [4] **N. Banduka, T. Petrović, and N. Komatina**, ‘Model for the assessment of process failure mode and effect analysis maturity level in the automotive industry toward industry 4.0 trends’, *Int. Rev.*, no. 3–4, pp. 219–228, 2024, doi: 10.5937/intrev2404219B.
- [5] **A. Kar and R. N. Rai**, ‘A modified fuzzy PFMEA model for risk-centric Six Sigma assessment under the paradigm of Quality 4.0’, *Int. J. Lean Six Sigma*, vol. 16, no. 1, pp. 197–230, Jan. 2025, doi: 10.1108/IJLSS-08-2023-0131.
- [6] **L. Hezla, R. Gurina, M. Hezla, N. Rezaeian, M. Nohurov, and S. Aouati**, ‘The Role of Artificial Intelligence in Improving Failure Mode and Effects Analysis (FMEA) Efficiency in Construction Safety Management’, in *AI Technologies and Virtual Reality*, vol. 382, in *Smart Innovation, Systems and Technologies*, vol. 382, Singapore: Springer Nature Singapore, 2024, pp. 397–411. doi: 10.1007/978-981-99-9018-4_29.
- [7] **A. En-Naaoui, M. Kaicer, and A. Aguezzoul**, ‘Predicting risk criticalities of hospital sterilization using fuzzy FMEA and artificial neural network’, in *2024 International Conference on Intelligent Systems and Computer Vision (ISCV)*, Fez, Morocco: IEEE, May 2024, pp. 1–6. doi: 10.1109/ISCV60512.2024.10620085.
- [8] **C. M. Lin and S.L. Chen**, ‘FMEA-TSTM-NNGA: A Novel Optimization Framework Integrating Failure Mode and Effect Analysis, the Taguchi Method, a Neural Network, and a Genetic Algorithm for Improving the Resistance in Dynamic Random Access Memory Components’, *Mathematics*, vol. 12, no. 17, p. 2773, Sep. 2024, doi: 10.3390/math12172773.
- [9] **C. Duan, M. Zhu, and K. Wang**, ‘Reliability analysis of intelligent manufacturing systems based on improved FMEA combined with machine learning’, *J. Intell. Fuzzy Syst.*, vol. 46, no. 4, pp. 10375–10392, Apr. 2024, doi: 10.3233/JIFS-232712.
- [10] **F. U. Hassan, T. Nguyen, T. Le, and C. Le**, ‘Automated prioritization of construction project requirements using machine learning and fuzzy Failure Mode and Effects Analysis (FMEA)’, *Autom. Constr.*, vol. 154, p. 105013, Oct. 2023, doi: 10.1016/j.autcon.2023.105013.
- [11] **J. E. Naranjo, J. S. Alban, M. S. Balseca, D. F. Bustamante Villagómez, M. G. Mancheno Falconi, and M. V. Garcia**, ‘Enhancing Institutional Sustainability Through Process Optimization: A Hybrid Approach Using FMEA and Machine Learning’, *Sustainability*, vol. 17, no. 4, p. 1357, Feb. 2025, doi: 10.3390/su17041357.
- [12] **S. Peddi, K. Lanka, and P. Gopal**, ‘Modified FMEA using machine learning for food supply chain’, *Mater. Today Proc.*, p. S2214785323022551, May 2023, doi: 10.1016/j.matpr.2023.04.353.
- [13] **A. Aleksić, D. D. Milanović, N. Komatina, and D. Tadić**, ‘Evaluation and ranking of failures in manufacturing process by combining best-worst method and VIKOR under type-2 fuzzy environment’, *Expert Syst.*, vol. 40, no. 2, p. e13148, Feb. 2023, doi: 10.1111/exsy.13148.

- [14] **B. Karatop, B. Taşkan, E. Adar, and C. Kubat**, ‘Decision analysis related to the renewable energy investments in Turkey based on a Fuzzy AHP-EDAS-Fuzzy FMEA approach’, *Comput. Ind. Eng.*, vol. 151, p. 106958, Jan. 2021, doi: 10.1016/j.cie.2020.106958.
- [15] **M. Khodadadi-Karimvand and H. Shirouyehzad**, ‘Well drilling fuzzy risk assessment using fuzzy FMEA and fuzzy TOPSIS’, *J. Fuzzy Ext. Appl.*, vol. 2, no. 2, Jun. 2021, doi: 10.22105/jfea.2021.275955.1086.
- [16] **N. Komatina, D. Tadić, A. Aleksić, and N. Banduka**, ‘The integrated PFMEA approach with interval type-2 fuzzy sets and FBWM: A case study in the automotive industry’, *Proc. Inst. Mech. Eng. Part J. Automob. Eng.*, vol. 236, no. 6, pp. 1201–1212, May 2022, doi: 10.1177/09544070211034799.
- [17] **D. K. Kushwaha, D. Panchal, and A. Sachdeva**, ‘A modified FMEA approach based integrated decision framework for overcoming the problems of sudden failure and accidental hazards in turbine and alternator unit’, *Facta Univ. Ser. Mech. Eng.*, p. Online First, 2023, doi: 10.22190/FUME221126010K.
- [18] **D. Tadić, N. Banduka, T. Petrović, and N. Komatina**, ‘Application of FMEA in the automotive industry: Present situation and perspectives in the Republic of Serbia’, *Trendovi U Posl.*, vol. 12, no. 1, pp. 127–135, 2024, doi: 10.5937/trendpos2401137T.
- [19] **T. L. Saaty**, ‘The analytical hierarchy process, planning, priority’, *Resour. Alloc. RWS Publ. USA*, 1980.
- [20] **T. L. Saaty**, ‘The Modern Science of Multicriteria Decision Making and Its Practical Applications: The AHP/ANP Approach’, *Oper. Res.*, vol. 61, no. 5, pp. 1101–1118, Oct. 2013, doi: 10.1287/opre.2013.1197.
- [21] **J. Rezaei**, ‘Best-worst multi-criteria decision-making method’, *Omega*, vol. 53, pp. 49–57, Jun. 2015, doi: 10.1016/j.omega.2014.11.009.
- [22] **D. Božanić, I. Epler, A. Puška, S. Biswas, D. Marinković, and S. Koprivica**, ‘Application of the DIBR II – rough MABAC decision-making model for ranking methods and techniques of lean organization systems management in the process of technical maintenance’, *Facta Univ. Ser. Mech. Eng.*, vol. 22, no. 1, p. 101, Apr. 2024, doi: 10.22190/FUME230614026B.
- [23] **M. Rakić, M. M. Žižović, B. Miljković, A. Njeguš, M. R. Žižović, and I. Đorđević**, ‘Multi-criteria selection of standards for system analyst activities in organizations’, *Facta Univ. Ser. Mech. Eng.*, vol. 21, no. 3, p. 433, Oct. 2023, doi: 10.22190/FUME230521023R.
- [24] **N. Komatina, D. Tadić, A. Aleksić, and A. D. Jovanović**, ‘The assessment and selection of suppliers using AHP and MABAC with type-2 fuzzy numbers in automotive industry’, *Proc. Inst. Mech. Eng. Part O J. Risk Reliab.*, vol. 237, no. 4, pp. 836–852, Aug. 2023, doi: 10.1177/1748006X221095359.
- [25] **M. Milanovic, M. Misita, and N. Komatina**, ‘Determination of the optimal production plan by using fuzzy AHP and fuzzy linear programming’, *J. Intell. Fuzzy Syst.*, vol. 38, no. 4, pp. 4315–4325, Apr. 2020, doi: 10.3233/JIFS-190913.
- [26] **C. L. Hwang and K. Yoon**, ‘Methods for multiple attribute decision making. Multiple attribute decision making: methods and applications a state-of-the-art survey’, 1981, pp. 58–191.
- [27] **R. Alkan, M. Yucesan, and M. Gul**, ‘A Multi-attribute Decision-Making to Sustainable Construction Material Selection: A Bayesian BWM-SAW Hybrid Model’, in *Advances in Best-Worst Method*, J. Rezaei, M. Brunelli, and M. Mohammadi, Eds., in *Lecture Notes in Operations Research*, Cham: Springer International Publishing, 2022, pp. 67–78. doi: 10.1007/978-3-030-89795-6_6.

- [28] **F. S. Amalia**, ‘Application of SAW Method in Decision Support System for Determination of Exemplary Students’, *J. Inf. Technol. Softw. Eng. Comput. Sci. ITSECS*, vol. 1, no. 1, pp. 14–21, Dec. 2022, doi: 10.58602/itsecs.v1i1.9.
- [29] **M. Keshavarz Ghorabae, E. K. Zavadskas, L. Olfat, and Z. Turskis**, ‘Multi-Criteria Inventory Classification Using a New Method of Evaluation Based on Distance from Average Solution (EDAS)’, *Informatica*, vol. 26, no. 3, pp. 435–451, Jan. 2015, doi: 10.15388/Informatica.2015.57.
- [30] **N. Komatina**, ‘A compromise-based MADM approach for prioritizing failures: Integrating the RADAR method within the FMEA framework’, *J. Sist. Dan Manaj. Ind.*, vol. 8, no. 2, pp. 73–88, Dec. 2024, doi: 10.30656/jsmi.v8i2.9283.
- [31] **N. Komatina**, ‘A Novel BWM-RADAR Approach for Multi-Attribute Selection of Equipment in the Automotive Industry’, *Spectr. Mech. Eng. Oper. Res.*, vol. 2, no. 1, pp. 104–120, Feb. 2025, doi: 10.31181/smeor21202531.
- [32] **T. L. Saaty**, ‘Decision-making with the AHP: Why is the principal eigenvector necessary’, *Eur. J. Oper. Res.*, vol. 145, no. 1, pp. 85–91, Feb. 2003, doi: 10.1016/S0377-2217(02)00227-8.
- [33] **Ž. Stević, M. Baydaş, M. Kavacık, E. Ayhan, and D. Marinković**, ‘Selection of Data Conversion Technique via Sensitivity-Performance Matching: Ranking of Small E-Vans with PROBID Method’, *Facta Univ. Ser. Mech. Eng.*, vol. 22, no. 4, pp. 643–671, Dec. 2024, doi: 10.22190/FUME240305023S.
- [34] **B. Kizielewicz and W. Salabun**, ‘SITW Method: A New Approach to Re-identifying Multi-criteria Weights in Complex Decision Analysis’, *Spectr. Mech. Eng. Oper. Res.*, vol. 1, no. 1, pp. 215–226, Sep. 2024, doi: 10.31181/smeor11202419.

